

---

## Appendix B

### *Air Quality Impact Analysis*



---

# **Lake and Mountain Shopping Center**

**AIR QUALITY IMPACT ANALYSIS  
CITY OF LAKE ELSINORE**

PREPARED BY:

Haseeb Qureshi  
[hqureshi@urbanxroads.com](mailto:hqureshi@urbanxroads.com)  
(949) 336-5987

Alyssa Tamase  
[atamase@urbanxroads.com](mailto:atamase@urbanxroads.com)  
(949) 336-5988

OCTOBER 24, 2019



## TABLE OF CONTENTS

<b>TABLE OF CONTENTS.....</b>	I
<b>APPENDICES .....</b>	II
<b>LIST OF EXHIBITS .....</b>	II
<b>LIST OF TABLES .....</b>	II
<b>LIST OF ABBREVIATED TERMS.....</b>	III
<b>EXECUTIVE SUMMARY .....</b>	1
<b>1     INTRODUCTION.....</b>	3
1.1    Site Location.....	3
1.2    Project Description.....	3
1.3    Standard Regulatory Requirements.....	3
1.4    Best Available Control Measures (BACMs) .....	3
1.5    Construction-Source Mitigation Measures.....	6
1.6    Operational-Source Air Pollutant Emissions Mitigation Measures.....	6
<b>2     AIR QUALITY SETTING.....</b>	8
2.1    South Coast Air Basin.....	8
2.2    Regional Climate .....	8
2.3    Wind Patterns and Project Location .....	9
2.4    Criteria Pollutants .....	10
2.5    Existing Air Quality .....	17
2.6    Regional Air Quality .....	20
2.7    Local Air Quality .....	20
2.8    Regulatory Background.....	21
<b>3     PROJECT AIR QUALITY IMPACT .....</b>	27
3.1    Introduction .....	27
3.2    Standards of Significance .....	27
3.3    Project-Related Sources of Potential Impact .....	28
3.4    Construction Emissions.....	28
3.5    Operational Emissions .....	31
3.6    Localized Significance - Construction Activity.....	34
3.7    Localized Significance – Long-Term Operational Activity .....	39
3.8    CO “Hot Spot” Analysis .....	39
3.9    Air Quality Management Planning .....	41
3.10   Potential Impacts to Sensitive Receptors .....	43
3.11   Odors.....	44
3.12   Cumulative Impacts .....	45
<b>4     FINDINGS &amp; CONCLUSIONS.....</b>	47
<b>5     REFERENCES.....</b>	49
<b>6     CERTIFICATIONS .....</b>	52

## **APPENDICES**

### **APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS**

### **APPENDIX 3.1: CALEEMOD CONSTRUCTION AND OPERATIONAL EMISSIONS MODEL OUTPUTS**

## **LIST OF EXHIBITS**

EXHIBIT 1-A: LOCATION MAP .....	4
EXHIBIT 1-B: SITE PLAN .....	5
EXHIBIT 3-A: 3 MILE RADIUS .....	33
EXHIBIT 3-B: RECEPTOR LOCATIONS.....	37

## **LIST OF TABLES**

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS .....	1
TABLE 2-1: CRITERIA POLLUTANTS .....	10
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2).....	18
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2).....	19
TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB .....	20
TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2015-2018.....	21
TABLE 3-1: MAXIMUM DAILY EMISSIONS REGIONAL THRESHOLDS .....	27
TABLE 3-2: MAXIMUM DAILY EMISSIONS LOCALIZED THRESHOLDS .....	28
TABLE 3-3: CONSTRUCTION DURATION.....	29
TABLE 3-4: CONSTRUCTION EQUIPMENT .....	30
TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY .....	31
TABLE 3-6: SUMMARY OF OPERATIONAL EMISSIONS .....	34
TABLE 3-7: MAXIMUM DAILY DISTURBED-ACREAGE.....	36
TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION .....	39
TABLE 3-9: CO MODEL RESULTS .....	40
TABLE 3-10: TRAFFIC VOLUMES .....	41
TABLE 3-11: CUMULATIVE WITH PROJECT PEAK HOUR TRAFFIC VOLUMES.....	41

## **LIST OF ABBREVIATED TERMS**

(1)	Reference
$\mu\text{g}/\text{m}^3$	Microgram per Cubic Meter
AQ	Air Quality
AQIA	Air Quality Impact Analysis
AQMD	Air Quality Management District
AQMP	Air Quality Management Plan
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
CALGreen	California Green Building Standards Code
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEC	California Energy Commission
CEQA	California Environmental Quality Act
CITY	City of Lake Elsinore
CO	Carbon Monoxide
CY	Cubic Yards
EIR	Environmental Impact Reports
EPA	Environmental Protection Agency
GHG	Greenhouse Gas
LBS/DAY	Pounds Per Day
LST	Localized Significance Threshold
LST METHODOLOGY	Final Localized Significance Threshold Methodology
NAAQS	National Ambient Air Quality Standards
NO <sub>2</sub>	Nitrogen Dioxide
NO <sub>x</sub>	Nitrogen Oxides
NOP	Notice of Preparation
O <sub>3</sub>	Ozone
Pb	Lead
PM <sub>10</sub>	Particulate Matter 10 microns in diameter or less
PM <sub>2.5</sub>	Particulate Matter 2.5 microns in diameter or less
PPM	Parts Per Million
Project	Lake and Mountain Shopping Center
ROG	Reactive Organic Gases
RTP/SCS	Regional Transportation Plan/ Sustainable Communities Strategy

SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
SF	Square Feet
SIP	State Implementation Plans
SO <sub>2</sub>	Sulfur Dioxide
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
VOC	Volatile Organic Compounds
VPH	Vehicles Per Hour

*This page intentionally left blank*

## EXECUTIVE SUMMARY

The results of this *Lake and Mountain Shopping Center Air Quality Impact Analysis* are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the California Environmental Quality Act (CEQA) Guidelines. (1). Table ES-1 shows the findings of significance for each potential air quality impact under CEQA before and after any required mitigation measures described below.

**TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS**

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Regional Construction Emissions	3.4	<i>Less Than Significant</i>	<i>n/a</i>
Localized Construction Emissions	3.6	<i>Less Than Significant</i>	<i>n/a</i>
Regional Operational Emissions	3.5	<i>Less Than Significant</i>	<i>n/a</i>
Localized Operational Emissions	3.7	<i>Less Than Significant</i>	<i>n/a</i>
CO “Hot Spot” Analysis	3.8	<i>Less Than Significant</i>	<i>n/a</i>
Air Quality Management Plan	3.9	<i>Less Than Significant</i>	<i>n/a</i>
Sensitive Receptors	3.10	<i>Less Than Significant</i>	<i>n/a</i>
Odors	3.11	<i>Less Than Significant</i>	<i>n/a</i>
Cumulative Impacts	3.12	<i>Less Than Significant</i>	<i>n/a</i>



## **1 INTRODUCTION**

This report presents the results of the air quality impact analysis (AQIA) prepared by Urban Crossroads, Inc., for the proposed Lake and Mountain Shopping Center (“Project”). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the proposed Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the South Coast Air Quality Management District (SCAQMD).

### **1.1 SITE LOCATION**

The proposed Lake and Mountain Shopping Center Project is located on the northwest corner of Lake Street and Mountain Street in the City of Lake Elsinore, as shown on Exhibit 1-A. The Project site is currently vacant. Nearby existing residential tract homes are located east of the Project site across Lake Street and south across Mountain Street. Individual large lot single-family residential homes are located west and north of the Project site.

### **1.2 PROJECT DESCRIPTION**

The Project is proposed to consist of 13,200 square feet of shopping center use, a gasoline service station with a 3,400 square foot convenience market, 7,365 square feet of fast-food restaurant with drive-through window use, and an automated car wash tunnel, as shown on Exhibit 1-B. It is anticipated that the Project would be developed in a single phase with an anticipated Opening Year of 2021.

### **1.3 STANDARD REGULATORY REQUIREMENTS**


SCAQMD Rules that are currently applicable during construction activity for this Project include but are not limited to Rule 1113 (Architectural Coatings) (2) and Rule 403 (Fugitive Dust) (3).

The gasoline station is subject to and required to comply with SCAQMD Rules 461 (Gasoline Transfer and Dispensing) (4) as well as a Permit to Construct and Permit to Operate, Rules 201 (5) and 203 (6), respectively. These required permits identify a maximum annual throughput allowed based on specific fuel storage and dispensing equipment that is proposed by the operator.


### **1.4 BEST AVAILABLE CONTROL MEASURES (BACMs)**

Measures listed below (or equivalent language) shall appear on all Project grading plans, construction specifications and bid documents, and the City shall ensure such language is incorporated prior to issuance of any development permits.

**EXHIBIT 1-A: LOCATION MAP**



**EXHIBIT 1-B: SITE PLAN**



### **BACM AQ-1**

All applicable measures shall be incorporated into Project plans and specifications as implementation of Rule 403, which include but are not limited to (3):

- All clearing, grading, earth-moving, or excavation activities shall cease when winds exceed 25 mph per SCAQMD guidelines in order to limit fugitive dust emissions.
- The contractor shall ensure that all disturbed unpaved roads and disturbed areas within the Project are watered at least three (3) times daily during dry weather. Watering, with complete coverage of disturbed areas, shall occur at least three times a day, preferably in the mid-morning, afternoon, and after work is done for the day.
- The contractor shall ensure that traffic speeds on unpaved roads and Project site areas are reduced to 15 miles per hour or less.

### **BACM AQ-2**

The following measures shall be incorporated into Project plans and specifications as implementation of Rule 1113 (7):

- In order to limit the VOC content of architectural coatings used in the SCAB, architectural coatings shall be no more than a low VOC default level of 50 g/L unless otherwise specified in the SCAQMD Table of Standards (pg. 32-33).

## **1.5 CONSTRUCTION-SOURCE MITIGATION MEASURES**

Project construction-source emissions will be less than significant. Therefore, no mitigation measures are required.

## **1.6 OPERATIONAL-SOURCE AIR POLLUTANT EMISSIONS MITIGATION MEASURES**

Project operational-source emissions will be less than significant. Therefore, no mitigation measures are required.

*This page intentionally left blank*

## 2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

### 2.1 SOUTH COAST AIR BASIN

The Project site is located in the South Coast Air Basin (SCAB) within the jurisdiction of SCAQMD (8). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and state air quality standards. As previously stated, the Project site is located within the SCAB, a 6,745-square mile subregion of the SCAQMD, which includes portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County.

The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east. The Los Angeles County portion of the Mojave Desert Air Basin is bounded by the San Gabriel Mountains to the south and west, the Los Angeles / Kern County border to the north, and the Los Angeles / San Bernardino County border to the east. The Riverside County portion of the Salton Sea Air Basin is bounded by the San Jacinto Mountains in the west and spans eastward up to the Palo Verde Valley.

### 2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to middle 60s (degrees Fahrenheit). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO<sub>2</sub>) to sulfates is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71 percent along the coast and 59 percent inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90 percent of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in

downtown Los Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year there are approximately 10 hours of possible sunshine, and on the longest day of the year there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed "Santa Anas" each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the "Catalina Eddy," a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter, when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as NO<sub>x</sub> and CO from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

## **2.3 WIND PATTERNS AND PROJECT LOCATION**

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and

low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

## 2.4 CRITERIA POLLUTANTS

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (9):

TABLE 2-1: CRITERIA POLLUTANTS

Criteria Pollutant	Description	Sources	Health Effects
CO	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone, motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with oxygen transport and competing with oxygen to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for oxygen supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (oxygen deficiency) as seen at high altitudes.

Criteria Pollutant	Description	Sources	Health Effects
SO <sub>2</sub>	<p>SO<sub>2</sub> is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO<sub>2</sub> oxidizes in the atmosphere, it forms sulfates (SO<sub>4</sub>). Collectively, these pollutants are referred to as sulfur oxides (SO<sub>x</sub>)</p>	<p>Coal or oil burning power plants and industries, refineries, diesel engines</p>	<p>A few minutes of exposure to low levels of SO<sub>2</sub> can result in airway constriction in some asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO<sub>2</sub>. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO<sub>2</sub>.</p> <p>Animal studies suggest that despite SO<sub>2</sub> being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract.</p> <p>Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO<sub>2</sub> levels. In these studies, efforts to separate the effects of SO<sub>2</sub> from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.</p>

Criteria Pollutant	Description	Sources	Health Effects
NO <sub>x</sub>	<p>NO<sub>x</sub> consist of nitric oxide (NO), nitrogen dioxide (NO<sub>2</sub>) and nitrous oxide (N<sub>2</sub>O) and are formed when nitrogen (N<sub>2</sub>) combines with oxygen (O<sub>2</sub>). Their lifespan in the atmosphere ranges from one to seven days for nitric oxide and nitrogen dioxide, to 170 years for nitrous oxide. NO<sub>x</sub> are typically created during combustion processes and are major contributors to smog formation and acid deposition.</p> <p>NO<sub>2</sub> is a criteria air pollutant and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of nitrogen oxide compounds, NO<sub>2</sub> is the most abundant in the atmosphere. As ambient concentrations of NO<sub>2</sub> are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO<sub>2</sub> than those indicated by regional monitoring station.</p>	<p>Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.</p>	<p>Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is associated with long-term exposure to NO<sub>2</sub> at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO<sub>2</sub> in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups.</p> <p>In animals, exposure to levels of NO<sub>2</sub> considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of ozone exposure increases when animals are exposed to a combination of ozone and NO<sub>2</sub>.</p>
Ozone (O <sub>3</sub> )	<p>O<sub>3</sub> is a highly reactive and unstable gas that is formed when VOCs and NO<sub>x</sub>, both byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. Ozone concentrations are generally</p>	<p>Formed when reactive organic gases (ROG) and NO<sub>x</sub> react in the presence of sunlight. ROG sources</p>	<p>Individuals exercising outdoors, children, and people with preexisting lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible sub-groups for ozone effects.</p>

Criteria Pollutant	Description	Sources	Health Effects
	highest during the summer months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.	include any source that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and storage and pesticides.	<p>Short-term exposure (lasting for a few hours) to ozone at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated ozone levels are associated with increased school absences. In recent years, a correlation between elevated ambient ozone levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and live in communities with high ozone levels.</p> <p>Ozone exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes ozone may be more toxic than exposure to ozone alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.</p>
Particulate Matter	PM <sub>10</sub> (Particulate Matter less than 10 microns): A major air pollutant consisting of tiny solid or liquid particles of soot, dust,	Sources of PM <sub>10</sub> include road dust, windblown dust and construction. Also	A consistent correlation between elevated ambient fine particulate matter (PM <sub>10</sub> and PM <sub>2.5</sub> ) levels and an

Criteria Pollutant	Description	Sources	Health Effects
	<p>smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduce visibility (haze) which is caused by the scattering of light and consequently the significant reduction air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be deposited, resulting in adverse health effects. Additionally, it should be noted that PM<sub>10</sub> is considered a criteria air pollutant.</p> <p>PM<sub>2.5</sub> (Particulate Matter less than 2.5 microns): A similar air pollutant to PM<sub>10</sub> consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include sulfates formed from SO<sub>2</sub> release from power plants and industrial facilities and nitrates that are formed from NO<sub>x</sub> release from power plants, automobiles and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. PM<sub>2.5</sub> is a criteria air pollutant.</p>	<p>formed from other pollutants (acid rain, NO<sub>x</sub>, SO<sub>x</sub>, organics). Incomplete combustion of any fuel.</p> <p>PM<sub>2.5</sub> comes from fuel combustion in motor vehicles, equipment and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO<sub>x</sub>, SO<sub>x</sub>, organics).</p>	<p>increase in mortality rates, respiratory infections, number and severity of asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer.</p> <p>Daily fluctuations in PM<sub>2.5</sub> concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter.</p> <p>The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM<sub>10</sub> and PM<sub>2.5</sub>.</p>
Volatile Organic Compounds (VOC)	<p>VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic</p>	<p>Organic chemicals are widely used as ingredients in household products. Paints, varnishes and wax all contain organic solvents, as do many cleaning, disinfecting,</p>	<p>Breathing VOCs can irritate the eyes, nose and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health</p>

Criteria Pollutant	Description	Sources	Health Effects
	<p>compounds) have different levels of reactivity; that is, they do not react at the same speed or do not form ozone to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O<sub>3</sub>, which is a criteria pollutant. The terms VOC and ROG (see below) interchangeably.</p>	<p>cosmetic, degreasing and hobby products. Fuels are made up of organic chemicals. All of these products can release organic compounds while you are using them, and, to some degree, when they are stored.</p>	effects, though many have several.
ROG	<p>Similar to VOC, ROGs are also precursors in forming ozone and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO<sub>x</sub> react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O<sub>3</sub>, which is a criteria pollutant. The terms ROG and VOC (see previous) interchangeably.</p>	Sources similar to VOCs.	Health effects similar to VOCs.
Lead (Pb)	<p>Lead is a heavy metal that is highly persistent in the environment and is considered a criteria pollutant. In the past, the primary source of lead in the air was emissions from vehicles burning leaded gasoline. The major sources of lead emissions are ore and metals processing, particularly lead smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include</p>	<p>Metal smelters, resource recovery, leaded gasoline, deterioration of lead paint.</p>	<p>Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are</p>

Criteria Pollutant	Description	Sources	Health Effects
	waste incinerators, utilities, and lead-acid battery manufacturers. It should be noted that the Project does not include operational activities such as metal processing or lead acid battery manufacturing. As such, the Project is not anticipated to generate a quantifiable amount of lead emissions.		associated with increased blood pressure.  Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.
Odor	Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves.	Odors can come from many sources including animals, human activities, industry, natures, and vehicles.	Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.

## **2.5 EXISTING AIR QUALITY**

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. National Ambient Air Quality Standards (NAAQS) and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-2 (10).

The determination of whether a region's air quality is healthful or unhealthy is determined by comparing contaminant levels in ambient air samples to the state and federal standards. At the time of this AQIA, the most recent state and federal standards were updated by the California Air Resources Board (CARB) on May ,4 2016 and are presented in Table 2-2. The air quality in a region is considered to be in attainment by the state if the measured ambient air pollutant levels for O<sub>3</sub>, CO (except 8-hour Lake Tahoe), SO<sub>2</sub> (1 and 24 hour), NO<sub>2</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> are not to be exceeded. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how the State assigns attainment status. Attainment status for a pollutant means that the Air District meets the standards set by the EPA or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS standards. In order to improve air quality in nonattainment areas, a State Implementation Plan (SIP) is drafted by CARB. The SIP outlines the measures that the state will take to improve air quality. Once nonattainment areas meet the standards and additional redesignation requirements, the EPA will designate the area as a maintenance area (11).

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards									
Pollutant	Averaging Time	California Standards <sup>1</sup>		National Standards <sup>2</sup>					
		Concentration <sup>3</sup>	Method <sup>4</sup>	Primary <sup>3,5</sup>	Secondary <sup>3,6</sup>	Method <sup>7</sup>			
Ozone (O <sub>3</sub> ) <sup>8</sup>	1 Hour	0.09 ppm (180 µg/m <sup>3</sup> )	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry			
	8 Hour	0.070 ppm (137 µg/m <sup>3</sup> )		0.070 ppm (137 µg/m <sup>3</sup> )					
Respirable Particulate Matter (PM10) <sup>9</sup>	24 Hour	50 µg/m <sup>3</sup>	Gravimetric or Beta Attenuation	150 µg/m <sup>3</sup>	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	20 µg/m <sup>3</sup>		—					
Fine Particulate Matter (PM2.5) <sup>9</sup>	24 Hour	—	Gravimetric or Beta Attenuation	35 µg/m <sup>3</sup>	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	12 µg/m <sup>3</sup>		12.0 µg/m <sup>3</sup>	15 µg/m <sup>3</sup>				
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m <sup>3</sup> )	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m <sup>3</sup> )	—	Non-Dispersive Infrared Photometry (NDIR)			
	8 Hour	9.0 ppm (10 mg/m <sup>3</sup> )		9 ppm (10 mg/m <sup>3</sup> )	—				
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m <sup>3</sup> )		—	—				
Nitrogen Dioxide (NO <sub>2</sub> ) <sup>10</sup>	1 Hour	0.18 ppm (339 µg/m <sup>3</sup> )	Gas Phase Chemiluminescence	100 ppb (188 µg/m <sup>3</sup> )	—	Gas Phase Chemiluminescence			
	Annual Arithmetic Mean	0.030 ppm (57 µg/m <sup>3</sup> )		0.053 ppm (100 µg/m <sup>3</sup> )	Same as Primary Standard				
Sulfur Dioxide (SO <sub>2</sub> ) <sup>11</sup>	1 Hour	0.25 ppm (655 µg/m <sup>3</sup> )	Ultraviolet Fluorescence	75 ppb (196 µg/m <sup>3</sup> )	—	Ultraviolet Fluorescence: Spectrophotometry (Pararosaniline Method)			
	3 Hour	—		—	0.5 ppm (1300 µg/m <sup>3</sup> )				
	24 Hour	0.04 ppm (105 µg/m <sup>3</sup> )		0.14 ppm (for certain areas) <sup>11</sup>	—				
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) <sup>11</sup>	—				
Lead <sup>12,13</sup>	30 Day Average	1.5 µg/m <sup>3</sup>	Atomic Absorption	—	—	High-Volume Sampler and Atomic Absorption			
	Calendar Quarter	—		1.5 µg/m <sup>3</sup> (for certain areas) <sup>12</sup>	Same as Primary Standard				
	Rolling 3-Month Average	—		0.15 µg/m <sup>3</sup>					
Visibility Reducing Particles <sup>14</sup>	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards					
Sulfates	24 Hour	25 µg/m <sup>3</sup>	Ion Chromatography	National Standards					
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m <sup>3</sup> )	Ultraviolet Fluorescence						
Vinyl Chloride <sup>12</sup>	24 Hour	0.01 ppm (26 µg/m <sup>3</sup> )	Gas Chromatography						

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

**TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)**

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above  $150 \mu\text{g}/\text{m}^3$  is equal to or less than one. For PM2.5, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of  $25^\circ\text{C}$  and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of  $25^\circ\text{C}$  and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from  $15 \mu\text{g}/\text{m}^3$  to  $12.0 \mu\text{g}/\text{m}^3$ . The existing national 24-hour PM2.5 standards (primary and secondary) were retained at  $35 \mu\text{g}/\text{m}^3$ , as was the annual secondary standard of  $15 \mu\text{g}/\text{m}^3$ . The existing 24-hour PM10 standards (primary and secondary) of  $150 \mu\text{g}/\text{m}^3$  also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO<sub>2</sub> standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO<sub>2</sub> national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard ( $1.5 \mu\text{g}/\text{m}^3$  as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990

California Air Resources Board (5/4/16)

## 2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for six of the most common air pollutants: carbon monoxide, lead, ozone, particulate matter, nitrogen dioxide, and sulfur dioxide which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 37 permanent monitoring stations and 5 single-pollutant source Pb air monitoring sites throughout the air district (12). On February 21, 2019, CARB posted the 2018 amendments to the state and national area designations. See Table 2-3 for attainment designations for the SCAB (13). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

**TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB**

Criteria Pollutant	State Designation	Federal Designation
O <sub>3</sub> – 1-hour standard	Nonattainment	--
O <sub>3</sub> – 8-hour standard	Nonattainment	Nonattainment
PM <sub>10</sub>	Nonattainment	Attainment
PM <sub>2.5</sub>	Nonattainment	Nonattainment
CO	Attainment	Unclassifiable/Attainment
NO <sub>2</sub>	Attainment	Unclassifiable/Attainment
SO <sub>2</sub>	Unclassifiable/Attainment	Unclassifiable/Attainment
Pb <sup>1</sup>	Attainment	Unclassifiable/Attainment

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB

-- = The national 1-hour O<sub>3</sub> standard was revoked effective June 15, 2005

## 2.7 LOCAL AIR QUALITY

The Project site is located within the Source Receptor Area (SRA) 25 (14). Within SRA 25, the SCAQMD Elsinore Valley monitoring station is located 3.65 miles southeast of the Project site and is the nearest long-term air quality monitoring site for O<sub>3</sub>, CO, NO<sub>2</sub>, and PM<sub>10</sub>. Relative to the Project site, the nearest long-term air quality monitoring site for PM<sub>2.5</sub> is the SCAQMD Saddleback Valley monitoring station (SRA 19), located approximately 16.44 miles southwest of the Project site (15).

The most recent three (3) years of data available is shown on Table 2-4 and identifies the number of days ambient air quality standards were exceeded for the study area, which is considered to be representative of the local air quality at the Project site. Data for O<sub>3</sub>, CO, NO<sub>2</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> for 2016 through 2018 was obtained from the SCAQMD Air Quality Data Tables (16). Additionally, data for SO<sub>2</sub> has been omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO<sub>2</sub> concentrations.

<sup>1</sup> The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.

**TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2015-2018**

POLLUTANT	STANDARD	YEAR		
		2016	2017	2018
<b>O<sub>3</sub></b>				
Maximum Federal 1-Hour Concentration (ppm)		0.124	0.121	0.116
Maximum Federal 8-Hour Concentration (ppm)		0.093	0.098	0.095
Number of Days Exceeding Federal 1-Hour Standard	>0.07 ppm	0	0	0
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	15	23	16
Number of Days Exceeding Federal 8-Hour Standard	> 0.070 ppm	44	54	30
Number of Days Exceeding State 8-Hour Standard	> 0.070 ppm	45	54	30
<b>CO</b>				
Maximum Federal 1-Hour Concentration	> 35 ppm	1.200	1.200	1.100
Maximum Federal 8-Hour Concentration	> 20 ppm	0.600	0.800	0.800
<b>NO<sub>2</sub></b>				
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.051	0.049	0.041
Annual Federal Standard Design Value		0.008	0.008	0.009
<b>PM<sub>10</sub></b>				
Maximum Federal 24-Hour Concentration (µg/m <sup>3</sup> )	> 150 µg/m <sup>3</sup>	99.000	133.00	104.00
Annual Federal Arithmetic Mean (µg/m <sup>3</sup> )		21.400	22.500	22.400
Number of Days Exceeding Federal 24-Hour Standard	> 150 µg/m <sup>3</sup>	0	0	0
Number of Days Exceeding State 24-Hour Standard	> 50 µg/m <sup>3</sup>	4	9	9
<b>PM<sub>2.5</sub></b>				
Maximum Federal 24-Hour Concentration (µg/m <sup>3</sup> )	> 35 µg/m <sup>3</sup>	24.790	19.500	20.800
Annual Federal Arithmetic Mean (µg/m <sup>3</sup> )	> 12 µg/m <sup>3</sup>	7.360	8.110	8.310
Number of Days Exceeding Federal 24-Hour Standard	> 35 µg/m <sup>3</sup>	0	0	0

Source: Data for O<sub>3</sub>, NO<sub>2</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> was obtained from CARB's iADAM. Data for CO was obtained from SCAQMD Air Quality Data Tables. -- = data not available from ARB or SCAQMD

## 2.8 REGULATORY BACKGROUND

### 2.8.1 FEDERAL REGULATIONS

The EPA is responsible for setting and enforcing the NAAQS for O<sub>3</sub>, CO, NO<sub>x</sub>, SO<sub>2</sub>, PM<sub>10</sub>, and Pb (17). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of the CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal

air quality standards, the NAAQS, and specifies future dates for achieving compliance (18). The CAA also mandates that states submit and implement SIPs for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards will be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (19) (20). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O<sub>3</sub>, NO<sub>2</sub>, SO<sub>2</sub>, PM<sub>10</sub>, CO, PM<sub>2.5</sub>, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O<sub>3</sub> and to adopt a NAAQS for PM<sub>2.5</sub>. Table 2-3 (previously presented) provides the NAAQS within the SCAB.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO<sub>x</sub>. NO<sub>x</sub> is a collective term that includes all forms of nitrogen oxides (NO, NO<sub>2</sub>, NO<sub>3</sub>) which are emitted as byproducts of the combustion process.

## 2.8.2 CALIFORNIA REGULATIONS

**California Air Resource Board.** The CARB, which became part of the CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. The CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for sulfates, visibility, hydrogen sulfide, and vinyl chloride. However, at this time, hydrogen sulfide and vinyl chloride are not measured at any monitoring stations in the SCAB because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (21) (17).

Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare air quality management plans that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g. motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;

- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a five percent or more annual reduction in emissions or 15 percent or more in a period of three years for ROGs, NO<sub>x</sub>, CO and PM<sub>10</sub>. However, air basins may use alternative emission reduction strategy that achieves a reduction of less than five percent per year under certain circumstances.

**Title 24 Energy Efficiency Standards and California Green Building Standards.** CCR Title 24 Part 6: California's Energy Efficiency Standards for Residential and Nonresidential Buildings, was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption. The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. California Code of Regulations, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on January 1, 2011, and is administered by the California Building Standards Commission. CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2019 California Green Building Code Standards that will be effective January 1, 2020. Local jurisdictions are permitted to adopt more stringent requirements, as state law provides methods for local enhancements. CALGreen recognizes that many jurisdictions have developed existing construction and demolition ordinances and defers to them as the ruling guidance provided, they establish a minimum 65 percent diversion requirement. The code also provides exemptions for areas not served by construction and demolition recycling infrastructure. The State Building Code provides the minimum standard that buildings must meet in order to be certified for occupancy, which is generally enforced by the local building official.

Energy efficient buildings require less electricity; therefore, increased energy efficiency reduces fossil fuel consumption and decreases greenhouse gas (GHG) emissions. The 2019 version of Title 24 was adopted by the California Energy Commission (CEC) and will become effective on January 1, 2020. As a conservative measure, the analysis herein assumes compliance with the 2016 Title 24 Standards and no additional reduction for compliance with the 2019 standards have been taken.

The 2019 Title 24 standards will result in less energy use, thereby reducing air pollutant emissions associated with energy consumption in the South Coast Air Basin and across the State of California. For example, the 2019 Title 24 standards will require solar photovoltaic systems for new homes, establish requirements for newly constructed healthcare facilities, encourage demand responsive technologies for residential buildings, and update indoor and outdoor lighting requirements for nonresidential buildings. The CEC anticipates that single-family homes built with the 2019 standards will use approximately 7 percent less energy compared to the residential homes built under the 2016 standards. Additionally, after implementation of solar photovoltaic systems, homes built under the 2019 standards will use about 53 percent less energy than homes built under the 2016 standards. Nonresidential buildings (such as the proposed Project) will use approximately 30 percent less energy due to lighting upgrade requirements (22).

Because the Project will be constructed after January 1, 2019, the 2019 CALGreen standards are applicable to the Project and require, among other items (23):

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5 percent of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5 percent of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- Designated parking. In new projects or additions to alterations that add 10 or more vehicular parking spaces, provide designated parking for any combination of low-emitting, fuel-efficient and carpool/van pool vehicles as shown in Table 5.106.5.2 (5.106.5.2).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65 percent of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1. 5.408.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).
- Excavated soil and land clearing debris. 100 percent of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reused or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are identified for the depositing, storage and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
  - Water Closets. The effective flush volume of all water closets shall not exceed 1.28 gallons per flush (5.303.3.1)
  - Urinals. The effective flush volume of wall-mounted urinals shall not exceed 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor-mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).
  - Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combine flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).
  - Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute of 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).

- Outdoor portable water use in landscaped areas. Nonresidential developments shall comply with a local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient (MWELO), whichever is more stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings or additions in excess of 50,000 sf or for excess consumption where any tenant within a new building or within an addition that is projected to consume more than 1,000 gal/day (5.303.1.1 and 5.303.1.2).
- Outdoor water use in rehabilitated landscape projects equal to or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included in the design and construction processes of the building project to verify that the building systems and components meet the owner's or owner representative's project requirements (5.410.2).

### **2.8.3 AIR QUALITY MANAGEMENT PLANNING**

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of Air Quality Management Plans (AQMPs) to meet the state and federal ambient air quality standards (24). AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. A detailed discussion on the AQMP and Project consistency with the AQMP is provided in Section 3.9.

*This page intentionally left blank*

## 3 PROJECT AIR QUALITY IMPACT

### 3.1 INTRODUCTION

The Project has been evaluated to determine if it will violate an air quality standard or contribute to an existing or projected air quality violation. Additionally, the Project has been evaluated to determine if it will result in a cumulatively considerable net increase of a criteria pollutant for which the SCAB is non-attainment under an applicable federal or state ambient air quality standard. The significance of these potential impacts is described in the following section.

### 3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from the Initial Study Checklist in Appendix G of the State CEQA Guidelines (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (25):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people. affecting a substantial number of people.

The SCAQMD has also developed regional significance thresholds for other regulated pollutants, as summarized at Table 3-1 (26). The SCAQMD's CEQA Air Quality Significance Thresholds (April 2019) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

**TABLE 3-1: MAXIMUM DAILY EMISSIONS REGIONAL THRESHOLDS**

Pollutant	Construction	Operations
<b>Regional Thresholds</b>		
NO <sub>x</sub>	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM <sub>10</sub>	150 lbs/day	150 lbs/day
PM <sub>2.5</sub>	55 lbs/day	55 lbs/day
SO <sub>x</sub>	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day
Lead	3 lbs/day	3 lbs/day

lbs/day = Pounds Per Day

Source: Regional Thresholds presented in this table are based on the SCAQMD Air Quality Significance Thresholds, April 2019

The SCAQMD also established Localized Significance Thresholds (LSTs) (27) in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4. LSTs represent the maximum emissions from a project that will not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses. LSTs applicable to the Project are summarized on Table 3-2. Additional information on LSTs is presented in Section 3.6 of this report.

**TABLE 3-2: MAXIMUM DAILY EMISSIONS LOCALIZED THRESHOLDS**

Pollutant	Construction	Operations
<b>Localized Thresholds</b>		
NO <sub>x</sub>	325 lbs/day (Site Preparation)	N/A
	257 lbs/day (Grading)	
CO	1,677 lbs/day (Site Preparation)	N/A
	1,244 lbs/day (Grading)	
PM <sub>10</sub>	11 lbs/day (Site Preparation)	N/A
	8 lbs/day (Grading)	
PM <sub>2.5</sub>	7 lbs/day (Site Preparation)	N/A
	5 lbs/day (Grading)	

Source: Localized Thresholds presented in this table are based on the SCAQMD Final Localized Significance Threshold Methodology, July 2008

### 3.3 PROJECT-RELATED SOURCES OF POTENTIAL IMPACT

Land uses such as the Project affect air quality through construction-source and operational-source emissions.

On October 17, 2017, the SCAQMD in conjunction with the California Air Pollution Control Officers Association (CAPCOA) and other California air districts, released the latest version of the California Emissions Estimator Model™ (Caleemod™) v2016.3.2. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO<sub>x</sub>, SO<sub>x</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub>) and greenhouse gas (GHG) emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from mitigation measures (28). Accordingly, the latest version of Caleemod™ has been used for this Project to determine construction and operational air quality emissions. Output from the model runs for both construction and operational activity are provided in Appendix 3.1.

### 3.4 CONSTRUCTION EMISSIONS

Construction activities associated with the Project will result in emissions of VOCs, NO<sub>x</sub>, SO<sub>x</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub>. Construction related emissions are expected from the following construction activities:

- Site Preparation
- Grading
- Building Construction
- Paving
- Architectural Coating

Construction is expected to commence in May 2020 and will last through June 2020. Construction duration by phase is shown on Table 3-3. The duration of construction activity was estimated based on CalEEMod model defaults, past project experience, and a 2021 project buildout year. The construction schedule utilized in the analysis, shown in Table 3-3, represents a “worst-case” analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission regulations becoming more stringent.<sup>2</sup> A detailed summary of construction equipment, shown in Table 3-4. The site-specific construction fleet may vary due to specific project needs at the time of construction. The duration of construction activity and associated equipment both represent a reasonable approximation of the expected construction fleet as required per CEQA guidelines. Please refer to specific detailed modeling inputs/outputs contained in Appendix 3.1 of this analysis.

Dust is typically a major concern during rough grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called “fugitive emissions”. Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). CalEEMod was utilized to calculate fugitive dust emissions resulting from this phase of activity. It is our understanding that the Project will require approximately 22,417 cubic yards of soil export and has been modeled accordingly in CalEEMod.

Construction emissions for construction worker vehicles traveling to and from the Project site, as well as vendor trips (construction materials delivered to the Project site) were estimated based on CalEEMod.

**TABLE 3-3: CONSTRUCTION DURATION**

Phase Name	Start Date	End Date	Days
Site Preparation	05/30/2020	06/12/2020	10
Grading	06/13/2020	07/10/2020	20
Building Construction	07/11/2020	05/28/2021	230
Paving	05/29/2021	06/25/2021	20
Paving	06/26/2021	07/23/2021	20

<sup>2</sup> As shown in the California Emissions Estimator Model (CalEEMod) User’s Guide Version 2016.3.2, Section 4.3 “OFFROAD Equipment” as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

**TABLE 3-4: CONSTRUCTION EQUIPMENT**

Activity	Equipment	Number	Hours Per Day
Site Preparation	Rubber Tired Dozers	3	8
	Crawler Tractors	4	8
	Graders	1	8
Grading	Excavators	1	8
	Graders	1	8
	Rubber Tired Dozers	1	8
	Crawler Tractors	3	8
Building Construction	Cranes	1	8
	Forklifts	3	8
	Generator Sets	1	8
	Tractors/Loaders/Backhoes	3	8
	Welders	1	8
Paving	Pavers	2	8
	Paving Equipment	2	8
	Rollers	2	8
Architectural Coating	Air Compressors	1	8

### 3.4.1 CONSTRUCTION EMISSIONS SUMMARY

SCAQMD Rules that are currently applicable during construction activity for this Project include but are not limited to: Rule 1113 (Architectural Coatings) (2) and Rule 403 (Fugitive Dust) (3). It should be noted that Best Available Control Measures (BACMs) are not mitigation as they are standard regulatory requirements. As such, credit for Rule 403 and Rule 1113 have been taken.

The estimated maximum daily construction emissions without mitigation are summarized on Table 3-5. Detailed construction model outputs are presented in Appendix 3.1. Under the assumed scenarios, emissions resulting from the Project construction would not exceed criteria pollutant thresholds established by the SCAQMD for emissions of any criteria pollutant. Therefore, a less than significant impact would occur and no mitigation measures are required.

**TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY**

Year	Emissions (lbs/day)					
	VOC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
2020	6.12	75.92	24.93	0.15	11.06	6.77
2021	15.99	22.72	22.07	0.05	2.42	1.35
<b>Maximum Daily Emissions</b>	<b>15.99</b>	<b>75.92</b>	<b>24.93</b>	<b>0.15</b>	<b>11.06</b>	<b>6.77</b>
SCAQMD Regional Threshold	75	100	550	150	150	55
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>

### 3.5 OPERATIONAL EMISSIONS

Operational activities associated with the proposed Project will result in emissions of VOCs, NO<sub>x</sub>, SO<sub>x</sub>, CO, PM<sub>10</sub>, and PM<sub>2.5</sub>. Operational emissions would be expected from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions
- Gasoline Dispensing Emissions

#### 3.5.1 AREA SOURCE EMISSIONS

##### Architectural Coatings

Over a period of time, the buildings that are part of this Project will be subject to emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings as part of Project maintenance. The emissions associated with architectural coatings were calculated using the CalEEMod.

##### Consumer Products

Consumer products include, but are not limited to detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on defaults provided within the CalEEMod model.

##### Landscape Maintenance Equipment

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shredders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. The emissions associated with landscape maintenance equipment were calculated based on assumptions provided in the CalEEMod model.

### **3.5.2 ENERGY SOURCE EMISSIONS**

#### Combustion Emissions Associated with Natural Gas and Electricity

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity and consumption of natural gas. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity is generally excluded from the evaluation of significance and only natural gas use is considered. The emissions associated with natural gas use were calculated using CalEEMod.

### **3.5.3 MOBILE SOURCE EMISSIONS**

#### Vehicles

Project mobile source air quality emissions are primarily dependent on both overall daily vehicle trip generation. Trip characteristics available from the report, *Lake and Mountain Shopping Center Traffic Impact Analysis* (Urban Crossroads, Inc. 2019) were utilized in this analysis (29).

It should be noted that due to the nature of the Project (Shopping Center, Gasoline/Service Station with Convenience Market, Fast-Food Restaurant with Drive-Through, and Automated Car Wash), the Project's location, a substantial amount of residential land uses within a 3-mile radius of the Project site, and other retail uses located in the project vicinity (as shown on Exhibit 3-A), an average trip length for customers of 3 miles was used in the assessment as opposed to the 8.4-mile model CalEEMod default trip length value which would not be appropriate for the Project. Additionally, 96% of all trips are assumed to be customer trips, 3% of all trips are assumed to be workers, and 1% of all trips are assumed to be other trips.

#### Fugitive Dust Related to Vehicular Travel


Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of tire wear particulates. The emissions estimates for travel on paved roads were calculated using the CalEEMod model.

### **3.5.4 GASOLINE DISPENSING EMISSIONS**

The storage, transfer and dispensing of gasoline is not expected to generate significant ROG (VOC) emissions. The enhanced vapor recovery systems required by SCAQMD Rule 461 would substantially reduce VOC emissions and mitigate any potential for the project to exceed the daily emissions thresholds set by SCAQMD.

For example, SCAQMD Rule 461 sets a maximum limit of 0.15 pounds of VOC per 1,000 gallons from the storage, transfer and dispensing of gasoline and 0.38 pounds of VOC per 1,000 gallons from the dispensing of gasoline into vehicle fuel tanks (Phase II) for a total of 0.53 pounds of VOC per 1,000 gallons of gasoline. Typical gas station gasoline throughput is estimated to be 2,000,000 gallons/year or 5,479.45 gallons/day. This would result in approximately 2.90 pounds of additional VOC per day.

**EXHIBIT 3-A: 3 MILE RADIUS**



### 3.5.5 OPERATIONAL EMISSIONS SUMMARY

Table 3-6 summarizes the Project's daily regional emissions from on-going operations. During operational activity, the Project will not exceed any of the thresholds of significance. Detailed construction model outputs are presented in Appendix 3.1. Therefore, a less than significant impact would occur and no mitigation measures are required.

TABLE 3-6: SUMMARY OF OPERATIONAL EMISSIONS

Operational Activities – Summer Scenario	Emissions (lbs/day)					
	VOC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Area Source	0.70	3.0E-05	3.0E-03	0.00	1.0E-05	1.0E-05
Energy Source	0.06	0.55	0.46	3.32E-03	0.04	0.04
Mobile	23.51	35.55	81.88	0.13	10.69	2.95
Gasoline Dispensing	2.90	0	0	0	0	0
<b>Total Maximum Daily Emissions</b>	<b>27.18</b>	<b>36.10</b>	<b>82.35</b>	<b>0.14</b>	<b>10.73</b>	<b>2.99</b>
SCAQMD Regional Threshold	55	55	550	150	150	55
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>
Operational Activities – Winter Scenario	Emissions (lbs/day)					
	VOC	NO <sub>x</sub>	CO	SO <sub>x</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>
Area Source	0.70	3.0E-05	3.0E-03	0.00	1.0E-05	1.0E-05
Energy Source	0.06	0.55	0.46	3.32E-03	0.04	0.04
Mobile	20.84	36.47	81.73	0.12	10.69	2.96
Gasoline Dispensing	2.90	0	0	0	0	0
<b>Total Maximum Daily Emissions</b>	<b>24.5</b>	<b>37.02</b>	<b>82.20</b>	<b>0.13</b>	<b>10.73</b>	<b>2.99</b>
SCAQMD Regional Threshold	55	55	550	150	150	55
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>

### 3.6 LOCALIZED SIGNIFICANCE - CONSTRUCTION ACTIVITY

#### BACKGROUND ON LOCALIZED SIGNIFICANCE THRESHOLD (LST) DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (Methodology) (19). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The significance of localized emissions impacts depends on whether ambient levels in the vicinity of any given project are above or below State standards. In the case of CO and NO<sub>2</sub>, if ambient levels are below the standards, a project is considered to have a significant impact if project

emissions result in an exceedance of one or more of these standards. If ambient levels already exceed a state or federal standard, then project emissions are considered significant if they increase ambient concentrations by a measurable amount. This would apply to PM<sub>10</sub> and PM<sub>2.5</sub>; both of which are non-attainment pollutants.

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4. LSTs represent the maximum emissions from a project that will not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology) (27).

#### **EMISSIONS CONSIDERED**

SCAQMD's Methodology clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (30)." Therefore, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

#### **APPLICABILITY OF LSTs FOR THE PROJECT**

For this Project, the appropriate Source Receptor Area (SRA) for the LST is the Lake Elsinore monitoring station (SRA 25). LSTs apply to carbon monoxide (CO), nitrogen dioxide (NO<sub>2</sub>), particulate matter  $\leq$  10 microns (PM<sub>10</sub>), and particulate matter  $\leq$  2.5 microns (PM<sub>2.5</sub>). The SCAQMD produced look-up tables for projects less than or equal to 5 acres in size.

In order to determine the appropriate methodology for determining localized impacts that could occur as a result of Project-related construction, the following process is undertaken:

- The CalEEMod model is utilized to determine the maximum daily on-site emissions that will occur during construction activity.
- The SCAQMD's Fact Sheet for Applying CalEEMod to Localized Significance Thresholds (21) is used to determine the maximum site acreage that is actively disturbed based on the construction equipment fleet and equipment hours as estimated in CalEEMod.
- If the total acreage disturbed is less than or equal to five acres per day, then the SCAQMD's screening look-up tables are utilized to determine if a Project has the potential to result in a significant impact (the SCAQMD recommends that Projects exceeding the screening look-up tables undergo dispersion modeling to determine actual impacts). The look-up tables establish a maximum daily emissions threshold in pounds per day that can be compared to CalEEMod outputs.

- The LST methodology presents mass emission rates for each SRA, project sizes of 1, 2, and 5 acres, and nearest receptor distances of 25, 50, 100, 200, and 500 meters. For project sizes between the values given, or with receptors at distances between the given receptors, the methodology uses linear interpolation to determine the thresholds.

#### MAXIMUM DAILY DISTURBED-ACREAGE

Table 3-7 is used to determine the maximum daily disturbed-acreage for purposes of modeling localized emissions. As shown, the proposed Project could actively disturb approximately 1.5 acres per day during the site preparation and 3.0 acres per day during the grading phase of construction.

**TABLE 3-7: MAXIMUM DAILY DISTURBED-ACREAGE**

Construction Phase	Equipment Type	Equipment Quantity	Acres graded per 8-hour day	Operating Hours per Day	Acres graded per day
Site Preparation	Rubber Tired Dozers	3	0.5	8	1.5
	Crawler Tractors	4	0.5	8	2.0
	Graders	1	0.5	8	0.5
Total acres disturbed per day during Site Preparation					4.0
Construction Phase	Equipment Type	Equipment Quantity	Acres graded per 8-hour day	Operating Hours per Day	Acres graded per day
Grading	Graders	1	0.5	8	0.5
	Rubber Tired Dozers	1	0.5	8	0.5
	Crawler Tractors	3	0.5	8	1.5
Total acres disturbed per day during Grading					2.5

#### *Sensitive Receptors*

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, individuals with pre-existing respiratory or cardiovascular illness, and athletes and others who engage in frequent exercise. Structures that house these persons or places where they gather to exercise are defined as “sensitive receptors”; they are also known to be locations where an individual can remain for 24 hours.

Sensitive receptors near the Project site include existing residential homes and school uses, as described below and illustrated on Exhibit 3-B. Other sensitive land uses in the Project study area that are located at greater distances than those identified in this air study will experience lower concentrations than those presented in this report due to particulate dispersion, additional attenuation from distance, and the shielding of intervening structures.

**EXHIBIT 3-B: RECEPTOR LOCATIONS**



**LEGEND:**

- Receptor Locations
- Distance from receiver to Project site boundary (in feet)

- R1: Located approximately 53 feet north of the Project site, R1 represents an existing single-family home at 28891 Lake Street.
- R2: Location R2 represents existing single-family home at 3748 Ash Street located approximately 191 feet east of the Project site. A
- R3: Location R3 represents the existing single-family home at 14851 Noblewood Circle roughly 109 feet south of the Project site.
- R4: Location R4 represents the existing single-family home at 14857 Noblewood Circle located approximately 92 feet south of the Project site.
- R5: Location R5 represents an existing single-family home located at 1510 Mountain Street approximately 371 feet west of the Project site.
- R6: Location R6 represents an existing single-family home located roughly 85 feet west of the Project site at 28885 Raveta Lane.

The nearest sensitive receptor, R1 represents the existing residential home located approximately 53 feet/16 meters north of the Project site at 28891 Lake Street. Notwithstanding, the *Methodology* explicitly states that “*It is possible that a project may have receptors closer than 25 meters. Projects with boundaries located closer than 25 meters to the nearest receptor should use the LSTs for receptors located at 25 meters* (31).” Accordingly, LSTs for receptors at 25 meters are utilized in this analysis and provide for a conservative i.e. “health protective” standard of care. This would also ensure that any other sensitive receptors (residents or school students) located in close proximity to the Project site are considered to determine if potential impacts occur.

#### **CONSTRUCTION-SOURCE EMISSIONS LST ANALYSIS**

Since the total acreage disturbed is less than five acres per day for both the site preparation phase and the grading phase, the SCAQMD’s screening look-up tables are utilized in determining impacts. It should be noted that since the look-up tables identifies thresholds at only 1 acre, 2 acres, and 5 acres, linear regression has been utilized, consistent with SCAQMD guidance, in order to interpolate the threshold values for the other disturbed acreage not identified. As previously noted, a 320-meter receptor distance is utilized to determine the LSTs for emissions of CO, NO<sub>2</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub>.

Table 3-8 identifies the localized impacts at the nearest receptor location in the vicinity of the Project. Without mitigation, localized construction emissions would not exceed the applicable SCAQMD LSTs for emissions of any criteria pollutant. Outputs from the model runs for construction LSTs are provided in Appendix 3.1. Therefore, a less than significant impact would occur and no mitigation measures are required.

**TABLE 3-8: LOCALIZED SIGNIFICANCE SUMMARY CONSTRUCTION**

On-Site Site Preparation Emissions	Emissions (lbs/day)			
	NO <sub>x</sub>	CO	PM <sub>10</sub>	PM <sub>2.5</sub>
<b>Maximum Daily Emissions</b>	<b>70.09</b>	<b>24.20</b>	<b>10.86</b>	<b>6.71</b>
SCAQMD Localized Threshold	325	1,677	11	7
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>
On-Site Mass Grading Emissions	Emissions (lbs/day)			
	NO <sub>x</sub>	CO	PM <sub>10</sub>	PM <sub>2.5</sub>
<b>Maximum Daily Emissions</b>	<b>42.41</b>	<b>16.71</b>	<b>4.95</b>	<b>2.97</b>
SCAQMD Localized Threshold	257	1,244	8	5
<b>Threshold Exceeded?</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>	<b>NO</b>

### **3.7 LOCALIZED SIGNIFICANCE – LONG-TERM OPERATIONAL ACTIVITY**

The development of the proposed project consists of retail uses. According to SCAQMD LST methodology, LSTs would apply to the operational phase of a proposed project, if the project includes stationary sources, or attracts mobile sources that may spend long periods queuing and idling at the site (e.g., transfer facilities and warehouse buildings). The proposed project does not include such uses, and thus, due to the lack of significant stationary source emissions, no long-term localized significance threshold analysis is needed.

### **3.8 CO “HOT SPOT” ANALYSIS**

As discussed below, the Project would not result in potentially adverse CO concentrations or “hot spots.” Further, detailed modeling of Project-specific carbon monoxide (CO) “hot spots” is not needed to reach this conclusion.

An adverse CO concentration, known as a “hot spot”, would occur if an exceedance of the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm were to occur. At the time of the 1993 Handbook, the SCAB was designated nonattainment under the California AAQS and National AAQS for CO (32).

It has long been recognized that CO hotspots are caused by vehicular emissions, primarily when idling at congested intersections. In response, vehicle emissions standards have become increasingly stringent in the last twenty years. Currently, the allowable CO emissions standard in California is a maximum of 3.4 grams/mile for passenger cars (there are requirements for certain vehicles that are more stringent). With the turnover of older vehicles, introduction of cleaner fuels, and implementation of increasingly sophisticated and efficient emissions control technologies, CO concentration in the SCAB is now designated as attainment, as previously noted in Table 2-3. Also, CO concentrations in the Project vicinity have steadily declined, as indicated by historical emissions data presented previously at Table 2-4.

To establish a more accurate record of baseline CO concentrations affecting the SCAB, a CO “hot spot” analysis was conducted in 2003 for four busy intersections in Los Angeles at the peak morning and afternoon time periods. This “hot spot” analysis did not predict any violation of CO standards, as shown on Table 3-9.

TABLE 3-9: CO MODEL RESULTS

Intersection Location	CO Concentrations (parts per million)		
	Morning 1-hour	Afternoon 1-hour	8-hour
Wilshire/Veteran	4.6	3.5	3.7
Sunset/Highland	4	4.5	3.5
La Cienega/Century	3.7	3.1	5.2
Long Beach/Imperial	3	3.1	8.4

Source: 2003 AQMP, Appendix V: Modeling and Attainment Demonstrations

Notes: Federal 1-hour standard is 35 ppm and the deferral 8-hour standard is 9.0 ppm.

Based on the SCAQMD's 2003 AQMP and the 1992 Federal Attainment Plan for Carbon Monoxide (1992 CO Plan), peak carbon monoxide concentrations in the SCAB were a result of unusual meteorological and topographical conditions and not a result of traffic volumes and congestion at a particular intersection. As evidence of this, for example, 8.4 ppm CO concentration measured at the Long Beach Blvd. and Imperial Hwy. intersection (highest CO generating intersection within the “hot spot” analysis), only 0.7 ppm was attributable to the traffic volumes and congestion at this intersection; the remaining 7.7 ppm were due to the ambient air measurements at the time the 2003 AQMP was prepared (32). Therefore, even if the traffic volumes for the proposed Project were double or even triple of the traffic volumes generated at the Long Beach Blvd. and Imperial Hwy. intersection, coupled with the on-going improvements in ambient air quality, the Project would not be capable of resulting in a CO “hot spot” at any study area intersections.

Similar considerations are also employed by other Air Districts when evaluating potential CO concentration impacts. More specifically, the Bay Area Air Quality Management District (BAAQMD) concludes that under existing and future vehicle emission rates, a given project would have to increase traffic volumes at a single intersection by more than 44,000 vehicles per hour—or 24,000 vehicles per hour where vertical and/or horizontal air does not mix—in order to generate a significant CO impact (33).

Traffic volumes generating the CO concentrations for the “hot spot” analysis is shown on Table 3-10. The busiest intersection evaluated was that at Wilshire Blvd. and Veteran Ave., which has a daily traffic volume of approximately 100,000 vehicles per day and AM/PM traffic volumes of 8,062 vehicles per hour and 7,719 vehicles per hour respectively (32). The 2003 AQMP estimated that the 1-hour concentration for this intersection was 4.6 ppm; this indicates that, should the daily traffic volume increase four times to 400,000 vehicles per day, CO concentrations (4.6 ppm x 4= 18.4 ppm) would still not likely exceed the most stringent 1-hour CO standard (20.0 ppm).<sup>3</sup>

3 Based on the ratio of the CO standard (20.0 ppm) and the modeled value (4.6 ppm).

As shown on Exhibit 8-4 of the TIA, the highest average daily trips on a segment of road would be 60,600 daily trips on Lake Street between A and D Street, which is lower than the highest daily traffic volumes at Wilshire Blvd. and Veteran Ave. of 100,000 vehicles per day (29). Additionally, the 2003 AQMP determined that the highest traffic volumes on a segment of road is 8,674 vehicles per hour on La Cienega Boulevard and Century Boulevard. The highest trips on a segment of road for the Project is 5,911 vehicles per hour on Lake Street and Nichols Road. As such, Project-related traffic volumes are less than the traffic volumes identified in the 2003 AQMP.

The proposed Project considered herein would not produce the volume of traffic required to generate a CO “hot spot” either in the context of the 2003 Los Angeles hot spot study, or based on representative BAAQMD CO threshold considerations, as shown on Table 3-11. Therefore, CO “hot spots” are not an environmental impact of concern for the proposed Project. Localized air quality impacts related to mobile-source emissions would therefore be less than significant.

TABLE 3-10: TRAFFIC VOLUMES

Intersection Location	Peak Traffic Volumes (vph)				
	Eastbound (AM/PM)	Westbound (AM/PM)	Southbound (AM/PM)	Northbound (AM/PM)	Total (AM/PM)
Wilshire/Veteran	4,954/2,069	1,830/3,317	721/1,400	560/933	8,062/7,719
Sunset/Highland	1,417/1,764	1,342/1,540	2,304/1,832	1,551/2,238	6,614/5,374
La Cienega/Century	2,540/2,243	1,890/2,728	1,384/2,029	821/1,674	6,634/8,674
Long Beach/Imperial	1,217/2,020	1,760/1,400	479/944	756/1,150	4,212/5,514

Vph = vehicles per hour

Source: 2003 AQMP

TABLE 3-11: CUMULATIVE WITH PROJECT PEAK HOUR TRAFFIC VOLUMES

Intersection Location	Peak Traffic Volumes (vph)				
	Northbound (AM/PM)	Southbound (AM/PM)	Eastbound (AM/PM)	Westbound (AM/PM)	Total (AM/PM)
Lake St./Temescal Canyon Rd.	1,660/1,815	935/1,889	1,418/777	0/0	4,013/4,481
Lake St./Nichols Rd.	1,696/1,481	990/1,695	595/745	1,525/1,990	4,806/5,911
Lake St./A St.	1,683/1,784	1,077/1,964	155/615	175/215	3,090/4,578
Lake St./D St.	1,369/1,111	1,072/1,918	510/773	250/270	3,201/4,072

Source: *Lake and Mountain Shopping Center Traffic Impact Analysis* (Urban Crossroads, 2019).

### 3.9 AIR QUALITY MANAGEMENT PLANNING

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743 square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of what use to be referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the Southern California Association

of Governments (SCAG), county transportation commissions, local governments, as well as state and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet state and federal ambient air quality standards.

Currently, these state and federal air quality standards are exceeded in most parts of the Basin. In response, the SCAQMD has adopted a series of Air Quality Management Plans (AQMPs) to meet the state and federal ambient air quality standards. AQMPs are updated regularly in order to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In March 2017, the AQMD released the Final 2016 AQMP. The 2016 AQMP continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as, explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (34). Similar to the 2012 AQMP, the 2016 AQMP incorporates scientific and technological information and planning assumptions, including the 2016 Regional Transportation Plan/ Sustainable Communities Strategy (RTP/SCS) and updated emission inventory methodologies for various source categories (35). The Project's consistency with the AQMP will be determined using the 2016 AQMP is discussed below:

Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the SCAQMD's CEQA Air Quality Handbook (1993) (36). These indicators are as follows:

- Consistency Criterion No. 1: The proposed Project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations, or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

### **Construction Impacts**

The violations that Consistency Criterion No. 1 refers to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if localized significance thresholds (LSTs) or regional significance thresholds were exceeded. The Project would not exceed the applicable LST thresholds or regional significance thresholds for construction activity. Therefore, the Project would not conflict with the AQMP according to this criterion.

### **Operational Impacts**

The Project would not exceed the applicable LST or regional significance thresholds for operational activity. Therefore, the Project would not conflict with the AQMP according to this criterion.

On the basis of the preceding discussion, the Project is consistent with the first criterion.

- Consistency Criterion No. 2: The Project will not exceed the assumptions in the AQMP based on the years of Project build-out phase.

## **Overview**

The 2016 AQMP demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in the City of Lake Elsinore General Plan (referred to as the “General Plan”) is considered to be consistent with the AQMP.

## **Construction Impacts**

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site’s land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities.

## **Operational Impacts**

The Project site is consistent with the existing retail/commercial land use and general commercial zoning designation. As such, the project is considered to be consistent with the underlying land use designations for the subject site as programmed into the AQMP.

## **AQMP Consistency Conclusion**

The Project would not result in or cause NAAQS or CAAQS violations. The Project’s proposed land use designation for the subject site is permitted/conditionally permitted in the adopted City General Plan. The Project is therefore consistent with the AQMP.

## **3.10 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS**

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Sensitive receptors can include uses such as long-term health care facilities, rehabilitation centers, and retirement homes. Residences, schools, playgrounds, child care centers, and athletic facilities can also be considered as sensitive receptors.

Results of the LST analysis indicate that the Project will not exceed the SCAQMD localized significance thresholds during construction activity (after implementation of applicable mitigation measures). Results of the LST analysis indicate that the Project will not exceed the SCAQMD localized significance thresholds during operational activity. Therefore, sensitive receptors would not be adversely affected during Project construction, nor as the result of Project operations.

The proposed Project would not result in a CO “hotspot” as a result of Project related traffic during ongoing operations, nor would the Project result in a significant adverse health impact as discussed in Section 3.8.

### **3.10.1 TAC-RELATED HEALTH RISKS**

Emissions resulting from the gasoline service station have the potential to result in toxic air contaminants (TACs) (e.g., benzene, hexane, MTBE, toluene, xylene) and have the potential to contribute to health risk in the project vicinity. It should be noted that standard regulatory controls would apply to the project in addition to any permits required that demonstrate appropriate operational controls. It is unknown at the time the annual amount of gasoline that will be required for the proposed gas station. As a conservative measure, it is assumed that the gasoline station would have an annual throughput of approximately 2,000,000 gallons. For purposes of this evaluation, cancer risk estimates can be made consistent with the methodology presented in SCAQMD's *Risk Assessment Procedures for Rules 1401, 1401.1 & 212* which provides screening-level risk estimates for gasoline dispensing operations. The Project site is located within Source Receptor Area (SRA) 25 and the gasoline station canopy is located approximately 190 feet/58 meters of a residential land use. Based on this screening procedure it is anticipated that no residential sensitive receptors in the project vicinity will be exposed to a cancer risk of greater than 1.82 in one million which is less than the applicable threshold of 10 in one million. It should be noted that this screening-level risk estimate is very conservative (i.e. it would overstate rather than understate potential impacts). Upon entitlement the Project will be required to obtain requisite permits from the SCAQMD which will ultimately dictate the maximum annual throughput allowed.

### **3.11 ODORS**

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming)
- Wastewater treatment plants
- Food processing plants
- Chemical plants
- Composting operations
- Refineries
- Landfills
- Dairies
- Fiberglass molding facilities

The Project does not contain land uses typically associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust and the application of asphalt and architectural coatings during construction activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's (long-term operational) uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant. It is expected that Project-generated

refuse would be stored in covered containers and removed at regular intervals in compliance with the City's solid waste regulations. There may be some odors associated with gasoline dispensing but these odors would dissipate as a function of distance from the site and are not anticipated to affect any nearby sensitive land uses. The proposed Project would also be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. There may also be intermittent odors associated with the gasoline service station, however any odors associated with the gasoline service station would also be governed by SCAQMD Rule 402 and best management practices. Therefore, odors associated with the proposed Project construction and operations would be less than significant and no mitigation is required.

### 3.12 CUMULATIVE IMPACTS

As previously shown in Table 2-3, the CAAQS designate the Project site as nonattainment for O<sub>3</sub>, PM<sub>10</sub>, and PM<sub>2.5</sub> while the NAAQS designates the Project site as nonattainment for O<sub>3</sub> and PM<sub>2.5</sub>.

The AQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (37). In this report the AQMD clearly states (Page D-3):

*...the AQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or Environmental Impact Report (EIR). The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for toxic air contaminant (TAC) emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.*

*Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant.*

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those pollutants for which the Basin is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds for project-specific impacts would be considered cumulatively considerable. As previously noted, the Project will not exceed the applicable SCAQMD regional threshold for construction and operational-source

emissions. As such, the Project will not result in a cumulatively significant impact for construction or operational activity.

## 4 FINDINGS & CONCLUSIONS

### CONSTRUCTION-SOURCE EMISSIONS

#### *REGIONAL IMPACTS*

For regional emissions, the Project would not exceed the numerical thresholds of significance established by the SCAQMD for any criteria pollutant. Therefore, a less than significant impact would occur and no mitigation measures are required.

#### *LOCALIZED IMPACTS*

Project construction-source emissions would not exceed the SCAQMD's localized significance thresholds for any criteria pollutant. Therefore, a less than significant impact would occur.

#### *ODORS*

Established requirements addressing construction equipment operations, and construction material use, storage, and disposal requirements act to minimize odor impacts that may result from construction activities. Moreover, construction-source odor emissions would be temporary, short-term, and intermittent in nature and would not result in persistent impacts that would affect substantial numbers of people. Potential construction-source odor impacts are therefore considered less-than-significant.

### OPERATIONAL-SOURCE EMISSIONS

#### *REGIONAL IMPACTS*

For regional emissions, the Project would not exceed the numerical thresholds of significance established by the SCAQMD. Thus, a less than significant impact would occur for Project-related operational-source emissions and no mitigation measures are required.

#### *LOCALIZED IMPACTS*

Project operational-source emissions would not result in or cause a significant localized air quality impact as discussed in the operational LSTs section of this report. The proposed Project would not result in a significant CO "hotspot" as a result of Project related traffic during ongoing operations.

#### *ODORS*

Substantial odor-generating sources include land uses such as agricultural activities, feedlots, wastewater treatment facilities, landfills or various heavy industrial uses. The Project does not propose any such uses or activities that would result in potentially significant operational-source odor impacts. Potential sources of operational odors generated by the Project would include disposal of miscellaneous refuse. Moreover, SCAQMD Rule 402 acts to prevent occurrences of odor nuisances (38). Consistent with City requirements, all Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with solid waste

regulations. Potential operational-source odor impacts are therefore considered less-than-significant.

## 5 REFERENCES

1. **State of California.** *California Environmental Quality Act, Appendix G.* 2016.
2. **South Coast Air Quality Management District.** RULE 1113. Architectural Coatings. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf>.
3. —. RULE 403. Fugitive Dust. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403.pdf?sfvrsn=4>.
4. —. RULE 461. Gasoline Transfer and Dispensing. [Online] <http://www.aqmd.gov/docs/default-source/compliance/Gas-Dispensing/rule-461.pdf>.
5. —. RULE 201. Permit to Construct. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-201.pdf>.
6. —. RULE 203. Permit to Operate. [Online] <http://www.aqmd.gov/docs/default-source/rule-book/reg-ii/rule-203.pdf>.
7. —. Draft Staff Report: Proposed Amended Rules 1113- Architectural Coatings. [Online] November 2015. [http://www.aqmd.gov/docs/default-source/planning/architectural-coatings/current-activities-support-documents/2015\\_11\\_dsr\\_par1113.pdf?sfvrsn=2](http://www.aqmd.gov/docs/default-source/planning/architectural-coatings/current-activities-support-documents/2015_11_dsr_par1113.pdf?sfvrsn=2).
8. —. Southern California Air Basins. [Online] <https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf>.
9. —. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning.* 2005.
10. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2016. <http://www.arb.ca.gov/research/aaqs/aaqs2.pdf>.
11. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . EPA. [Online] <https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8>.
12. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2018. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-monitoring-network-plan/annual-air-quality-monitoring-network-plan-v2.pdf?sfvrsn=2>.
13. **Air Resources Board.** State and National Ambient Air Quality Standards. [Online] [https://www.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?\\_ga=2.169398369.1537615702.1554741141-1192937971.1505156621](https://www.arb.ca.gov/regact/2019/stateareadesignations/appc.pdf?_ga=2.169398369.1537615702.1554741141-1192937971.1505156621).
14. **South Coast Air Quality Management District.** Map of Monitoring Areas. [Online] <http://www.aqmd.gov/docs/default-source/default-document-library/map-of-monitoring-areas.pdf>.
15. —. *Air Quality Reporting.* [pdf] Diamond Bar : Sierra Wade Associates, 1999.
16. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] <https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year>.
17. **Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. <https://www.epa.gov/environmental-topics/air-topics>.
18. —. Air Pollution and the Clean Air Act. [Online] <http://www.epa.gov/air/caa/>.
19. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i>.

20. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] <https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii>.
21. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] <http://www.arb.ca.gov/research/aaqs/CAAQS/CAAQS.htm>.
22. **The California Energy Commission.** 2019 Building Energy Efficiency Standards . *California Energy Commission.* [Online] 2018.  
[https://www.energy.ca.gov/title24/2019standards/documents/2018\\_Title\\_24\\_2019\\_Building\\_Sta rds\\_FAQ.pdf](https://www.energy.ca.gov/title24/2019standards/documents/2018_Title_24_2019_Building_Sta rds_FAQ.pdf).
23. **Department of General Services.** Building Standards Commission. *CALGreen.* [Online]  
<https://codes.iccsafe.org/content/chapter/15778/>.
24. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016.  
<http://scagrpstcs.net/Documents/2016/final/f2016RTPSCS.pdf>.
25. **State of California.** *2019 CEQA California Environmental Quality Act.* 2019.
26. **South Coast Air Quality Management District (SCAQMD).** SCAQMD Air Quality Significance Thresholds. [Online] <http://www.aqmd.gov/docs/default-source/ceqa/handbook/scaqmd-air-quality-significance-thresholds.pdf?sfvrsn=2>.
27. **Lake Environmental.** US EPA Models. *Lake Environmental.* [Online]  
[http://www.weblakes.com/download/us\\_epa.html](http://www.weblakes.com/download/us_epa.html).
28. **California Air Pollution Control Officers Association (CAPCOA).** California Emissions Estimator Model (CalEEMod). [Online] September 2016. [www.caleemod.com](http://www.caleemod.com).
29. **Urban Crossroads, Inc.** *Lake and Mountain Shopping Center Traffic Impact Analysis.* 2019.
30. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Management District, 2003.
31. —. *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Management District, 2003.
32. —. 2003 Air Quality Management Plan. [Online] 2003. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2003-air-quality-management-plan/2003-aqmp-appendix-v.pdf>.
33. **Bay Area Air Quality Management District.** [Online] <http://www.baaqmd.gov/>.
34. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11>.
35. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016.  
<http://scagrpstcs.net/Documents/2016/final/f2016RTPSCS.pdf>.
36. **South Coast Air Quality Management District.** CEQA Air Quality Handbook (1993). [Online] 1993. [Cited: September 17, 2014.] <http://www.aqmd.gov/ceqa/oldhdbk.html>.
37. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003.  
[http://www.aqmd.gov/rules/ciwg/final\\_white\\_paper.pdf](http://www.aqmd.gov/rules/ciwg/final_white_paper.pdf).

**38. South Coast Air Quality Management District.** RULE 402. Nuisance. [Online] May 7, 1976. [Cited: November 13, 2013.] <http://www.aqmd.gov/rules/reg/reg04/r402.pdf>.

## **6 CERTIFICATIONS**

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Lake and Mountain Shopping Center Project. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at (949) 336-5987.

Haseeb Qureshi  
Associate Principal  
URBAN CROSSROADS, INC.  
260 E. Baker St., Suite 200  
Costa Mesa, CA 92626  
(949) 336-5987  
[hqureshi@urbanxroads.com](mailto:hqureshi@urbanxroads.com)

### **EDUCATION**

Master of Science in Environmental Studies  
California State University, Fullerton • May, 2010

Bachelor of Arts in Environmental Analysis and Design  
University of California, Irvine • June, 2006

### **PROFESSIONAL AFFILIATIONS**

AEP – Association of Environmental Planners  
AWMA – Air and Waste Management Association  
ASTM – American Society for Testing and Materials

### **PROFESSIONAL CERTIFICATIONS**

Planned Communities and Urban Infill – Urban Land Institute • June, 2011  
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April, 2008  
Principles of Ambient Air Monitoring – California Air Resources Board • August, 2007  
AB2588 Regulatory Standards – Trinity Consultants • November, 2006  
Air Dispersion Modeling – Lakes Environmental • June, 2006

*This page intentionally left blank*

**APPENDIX 2.1:**

**STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS**

*This page intentionally left blank*

## **APPENDIX C**

### ***MAPS AND TABLES OF AREA DESIGNATIONS FOR STATE AND NATIONAL AMBIENT AIR QUALITY STANDARDS***

*[This page intentionally left blank]*

## APPENDIX C

### MAPS AND TABLES OF AREA DESIGNATIONS FOR STATE AND NATIONAL AMBIENT AIR QUALITY STANDARDS

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

## Ambient Air Quality Standards

(Updated 5/4/16)

Pollutant	Averaging Time	California Standards <sup>1</sup>		National Standards <sup>2</sup>					
		Concentration <sup>3</sup>	Method <sup>4</sup>	Primary <sup>3,5</sup>	Secondary <sup>3,6</sup>	Method <sup>7</sup>			
Ozone (O <sub>3</sub> ) <sup>8</sup>	1 Hour	0.09 ppm (180 µg/m <sup>3</sup> )	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry			
	8 Hour	0.070 ppm (137 µg/m <sup>3</sup> )		0.070 ppm (137 µg/m <sup>3</sup> )					
Respirable Particulate Matter (PM10) <sup>9</sup>	24 Hour	50 µg/m <sup>3</sup>	Gravimetric or Beta Attenuation	150 µg/m <sup>3</sup>	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	20 µg/m <sup>3</sup>		—					
Fine Particulate Matter (PM2.5) <sup>9</sup>	24 Hour	—	Gravimetric or Beta Attenuation	35 µg/m <sup>3</sup>	Same as Primary Standard	Inertial Separation and Gravimetric Analysis			
	Annual Arithmetic Mean	12 µg/m <sup>3</sup>		12.0 µg/m <sup>3</sup>	15 µg/m <sup>3</sup>				
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m <sup>3</sup> )	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m <sup>3</sup> )	—	Non-Dispersive Infrared Photometry (NDIR)			
	8 Hour	9.0 ppm (10 mg/m <sup>3</sup> )		9 ppm (10 mg/m <sup>3</sup> )	—				
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m <sup>3</sup> )		—	—				
Nitrogen Dioxide (NO <sub>2</sub> ) <sup>10</sup>	1 Hour	0.18 ppm (339 µg/m <sup>3</sup> )	Gas Phase Chemiluminescence	100 ppb (188 µg/m <sup>3</sup> )	—	Gas Phase Chemiluminescence			
	Annual Arithmetic Mean	0.030 ppm (57 µg/m <sup>3</sup> )		0.053 ppm (100 µg/m <sup>3</sup> )	Same as Primary Standard				
Sulfur Dioxide (SO <sub>2</sub> ) <sup>11</sup>	1 Hour	0.25 ppm (655 µg/m <sup>3</sup> )	Ultraviolet Fluorescence	75 ppb (196 µg/m <sup>3</sup> )	—	Ultraviolet Fluorescence; Spectrophotometry (Pararosaniline Method)			
	3 Hour	—		—	0.5 ppm (1300 µg/m <sup>3</sup> )				
	24 Hour	0.04 ppm (105 µg/m <sup>3</sup> )		0.14 ppm (for certain areas) <sup>11</sup>	—				
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas) <sup>11</sup>	—				
Lead <sup>12,13</sup>	30 Day Average	1.5 µg/m <sup>3</sup>	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption			
	Calendar Quarter	—		1.5 µg/m <sup>3</sup> (for certain areas) <sup>12</sup>	Same as Primary Standard				
	Rolling 3-Month Average	—		0.15 µg/m <sup>3</sup>					
Visibility Reducing Particles <sup>14</sup>	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	No National Standards					
Sulfates	24 Hour	25 µg/m <sup>3</sup>	Ion Chromatography	No National Standards					
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m <sup>3</sup> )	Ultraviolet Fluorescence	No National Standards					
Vinyl Chloride <sup>12</sup>	24 Hour	0.01 ppm (26 µg/m <sup>3</sup> )	Gas Chromatography	No National Standards					

See footnotes on next page ...

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above  $150 \mu\text{g}/\text{m}^3$  is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of  $25^\circ\text{C}$  and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of  $25^\circ\text{C}$  and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from  $15 \mu\text{g}/\text{m}^3$  to  $12.0 \mu\text{g}/\text{m}^3$ . The existing national 24-hour PM2.5 standards (primary and secondary) were retained at  $35 \mu\text{g}/\text{m}^3$ , as was the annual secondary standard of  $15 \mu\text{g}/\text{m}^3$ . The existing 24-hour PM10 standards (primary and secondary) of  $150 \mu\text{g}/\text{m}^3$  also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO<sub>2</sub> standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO<sub>2</sub> national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard ( $1.5 \mu\text{g}/\text{m}^3$  as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

*[This page intentionally left blank]*

### ***Area Designations for the State Ambient Air Quality Standards***

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment-transitional, or unclassified for each pollutant, as shown below:

Attainment	A
Nonattainment	N
Nonattainment-Transitional	NA-T
Unclassified	U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

## FIGURE 1

# 2018 Area Designations for State Ambient Air Quality Standards OZONE



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 1**  
**California Ambient Air Quality Standards**  
**Area Designations for Ozone <sup>(1)</sup>**

	<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>		<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN					NORTHEAST PLATEAU AIR BASIN				X
Alpine County			X		SACRAMENTO VALLEY AIR BASIN				
Inyo County	X				Colusa and Glenn Counties				X
Mono County	X				Sutter/Yuba Counties				
LAKE COUNTY AIR BASIN				X	Sutter Buttes	X			
LAKE TAHOE AIR BASIN				X	Remainder of Sutter County				X
MOJAVE DESERT AIR BASIN	X				Yuba County				X
MOUNTAIN COUNTIES AIR BASIN					Yolo/Solano Counties		X		
Amador County	X				Remainder of Air Basin	X			
Calaveras County	X				SALTON SEA AIR BASIN	X			
El Dorado County (portion)	X				SAN DIEGO AIR BASIN	X			
Mariposa County	X				SAN FRANCISCO BAY AREA AIR BASIN	X			
Nevada County	X				SAN JOAQUIN VALLEY AIR BASIN	X			
Placer County (portion)	X				SOUTH CENTRAL COAST AIR BASIN				
Plumas County			X		San Luis Obispo County	X			
Sierra County			X		Santa Barbara County		X		
Tuolumne County	X				Ventura County	X			
NORTH CENTRAL COAST AIR BASIN		X			SOUTH COAST AIR BASIN	X			
NORTH COAST AIR BASIN				X					

(1) AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

**FIGURE 2**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**PM10**



Source Date:  
October 2018  
Air Quality Planning and Science Division


**TABLE 2**

**California Ambient Air Quality Standards**  
**Area Designation for Suspended Particulate Matter (PM10)**

	<b>N</b>	<b>U</b>	<b>A</b>		<b>N</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN	X			NORTH CENTRAL COAST AIR BASIN	X		
LAKE COUNTY AIR BASIN			X	NORTH COAST AIR BASIN			
LAKE TAHOE AIR BASIN	X			Del Norte, Sonoma (portion) and Trinity Counties			X
MOJAVE DESERT AIR BASIN	X			Remainder of Air Basin	X		
MOUNTAIN COUNTIES AIR BASIN				NORTHEAST PLATEAU AIR BASIN			
Amador County		X		Siskiyou County			X
Calaveras County	X			Remainder of Air Basin		X	
El Dorado County (portion)	X			SACRAMENTO VALLEY AIR BASIN			
Mariposa County				Shasta County			X
- Yosemite National Park	X			Remainder of Air Basin	X		
- Remainder of County		X		SALTON SEA AIR BASIN	X		
Nevada County	X			SAN DIEGO AIR BASIN	X		
Placer County (portion)	X			SAN FRANCISCO BAY AREA AIR BASIN	X		
Plumas County	X			SAN JOAQUIN VALLEY AIR BASIN	X		
Sierra County	X			SOUTH CENTRAL COAST AIR BASIN	X		
Tuolumne County		X		SOUTH COAST AIR BASIN	X		

**FIGURE 3**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**PM2.5**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 3**  
**California Ambient Air Quality Standards**  
**Area Designations for Fine Particulate Matter (PM2.5)**

	N	U	A		N	U	A
GREAT BASIN VALLEYS AIR BASIN			X	SALTON SEA AIR BASIN			
LAKE COUNTY AIR BASIN			X	Imperial County			
LAKE TAHOE AIR BASIN			X	- City of Calexico (3)	X		
MOJAVE DESERT AIR BASIN				Remainder of Air Basin			X
San Bernardino County				SAN DIEGO AIR BASIN	X		
- County portion of federal Southeast Desert Modified AQMA for Ozone (1)			X	SAN FRANCISCO BAY AREA AIR BASIN	X		
				SAN JOAQUIN VALLEY AIR BASIN	X		
Remainder of Air Basin		X		SOUTH CENTRAL COAST AIR BASIN			
MOUNTAIN COUNTIES AIR BASIN				San Luis Obispo County			X
Plumas County - Portola Valley (2)	X			Santa Barbara County		X	
				Ventura County			X
Remainder of Air Basin		X		SOUTH COAST AIR BASIN	X		
NORTH CENTRAL COAST AIR BASIN			X				
NORTH COAST AIR BASIN			X				
NORTHEAST PLATEAU AIR BASIN			X				
SACRAMENTO VALLEY AIR BASIN							
Butte County	X						
Colusa County			X				
Glenn County			X				
Placer County (portion)			X				
Sacramento County			X				
Shasta County			X				
Sutter and Yuba Counties			X				
Remainder of Air Basin		X					


(1) California Code of Regulations, title 17, section 60200(b)

(2) California Code of Regulations, title 17, section 60200(c)

(3) California Code of Regulations, title 17, section 60200(a)

**FIGURE 4**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**CARBON MONOXIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 4**  
**California Ambient Air Quality Standards**  
**Area Designation for Carbon Monoxide\***

	<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>		<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN					SACRAMENTO VALLEY AIR BASIN				
Alpine County			X		Butte County				X
Inyo County				X	Colusa County			X	
Mono County				X	Glenn County			X	
LAKE COUNTY AIR BASIN				X	Placer County (portion)				X
LAKE TAHOE AIR BASIN				X	Sacramento County				X
MOJAVE DESERT AIR BASIN					Shasta County			X	
Kern County (portion)			X		Solano County (portion)				X
Los Angeles County (portion)				X	Sutter County				X
Riverside County (portion)			X		Tehama County			X	
San Bernardino County (portion)				X	Yolo County				X
MOUNTAIN COUNTIES AIR BASIN					Yuba County			X	
Amador County			X		SALTON SEA AIR BASIN				
Calaveras County				X	SAN DIEGO AIR BASIN				
El Dorado County (portion)			X		SAN FRANCISCO BAY AREA AIR BASIN				
Mariposa County				X	SAN JOAQUIN VALLEY AIR BASIN				
Nevada County			X		Fresno County				X
Placer County (portion)				X	Kern County (portion)				X
Plumas County				X	Kings County			X	
Sierra County				X	Madera County			X	
Tuolumne County				X	Merced County			X	
NORTH CENTRAL COAST AIR BASIN					San Joaquin County				X
Monterey County				X	Stanislaus County				X
San Benito County				X	Tulare County				X
Santa Cruz County				X	SOUTH CENTRAL COAST AIR BASIN				
NORTH COAST AIR BASIN					SOUTH COAST AIR BASIN				
Del Norte County			X						
Humboldt County				X					
Mendocino County				X					
Sonoma County (portion)				X					
Trinity County				X					
NORTHEAST PLATEAU AIR BASIN				X					

\* The area designated for carbon monoxide is a county or portion of a county

FIGURE 5

2018  
Area Designations for State  
Ambient Air Quality Standards  
NITROGEN DIOXIDE



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 5**  
**California Ambient Air Quality Standards**  
**Area Designation for Nitrogen Dioxide**

	N	U	A		N	U	A
GREAT BASIN VALLEYS AIR BASIN			X	SACRAMENTO VALLEY AIR BASIN			X
LAKE COUNTY AIR BASIN			X	SALTON SEA AIR BASIN			X
LAKE TAHOE AIR BASIN			X	SAN DIEGO AIR BASIN			X
MOJAVE DESERT AIR BASIN			X	SAN FRANCISCO BAY AREA AIR BASIN			X
MOUNTAIN COUNTIES AIR BASIN			X	SAN JOAQUIN VALLEY AIR BASIN			X
NORTH CENTRAL COAST AIR BASIN			X	SOUTH CENTRAL COAST AIR BASIN			X
NORTH COAST AIR BASIN			X	SOUTH COAST AIR BASIN			
NORTHEAST PLATEAU AIR BASIN			X	CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties	X		
				Remainder of Air Basin			X

## FIGURE 6

**2018  
Area Designations for State  
Ambient Air Quality Standards  
SULFUR DIOXIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 6**  
**California Ambient Air Quality Standards**  
**Area Designation for Sulfur Dioxide\***

	N	U/A		N	U/A
GREAT BASIN VALLEYS AIR BASIN		X	SACRAMENTO VALLEY AIR BASIN		X
LAKE COUNTY AIR BASIN		X	SALTON SEA AIR BASIN		X
LAKE TAHOE AIR BASIN		X	SAN DIEGO AIR BASIN		X
MOJAVE DESERT AIR BASIN		X	SAN FRANCISCO BAY AREA AIR BASIN		X
MOUNTAIN COUNTIES AIR BASIN		X	SAN JOAQUIN VALLEY AIR BASIN		X
NORTH CENTRAL COAST AIR BASIN		X	SOUTH CENTRAL COAST AIR BASIN		X
NORTH COAST AIR BASIN		X	SOUTH COAST AIR BASIN		X
NORTHEAST PLATEAU AIR BASIN		X			

\* The area designated for sulfur dioxide is a county or portion of a county

**FIGURE 7**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**SULFATES**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 7**  
**California Ambient Air Quality Standards**  
**Area Designation for Sulfates**

	<b>N</b>	<b>U</b>	<b>A</b>		<b>N</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN			X	SACRAMENTO VALLEY AIR BASIN			X
LAKE COUNTY AIR BASIN			X	SALTON SEA AIR BASIN			X
LAKE TAHOE AIR BASIN			X	SAN DIEGO AIR BASIN			X
MOJAVE DESERT AIR BASIN			X	SAN FRANCISCO BAY AREA AIR BASIN			X
MOUNTAIN COUNTIES AIR BASIN			X	SAN JOAQUIN VALLEY AIR BASIN			X
NORTH CENTRAL COAST AIR BASIN			X	SOUTH CENTRAL COAST AIR BASIN			X
NORTH COAST AIR BASIN			X	SOUTH COAST AIR BASIN			X
NORTHEAST PLATEAU AIR BASIN			X				

**FIGURE 8**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**LEAD**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 8****California Ambient Air Quality Standards  
Area Designations for Lead (particulate)\***

	<b>N</b>	<b>U</b>	<b>A</b>		<b>N</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN			X	SALTON SEA AIR BASIN			X
LAKE COUNTY AIR BASIN			X	SAN DIEGO AIR BASIN			X
LAKE TAHOE AIR BASIN			X	SAN FRANCISCO BAY AREA AIR BASIN			X
MOJAVE DESERT AIR BASIN			X	SAN JOAQUIN VALLEY AIR BASIN			X
MOUNTAIN COUNTIES AIR BASIN			X	SOUTH CENTRAL COAST AIR BASIN			X
NORTH CENTRAL COAST AIR BASIN			X	SOUTH COAST AIR BASIN			X
NORTH COAST AIR BASIN			X				
NORTHEAST PLATEAU AIR BASIN			X				
SACRAMENTO VALLEY AIR BASIN			X				

\* The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

**FIGURE 9**

**2018**  
**Area Designations for State**  
**Ambient Air Quality Standards**  
**HYDROGEN SULFIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 9**  
**California Ambient Air Quality Standards**  
**Area Designation for Hydrogen Sulfide\***

	N	NA-T	U	A			N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN					NORTH CENTRAL COAST AIR BASIN					X
Alpine County			X		NORTH COAST AIR BASIN					
Inyo County				X	Del Norte County				X	
Mono County				X	Humboldt County					X
LAKE COUNTY AIR BASIN				X	Mendocino County				X	
LAKE TAHOE AIR BASIN				X	Sonoma County (portion)					
MOJAVE DESERT AIR BASIN					- Geyser Geothermal Area (2)					X
Kern County (portion)			X		- Remainder of County					X
Los Angeles County (portion)			X		Trinity County					X
Riverside County (portion)			X		NORTHEAST PLATEAU AIR BASIN					X
San Bernardino County (portion)					SACRAMENTO VALLEY AIR BASIN					X
- Searles Valley Planning Area (1)	X				SALTON SEA AIR BASIN					X
- Remainder of County			X		SAN DIEGO AIR BASIN					X
MOUNTAIN COUNTIES AIR BASIN					SAN FRANCISCO BAY AREA AIR BASIN					X
Amador County					SAN JOAQUIN VALLEY AIR BASIN					X
- City of Sutter Creek	X				SOUTH CENTRAL COAST AIR BASIN					
- Remainder of County			X		San Luis Obispo County					X
Calaveras County			X		Santa Barbara County					X
El Dorado County (portion)			X		Ventura County					X
Mariposa County			X		SOUTH COAST AIR BASIN					X
Nevada County			X							
Placer County (portion)			X							
Plumas County			X							
Sierra County			X							
Tuolumne County			X							


\* The area designated for hydrogen sulfide is a county or portion of a county

(1) 52 Federal Register 29384 (August 7, 1987)

(2) California Code of Regulations, title 17, section 60200(d)

FIGURE 10

2018  
Area Designations for State  
Ambient Air Quality Standards  
VISIBILITY REDUCING PARTICLES



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 10**  
**California Ambient Air Quality Standards**  
**Area Designation for Visibility Reducing Particles**

	<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>			<b>N</b>	<b>NA-T</b>	<b>U</b>	<b>A</b>
GREAT BASIN VALLEYS AIR BASIN			X		SACRAMENTO VALLEY AIR BASIN				X	
LAKE COUNTY AIR BASIN				X	SALTON SEA AIR BASIN				X	
LAKE TAHOE AIR BASIN			X		SAN DIEGO AIR BASIN				X	
MOJAVE DESERT AIR BASIN			X		SAN FRANCISCO BAY AREA AIR BASIN				X	
MOUNTAIN COUNTIES AIR BASIN			X		SAN JOAQUIN VALLEY AIR BASIN				X	
NORTH CENTRAL COAST AIR BASIN			X		SOUTH CENTRAL COAST AIR BASIN				X	
NORTH COAST AIR BASIN			X		SOUTH COAST AIR BASIN				X	
NORTHEAST PLATEAU AIR BASIN			X							

## ***Area Designations for the National Ambient Air Quality Standards***

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. EPA website:

<https://www.epa.gov/green-book>

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

<https://www.epa.gov/criteria-air-pollutants>

### **Designation Categories**

*Suspended Particulate Matter (PM<sub>10</sub>).* The U.S. EPA uses three categories to designate areas with respect to PM<sub>10</sub>:

- Attainment
- Nonattainment
- Unclassifiable

*Ozone, Fine Suspended Particulate Matter (PM<sub>2.5</sub>), Carbon Monoxide (CO), and Nitrogen Dioxide (NO<sub>2</sub>).* The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment
- Unclassifiable/Attainment

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Original designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary PM<sub>2.5</sub> standard of 12.0  $\mu\text{g}/\text{m}^3$ . New area designations reflecting this revised standard became final in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0  $\mu\text{g}/\text{m}^3$  as well as the 24-hour standard of 35  $\mu\text{g}/\text{m}^3$ , revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO<sub>2</sub> standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb.

Designations for the primary NO<sub>2</sub> standard became effective on February 29, 2012. All areas of California meet this standard.

*Sulfur Dioxide (SO<sub>2</sub>).* The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment,
- Unclassifiable, and
- Attainment/Unclassifiable.

On June 2, 2010, the U.S. EPA established a new primary 1-hour SO<sub>2</sub> standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual

average standards. Area designations for the 1-hour SO<sub>2</sub> standard were finalized on December 21, 2017 and are reflected in the area designations map.


*Lead (particulate).* The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 µg/m<sup>3</sup>. Designations were made for this standard in November 2010.

#### Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at:

[https://ecfr.io/Title-40/se40.20.81\\_1305](https://ecfr.io/Title-40/se40.20.81_1305)

FIGURE 11



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 11**  
**National Ambient Air Quality Standards**  
**Area Designations for 8-Hour Ozone\***

	<b>N</b>	<b>U/A</b>		<b>N</b>	<b>U/A</b>
GREAT BASIN VALLEYS AIR BASIN		X	SACRAMENTO VALLEY AIR BASIN (cont.)		
LAKE COUNTY AIR BASIN		X	Yolo County (2)	X	
LAKE TAHOE AIR BASIN		X	Yuba County		X
MOUNTAIN COUNTIES AIR BASIN			SAN DIEGO COUNTY	X	
Amador County	X		SAN FRANCISCO BAY AREA AIR BASIN	X	
Calaveras County	X		SAN JOAQUIN VALLEY AIR BASIN	X	
El Dorado County (portion) (2)	X		SOUTH CENTRAL COAST AIR BASIN (1)		
Mariposa County	X		San Luis Obispo County		
Nevada County			- Eastern San Luis Obispo County	X	
- Western Nevada County	X		- Remainder of County		X
- Remainder of County		X	Santa Barbara County		X
Placer County (portion) (2)	X		Ventura County		
Plumas County		X	- Area excluding Anacapa and San Nicolas Islands	X	
Sierra County		X	- Channel Islands (1)		X
Tuolumne County	X		SOUTH COAST AIR BASIN (1)	X	
NORTH CENTRAL COAST AIR BASIN		X	SOUTHEAST DESERT AIR BASIN		
NORTH COAST AIR BASIN		X	Kern County (portion)	X	
NORTHEAST PLATEAU AIR BASIN		X	- Indian Wells Valley		X
SACRAMENTO VALLEY AIR BASIN			Imperial County	X	
Butte County	X		Los Angeles County (portion)	X	
Colusa County		X	Riverside County (portion)		
Glenn County		X	- Coachella Valley	X	
Sacramento Metro Area (2)	X		- Non-AQMA portion		X
Shasta County		X	San Bernardino County		
Sutter County			- Western portion (AQMA)	X	
- Sutter Buttes	X		- Eastern portion (non-AQMA)		X
- Southern portion of Sutter County (2)	X				
- Remainder of Sutter County		X			
Tehama County					
- Tuscan Buttes	X				
- Remainder of Tehama County		X			

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

NOTE: This map and table reflect the 2015 8-hour ozone standard of 0.070 ppm.

(1) South Central Coast Air Basin Channel Islands:

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.  
 Ventura County includes Anacapa and San Nicolas Islands.


South Coast Air Basin:

Los Angeles County includes San Clemente and Santa Catalina Islands.

(2) For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

FIGURE 12

**Area Designations for National  
Ambient Air Quality Standards  
PM10**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 12**  
**National Ambient Air Quality Standards**  
**Area Designations for Suspended Particulate Matter (PM10)\***

	N	U	A		N	U	A
GREAT BASIN VALLEYS AIR BASIN				SAN DIEGO COUNTY		X	
Alpine County		X		SAN FRANCISCO BAY AREA AIR BASIN		X	
Inyo County				SAN JOAQUIN VALLEY AIR BASIN			X
- Owens Valley Planning Area	X			SOUTH CENTRAL COAST AIR BASIN		X	
- Coso Junction			X	SOUTH COAST AIR BASIN			X
- Remainder of County		X		SOUTHEAST DESERT AIR BASIN			
Mono County				Eastern Kern County			
- Mammoth Lake Planning Area			X	- Indian Wells Valley			X
- Mono Lake Basin	X			- Portion within San Joaquin Valley Planning Area	X		
- Remainder of County		X		- Remainder of County		X	
LAKE COUNTY AIR BASIN		X		Imperial County			
LAKE TAHOE AIR BASIN		X		- Imperial Valley Planning Area	X		
MOUNTAIN COUNTIES AIR BASIN				- Remainder of County		X	
Placer County (portion) (2)		X		Los Angeles County (portion)		X	
Remainder of Air Basin		X		Riverside County (portion)			
NORTH CENTRAL COAST AIR BASIN		X		- Coachella Valley (3)	X		
NORTH COAST AIR BASIN		X		- Non-AQMA portion		X	
NORTHEAST PLATEAU AIR BASIN		X		San Bernardino County			
SACRAMENTO VALLEY AIR BASIN				- Trona	X		
Butte County		X		- Remainder of County	X		
Colusa County		X					
Glenn County		X					
Placer County (portion) (2)		X					
Sacramento County (1)			X				
Shasta County		X					
Solano County (portion)		X					
Sutter County		X					
Tehama County		X					
Yolo County		X					
Yuba County		X					

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

(1) Air quality in Sacramento County meets the national PM10 standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

(2) U.S. EPA designation puts the Sacramento Valley Air Basin portion of Placer County in the Mountain Counties Air Basin.

(3) Air quality in Coachella Valley meets the national PM10 standards. A request for redesignation to attainment has been submitted to U.S. EPA.

**FIGURE 13**

**Area Designations for National  
Ambient Air Quality Standards  
PM2.5**



**TABLE 13**

**National Ambient Air Quality Standards**  
**Area Designations for Fine Particulate Matter (PM2.5)\***

	<b>N</b>	<b>U/A</b>		<b>N</b>	<b>U/A</b>
GREAT BASIN VALLEYS AIR BASIN		X	SAN DIEGO COUNTY		X
LAKE COUNTY AIR BASIN		X	SAN FRANCISCO BAY AREA AIR BASIN (2)	X	
LAKE TAHOE AIR BASIN		X	SAN JOAQUIN VALLEY AIR BASIN	X	
MOUNTAIN COUNTIES AIR BASIN			SOUTH CENTRAL COAST AIR BASIN		X
Plumas County			SOUTH COAST AIR BASIN (3)	X	
- Portola Valley Portion of Plumas	X		SOUTHEAST DESERT AIR BASIN		
- Remainder of Plumas County		X	Imperial County (portion) (4)	X	
Remainder of Air Basin		X	Remainder of Air Basin		X
NORTH CENTRAL COAST AIR BASIN		X			
NORTH COAST AIR BASIN		X			
NORTHEAST PLATEAU AIR BASIN		X			
SACRAMENTO VALLEY AIR BASIN					
Sacramento Metro Area (1)	X				
Sutter County		X			
Yuba County (portion)		X			
Remainder of Air Basin		X			

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour PM2.5 standard as well as the 1997 and 2012 PM2.5 annual standards.

(1) For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national PM2.5 standards. A Determination of Attainment for the 2006 24-hour PM2.5 standard was made by U.S. EPA in June 2017.

(2) Air quality in this area meets the national PM2.5 standards. A Determination of Attainment for the 2006 24-hour PM2.5 standard was made by U.S. EPA in June 2017.

(3) Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

(4) That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national PM2.5 standards. A Determination of Attainment for the 2006 24-hour PM2.5 standard was made by U.S. EPA in June 2017.

FIGURE 14

**Area Designations for National  
Ambient Air Quality Standards  
CARBON MONOXIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 14****National Ambient Air Quality Standards  
Area Designations for Carbon Monoxide\***

	<b>N</b>	<b>U/A</b>			<b>N</b>	<b>U/A</b>
GREAT BASIN VALLEYS AIR BASIN		X	SACRAMENTO VALLEY AIR BASIN			X
LAKE COUNTY AIR BASIN		X	SAN DIEGO COUNTY			X
LAKE TAHOE AIR BASIN		X	SAN FRANCISCO BAY AREA AIR BASIN			X
MOUNTAIN COUNTIES AIR BASIN		X	SAN JOAQUIN VALLEY AIR BASIN			X
NORTH CENTRAL COAST AIR BASIN		X	SOUTH CENTRAL COAST AIR BASIN			X
NORTH COAST AIR BASIN		X	SOUTH COAST AIR BASIN			X
NORTHEAST PLATEAU AIR BASIN		X	SOUTHEAST DESERT AIR BASIN			X

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

**FIGURE 15**

**Area Designations for National  
Ambient Air Quality Standards  
NITROGEN DIOXIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 15**  
**National Ambient Air Quality Standards**  
**Area Designations for Nitrogen Dioxide\***

	N	U/A			N	U/A
GREAT BASIN VALLEYS AIR BASIN		X	SACRAMENTO VALLEY AIR BASIN			X
LAKE COUNTY AIR BASIN		X	SAN DIEGO COUNTY			X
LAKE TAHOE AIR BASIN		X	SAN FRANCISCO BAY AREA AIR BASIN			X
MOUNTAIN COUNTIES AIR BASIN		X	SAN JOAQUIN VALLEY AIR BASIN			X
NORTH CENTRAL COAST AIR BASIN		X	SOUTH CENTRAL COAST AIR BASIN			X
NORTH COAST AIR BASIN		X	SOUTH COAST AIR BASIN			X
NORTHEAST PLATEAU AIR BASIN		X	SOUTHEAST DESERT AIR BASIN			X

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

**FIGURE 16**

**Area Designations for National  
Ambient Air Quality Standards  
SULFUR DIOXIDE**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 16**  
**National Ambient Air Quality Standards**  
**Area Designations for Sulfur Dioxide\***

	N	U/A		N	U/A
GREAT BASIN VALLEYS AIR BASIN		X	SOUTH CENTRAL COAST AIR BASIN		
LAKE COUNTY AIR BASIN		X	San Luis Obispo County		X
LAKE TAHOE AIR BASIN		X	Santa Barbara County		X
MOUNTAIN COUNTIES AIR BASIN		X	Ventura County		X
NORTH CENTRAL COAST AIR BASIN		X	Channel Islands (1)		X
NORTH COAST AIR BASIN		X	SOUTH COAST AIR BASIN		X
NORTHEAST PLATEAU AIR BASIN		X	SOUTHEAST DESERT AIR BASIN		
SACRAMENTO VALLEY AIR BASIN		X	Imperial County		X
SAN DIEGO COUNTY		X	Remainder of Air Basin		X
SAN FRANCISCO BAY AREA AIR BASIN		X			
SAN JOAQUIN VALLEY AIR BASIN					
Fresno County		X			
Kern County (portion)		X			
Kings County		X			
Madera County		X			
Merced County		X			
San Joaquin County		X			
Stanislaus County		X			
Tulare County		X			

\* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

NOTE: This map and table reflect the 2010 1-hour SO<sub>2</sub> standard of 75 ppb.

(1) South Central Coast Air Basin Channel Islands:

Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.

Ventura County includes Anacapa and San Nicolas Islands.

Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

**FIGURE 17**

**Area Designations for National  
Ambient Air Quality Standards  
LEAD**



Source Date:  
October 2018  
Air Quality Planning and Science Division

**TABLE 17**  
**National Ambient Air Quality Standards**  
**Area Designations for Lead (particulate)**

	<b>N</b>	<b>U/A</b>		<b>N</b>	<b>U/A</b>
GREAT BASIN VALLEYS AIR BASIN		X	SAN DIEGO COUNTY		X
LAKE COUNTY AIR BASIN		X	SAN FRANCISCO BAY AREA AIR BASIN		X
LAKE TAHOE AIR BASIN		X	SAN JOAQUIN VALLEY AIR BASIN		X
MOUNTAIN COUNTIES AIR BASIN		X	SOUTH CENTRAL COAST AIR BASIN		X
NORTH CENTRAL COAST AIR BASIN		X	SOUTH COAST AIR BASIN		
NORTH COAST AIR BASIN		X	Los Angeles County (portion) (1)	X	
NORTHEAST PLATEAU AIR BASIN		X	Remainder of Air Basin		X
SACRAMENTO VALLEY AIR BASIN		X	SOUTHEAST DESERT AIR BASIN		X

(1) Portion of County in Air Basin, not including Channel Islands

### **APPENDIX 3.1:**

#### **CALEEMOD CONSTRUCTION AND OPERATIONAL EMISSIONS MODEL OUTPUTS**

*This page intentionally left blank*

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**12769 - Lake and Mountain**  
**Riverside-South Coast County, Summer**

## 1.0 Project Characteristics

---

### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Other Non-Asphalt Surfaces	5.01	Acre	5.01	218,235.60	0
Fast Food Restaurant with Drive Thru	7.37	1000sqft	0.17	7,365.00	0
Convenience Market With Gas Pumps	3.40	1000sqft	0.08	3,400.00	0
Regional Shopping Center	13.20	1000sqft	0.30	13,200.00	0
User Defined Retail	1.00	User Defined Unit	0.07	3,150.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2021
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

## Project Characteristics -

Land Use - Lot acreage = information from site plan

## Construction Phase -

Off-road Equipment - Hours are based on an 8-hour workday.

Off-road Equipment - Hours are based on an 8-hour workday.

Off-road Equipment - Crawler Tractors Utilized in Lieu of T/L/B

## Off-road Equipment -

Off-road Equipment - Crawler Tractors Utilized in Lieu of T/L/B

## Trips and VMT -

## Grading -

Vehicle Trips - TG based on ITE 10th edition

Vehicle Emission Factors - EMFAC2017

Vehicle Emission Factors - EMFAC2017

Vehicle Emission Factors - EMFAC2017

Energy Use - User Defined Retail Rates Consistent with Convenience Market With Gas Pump.

Water And Wastewater - Water Usage from Car Wash estimated as 30 gallons/vehicle washed

Solid Waste - Car Wash Solid Waste assumed to be equivalent to Convenience Market With Gas Pumps

## Construction Off-road Equipment Mitigation -

## Energy Mitigation -

## Water Mitigation -

## Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblEnergyUse	LightingElect	0.00	5.61
tblEnergyUse	NT24E	0.00	2.44
tblEnergyUse	NT24NG	0.00	0.30
tblEnergyUse	T24E	0.00	4.58

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblEnergyUse	T24NG	0.00	1.92
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MCY	4.5820e-003	5.0000e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblGrading	MaterialExported	0.00	22,417.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblLandUse	LandUseSquareFeet	7,370.00	7,365.00
tblLandUse	LandUseSquareFeet	0.00	3,150.00
tblLandUse	LotAcreage	0.00	0.07
tblOffRoadEquipment	OffRoadEquipmentType		Graders
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	0.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	0.00	3.00
tblOffRoadEquipment	PhaseName		Site Preparation
tblOffRoadEquipment	PhaseName		Grading
tblOffRoadEquipment	PhaseName		Site Preparation
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	0.00	10.22
tblVehicleEF	HHD	1.43	0.03
tblVehicleEF	HHD	0.03	0.02
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	3.28	7.55
tblVehicleEF	HHD	0.46	0.36
tblVehicleEF	HHD	1.46	2.9270e-003
tblVehicleEF	HHD	6,485.38	1,409.07
tblVehicleEF	HHD	1,461.92	1,350.00
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	26.41	7.34
tblVehicleEF	HHD	2.69	3.05
tblVehicleEF	HHD	0.01	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8980e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	8.4000e-005	4.0000e-006
tblVehicleEF	HHD	2.5800e-003	1.0300e-004
tblVehicleEF	HHD	0.85	0.58
tblVehicleEF	HHD	4.8000e-005	2.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.8000e-004	5.3700e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	7.1000e-005	0.00
tblVehicleEF	HHD	8.4000e-005	4.0000e-006
tblVehicleEF	HHD	2.5800e-003	1.0300e-004
tblVehicleEF	HHD	0.97	0.66
tblVehicleEF	HHD	4.8000e-005	2.0000e-006
tblVehicleEF	HHD	0.11	0.09
tblVehicleEF	HHD	1.8000e-004	5.3700e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	1.35	0.03

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	HHD	0.03	0.02
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	2.39	7.39
tblVehicleEF	HHD	0.46	0.36
tblVehicleEF	HHD	1.39	2.7700e-003
tblVehicleEF	HHD	6,867.98	1,402.59
tblVehicleEF	HHD	1,461.92	1,350.00
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	27.25	7.10
tblVehicleEF	HHD	2.54	2.88
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.01	9.7680e-003
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8980e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	1.6300e-004	8.0000e-006
tblVehicleEF	HHD	2.9560e-003	1.1800e-004
tblVehicleEF	HHD	0.80	0.60
tblVehicleEF	HHD	9.2000e-005	4.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.8400e-004	5.5600e-004
tblVehicleEF	HHD	0.04	1.0000e-006

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	6.9000e-005	0.00
tblVehicleEF	HHD	1.6300e-004	8.0000e-006
tblVehicleEF	HHD	2.9560e-003	1.1800e-004
tblVehicleEF	HHD	0.92	0.69
tblVehicleEF	HHD	9.2000e-005	4.0000e-006
tblVehicleEF	HHD	0.11	0.09
tblVehicleEF	HHD	1.8400e-004	5.5600e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	1.54	0.03
tblVehicleEF	HHD	0.03	3.2330e-003
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	4.51	7.76
tblVehicleEF	HHD	0.45	0.32
tblVehicleEF	HHD	1.47	2.9120e-003
tblVehicleEF	HHD	5,957.03	1,414.57
tblVehicleEF	HHD	1,461.92	1,340.32
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	25.25	7.65
tblVehicleEF	HHD	2.67	3.02
tblVehicleEF	HHD	0.02	0.01
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.02	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8710e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	6.7000e-005	4.0000e-006
tblVehicleEF	HHD	2.7490e-003	1.2100e-004
tblVehicleEF	HHD	0.91	0.54
tblVehicleEF	HHD	4.1000e-005	2.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.9200e-004	5.6500e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	7.1000e-005	0.00
tblVehicleEF	HHD	6.7000e-005	4.0000e-006
tblVehicleEF	HHD	2.7490e-003	1.2100e-004
tblVehicleEF	HHD	1.05	0.62
tblVehicleEF	HHD	4.1000e-005	2.0000e-006
tblVehicleEF	HHD	0.11	0.08
tblVehicleEF	HHD	1.9200e-004	5.6500e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	LDA	4.0430e-003	2.4680e-003
tblVehicleEF	LDA	5.4670e-003	0.05
tblVehicleEF	LDA	0.58	0.66
tblVehicleEF	LDA	1.16	2.12
tblVehicleEF	LDA	255.91	265.87
tblVehicleEF	LDA	58.81	54.73

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003
tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003
tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.05	0.07
tblVehicleEF	LDA	0.10	0.10
tblVehicleEF	LDA	0.04	0.05
tblVehicleEF	LDA	0.01	9.5180e-003
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.07	0.23
tblVehicleEF	LDA	2.5630e-003	2.6300e-003
tblVehicleEF	LDA	6.0800e-004	5.4200e-004
tblVehicleEF	LDA	0.05	0.07
tblVehicleEF	LDA	0.10	0.10
tblVehicleEF	LDA	0.04	0.05
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.08	0.25
tblVehicleEF	LDA	4.5900e-003	2.8100e-003
tblVehicleEF	LDA	4.7470e-003	0.05
tblVehicleEF	LDA	0.71	0.81
tblVehicleEF	LDA	1.02	1.87
tblVehicleEF	LDA	278.73	289.14
tblVehicleEF	LDA	58.81	54.24
tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003
tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.10	0.14
tblVehicleEF	LDA	0.12	0.12
tblVehicleEF	LDA	0.07	0.10
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.06	0.20
tblVehicleEF	LDA	2.7930e-003	2.8600e-003
tblVehicleEF	LDA	6.0500e-004	5.3700e-004
tblVehicleEF	LDA	0.10	0.14
tblVehicleEF	LDA	0.12	0.12
tblVehicleEF	LDA	0.07	0.10
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.07	0.22
tblVehicleEF	LDA	3.8980e-003	2.3810e-003
tblVehicleEF	LDA	5.6140e-003	0.05
tblVehicleEF	LDA	0.54	0.62
tblVehicleEF	LDA	1.19	2.17
tblVehicleEF	LDA	249.57	259.47
tblVehicleEF	LDA	58.81	54.82
tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003
tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.04	0.06
tblVehicleEF	LDA	0.11	0.11
tblVehicleEF	LDA	0.03	0.05
tblVehicleEF	LDA	9.8140e-003	9.1880e-003
tblVehicleEF	LDA	0.04	0.24
tblVehicleEF	LDA	0.08	0.23
tblVehicleEF	LDA	2.4990e-003	2.5670e-003
tblVehicleEF	LDA	6.0800e-004	5.4200e-004
tblVehicleEF	LDA	0.04	0.06
tblVehicleEF	LDA	0.11	0.11
tblVehicleEF	LDA	0.03	0.05
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.24
tblVehicleEF	LDA	0.08	0.26
tblVehicleEF	LDT1	0.01	8.0140e-003
tblVehicleEF	LDT1	0.02	0.09
tblVehicleEF	LDT1	1.46	1.62
tblVehicleEF	LDT1	3.40	2.43
tblVehicleEF	LDT1	315.98	317.00
tblVehicleEF	LDT1	72.28	66.64
tblVehicleEF	LDT1	0.14	0.14
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.21	0.23

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT1	0.35	0.27
tblVehicleEF	LDT1	0.14	0.15
tblVehicleEF	LDT1	0.03	0.04
tblVehicleEF	LDT1	0.20	0.87
tblVehicleEF	LDT1	0.24	0.44
tblVehicleEF	LDT1	3.1780e-003	3.1370e-003
tblVehicleEF	LDT1	7.8300e-004	6.5900e-004
tblVehicleEF	LDT1	0.21	0.23
tblVehicleEF	LDT1	0.35	0.27
tblVehicleEF	LDT1	0.14	0.15
tblVehicleEF	LDT1	0.04	0.05
tblVehicleEF	LDT1	0.20	0.87
tblVehicleEF	LDT1	0.26	0.48
tblVehicleEF	LDT1	0.01	9.0560e-003
tblVehicleEF	LDT1	0.02	0.08
tblVehicleEF	LDT1	1.76	1.96
tblVehicleEF	LDT1	2.99	2.15
tblVehicleEF	LDT1	343.19	341.79
tblVehicleEF	LDT1	72.28	66.01
tblVehicleEF	LDT1	0.13	0.13
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.41	0.44
tblVehicleEF	LDT1	0.43	0.34
tblVehicleEF	LDT1	0.27	0.29

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT1	0.03	0.04
tblVehicleEF	LDT1	0.20	0.88
tblVehicleEF	LDT1	0.21	0.38
tblVehicleEF	LDT1	3.4550e-003	3.3820e-003
tblVehicleEF	LDT1	7.7500e-004	6.5300e-004
tblVehicleEF	LDT1	0.41	0.44
tblVehicleEF	LDT1	0.43	0.34
tblVehicleEF	LDT1	0.27	0.29
tblVehicleEF	LDT1	0.05	0.06
tblVehicleEF	LDT1	0.20	0.88
tblVehicleEF	LDT1	0.23	0.42
tblVehicleEF	LDT1	0.01	7.7080e-003
tblVehicleEF	LDT1	0.02	0.09
tblVehicleEF	LDT1	1.37	1.51
tblVehicleEF	LDT1	3.46	2.48
tblVehicleEF	LDT1	307.88	309.49
tblVehicleEF	LDT1	72.28	66.77
tblVehicleEF	LDT1	0.14	0.14
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.18	0.19
tblVehicleEF	LDT1	0.39	0.30
tblVehicleEF	LDT1	0.12	0.13
tblVehicleEF	LDT1	0.03	0.03
tblVehicleEF	LDT1	0.23	1.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT1	0.25	0.45
tblVehicleEF	LDT1	3.0960e-003	3.0630e-003
tblVehicleEF	LDT1	7.8400e-004	6.6100e-004
tblVehicleEF	LDT1	0.18	0.19
tblVehicleEF	LDT1	0.39	0.30
tblVehicleEF	LDT1	0.12	0.13
tblVehicleEF	LDT1	0.04	0.05
tblVehicleEF	LDT1	0.23	1.01
tblVehicleEF	LDT1	0.27	0.50
tblVehicleEF	LDT2	5.6080e-003	4.2470e-003
tblVehicleEF	LDT2	7.2840e-003	0.07
tblVehicleEF	LDT2	0.76	0.98
tblVehicleEF	LDT2	1.53	2.73
tblVehicleEF	LDT2	355.02	338.79
tblVehicleEF	LDT2	81.24	71.51
tblVehicleEF	LDT2	0.08	0.09
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.07	0.11
tblVehicleEF	LDT2	0.12	0.14
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.01	0.02
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.10	0.33
tblVehicleEF	LDT2	3.5560e-003	3.3520e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT2	8.3800e-004	7.0800e-004
tblVehicleEF	LDT2	0.07	0.11
tblVehicleEF	LDT2	0.12	0.14
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.02	0.03
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.11	0.37
tblVehicleEF	LDT2	6.3630e-003	4.8280e-003
tblVehicleEF	LDT2	6.3270e-003	0.06
tblVehicleEF	LDT2	0.93	1.20
tblVehicleEF	LDT2	1.35	2.42
tblVehicleEF	LDT2	386.34	362.86
tblVehicleEF	LDT2	81.24	70.86
tblVehicleEF	LDT2	0.07	0.08
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.14	0.22
tblVehicleEF	LDT2	0.14	0.17
tblVehicleEF	LDT2	0.10	0.17
tblVehicleEF	LDT2	0.02	0.02
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.09	0.29
tblVehicleEF	LDT2	3.8710e-003	3.5900e-003
tblVehicleEF	LDT2	8.3500e-004	7.0100e-004
tblVehicleEF	LDT2	0.14	0.22

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT2	0.14	0.17
tblVehicleEF	LDT2	0.10	0.17
tblVehicleEF	LDT2	0.02	0.03
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.09	0.32
tblVehicleEF	LDT2	5.3900e-003	4.0760e-003
tblVehicleEF	LDT2	7.4940e-003	0.07
tblVehicleEF	LDT2	0.71	0.91
tblVehicleEF	LDT2	1.57	2.80
tblVehicleEF	LDT2	345.65	331.49
tblVehicleEF	LDT2	81.24	71.65
tblVehicleEF	LDT2	0.08	0.09
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.13	0.15
tblVehicleEF	LDT2	0.05	0.07
tblVehicleEF	LDT2	0.01	0.02
tblVehicleEF	LDT2	0.07	0.51
tblVehicleEF	LDT2	0.10	0.34
tblVehicleEF	LDT2	3.4620e-003	3.2800e-003
tblVehicleEF	LDT2	8.3900e-004	7.0900e-004
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.13	0.15
tblVehicleEF	LDT2	0.05	0.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LDT2	0.02	0.02
tblVehicleEF	LDT2	0.07	0.51
tblVehicleEF	LDT2	0.11	0.38
tblVehicleEF	LHD1	5.4460e-003	4.8820e-003
tblVehicleEF	LHD1	0.01	5.3310e-003
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.96	0.72
tblVehicleEF	LHD1	2.41	0.96
tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.95
tblVehicleEF	LHD1	30.36	10.54
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.21	1.60
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004
tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	3.8710e-003	3.1780e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.9010e-003	1.5570e-003
tblVehicleEF	LHD1	0.08	0.06

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD1	0.31	0.50
tblVehicleEF	LHD1	0.26	0.08
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4900e-004	1.0400e-004
tblVehicleEF	LHD1	3.8710e-003	3.1780e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	1.9010e-003	1.5570e-003
tblVehicleEF	LHD1	0.10	0.07
tblVehicleEF	LHD1	0.31	0.50
tblVehicleEF	LHD1	0.28	0.08
tblVehicleEF	LHD1	5.4460e-003	4.8940e-003
tblVehicleEF	LHD1	0.01	5.4200e-003
tblVehicleEF	LHD1	0.02	0.01
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.97	0.73
tblVehicleEF	LHD1	2.29	0.92
tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.97
tblVehicleEF	LHD1	30.36	10.46
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.08	1.51
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	7.2450e-003	5.9530e-003
tblVehicleEF	LHD1	0.12	0.09
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	3.6380e-003	2.9980e-003
tblVehicleEF	LHD1	0.08	0.06
tblVehicleEF	LHD1	0.32	0.50
tblVehicleEF	LHD1	0.25	0.07
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4700e-004	1.0300e-004
tblVehicleEF	LHD1	7.2450e-003	5.9530e-003
tblVehicleEF	LHD1	0.12	0.09
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	3.6380e-003	2.9980e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.32	0.50
tblVehicleEF	LHD1	0.27	0.08
tblVehicleEF	LHD1	5.4460e-003	4.8810e-003
tblVehicleEF	LHD1	0.01	5.3180e-003
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.96	0.72
tblVehicleEF	LHD1	2.41	0.96

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.95
tblVehicleEF	LHD1	30.36	10.54
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.18	1.59
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004
tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	3.4570e-003	2.8250e-003
tblVehicleEF	LHD1	0.11	0.09
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.7350e-003	1.4150e-003
tblVehicleEF	LHD1	0.08	0.06
tblVehicleEF	LHD1	0.33	0.53
tblVehicleEF	LHD1	0.26	0.08
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4900e-004	1.0400e-004
tblVehicleEF	LHD1	3.4570e-003	2.8250e-003
tblVehicleEF	LHD1	0.11	0.09
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	1.7350e-003	1.4150e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD1	0.10	0.07
tblVehicleEF	LHD1	0.33	0.53
tblVehicleEF	LHD1	0.28	0.08
tblVehicleEF	LHD2	3.6660e-003	3.1720e-003
tblVehicleEF	LHD2	4.5290e-003	3.8570e-003
tblVehicleEF	LHD2	8.3110e-003	9.0280e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.50	0.53
tblVehicleEF	LHD2	1.15	0.56
tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.29
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.71	1.77
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004
tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	1.4980e-003	1.6870e-003
tblVehicleEF	LHD2	0.04	0.04
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	7.7800e-004	8.4200e-004
tblVehicleEF	LHD2	0.06	0.06

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1550e-003
tblVehicleEF	LHD2	2.5700e-004	7.2000e-005
tblVehicleEF	LHD2	1.4980e-003	1.6870e-003
tblVehicleEF	LHD2	0.04	0.04
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	7.7800e-004	8.4200e-004
tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	LHD2	3.6660e-003	3.1790e-003
tblVehicleEF	LHD2	4.5800e-003	3.8860e-003
tblVehicleEF	LHD2	8.0210e-003	8.7250e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.51	0.53
tblVehicleEF	LHD2	1.10	0.53
tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.25
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.62	1.67
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	2.8320e-003	3.1830e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	1.4720e-003	1.6130e-003
tblVehicleEF	LHD2	0.06	0.06
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1560e-003
tblVehicleEF	LHD2	2.5600e-004	7.2000e-005
tblVehicleEF	LHD2	2.8320e-003	3.1830e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	1.4720e-003	1.6130e-003
tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	LHD2	3.6660e-003	3.1700e-003
tblVehicleEF	LHD2	4.5170e-003	3.8490e-003
tblVehicleEF	LHD2	8.3600e-003	9.0930e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.50	0.53
tblVehicleEF	LHD2	1.16	0.56

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.30
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.70	1.75
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004
tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	1.1910e-003	1.3290e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	6.6000e-004	7.0100e-004
tblVehicleEF	LHD2	0.06	0.06
tblVehicleEF	LHD2	0.09	0.27
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1550e-003
tblVehicleEF	LHD2	2.5700e-004	7.2000e-005
tblVehicleEF	LHD2	1.1910e-003	1.3290e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	6.6000e-004	7.0100e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.27
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	MCY	0.42	0.32
tblVehicleEF	MCY	0.15	0.24
tblVehicleEF	MCY	19.52	19.61
tblVehicleEF	MCY	9.67	8.55
tblVehicleEF	MCY	165.74	208.30
tblVehicleEF	MCY	46.23	60.73
tblVehicleEF	MCY	1.13	1.13
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	1.69	1.66
tblVehicleEF	MCY	0.85	0.84
tblVehicleEF	MCY	0.92	0.90
tblVehicleEF	MCY	2.15	2.16
tblVehicleEF	MCY	0.57	1.87
tblVehicleEF	MCY	2.08	1.83
tblVehicleEF	MCY	2.0380e-003	2.0610e-003
tblVehicleEF	MCY	6.8100e-004	6.0100e-004
tblVehicleEF	MCY	1.69	1.66
tblVehicleEF	MCY	0.85	0.84
tblVehicleEF	MCY	0.92	0.90
tblVehicleEF	MCY	2.65	2.65
tblVehicleEF	MCY	0.57	1.87

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MCY	2.26	1.99
tblVehicleEF	MCY	0.42	0.32
tblVehicleEF	MCY	0.14	0.22
tblVehicleEF	MCY	20.23	20.27
tblVehicleEF	MCY	9.11	8.00
tblVehicleEF	MCY	165.74	209.26
tblVehicleEF	MCY	46.23	59.19
tblVehicleEF	MCY	0.98	0.98
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	3.35	3.28
tblVehicleEF	MCY	1.24	1.23
tblVehicleEF	MCY	2.10	2.05
tblVehicleEF	MCY	2.13	2.13
tblVehicleEF	MCY	0.57	1.86
tblVehicleEF	MCY	1.86	1.63
tblVehicleEF	MCY	2.0490e-003	2.0710e-003
tblVehicleEF	MCY	6.6500e-004	5.8600e-004
tblVehicleEF	MCY	3.35	3.28
tblVehicleEF	MCY	1.24	1.23
tblVehicleEF	MCY	2.10	2.05
tblVehicleEF	MCY	2.62	2.63
tblVehicleEF	MCY	0.57	1.86
tblVehicleEF	MCY	2.02	1.77
tblVehicleEF	MCY	0.42	0.32

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MCY	0.15	0.24
tblVehicleEF	MCY	19.04	19.14
tblVehicleEF	MCY	9.62	8.49
tblVehicleEF	MCY	165.74	207.52
tblVehicleEF	MCY	46.23	60.64
tblVehicleEF	MCY	1.12	1.12
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	1.60	1.59
tblVehicleEF	MCY	1.05	1.04
tblVehicleEF	MCY	0.74	0.73
tblVehicleEF	MCY	2.15	2.15
tblVehicleEF	MCY	0.65	2.12
tblVehicleEF	MCY	2.08	1.83
tblVehicleEF	MCY	2.0310e-003	2.0540e-003
tblVehicleEF	MCY	6.8100e-004	6.0000e-004
tblVehicleEF	MCY	1.60	1.59
tblVehicleEF	MCY	1.05	1.04
tblVehicleEF	MCY	0.74	0.73
tblVehicleEF	MCY	2.64	2.65
tblVehicleEF	MCY	0.65	2.12
tblVehicleEF	MCY	2.27	1.99
tblVehicleEF	MDV	0.01	5.7580e-003
tblVehicleEF	MDV	0.02	0.09
tblVehicleEF	MDV	1.42	1.20

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MDV	3.18	3.27
tblVehicleEF	MDV	488.89	421.49
tblVehicleEF	MDV	110.15	88.73
tblVehicleEF	MDV	0.17	0.12
tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.11	0.13
tblVehicleEF	MDV	0.20	0.17
tblVehicleEF	MDV	0.09	0.11
tblVehicleEF	MDV	0.03	0.03
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.25	0.45
tblVehicleEF	MDV	4.9000e-003	4.1680e-003
tblVehicleEF	MDV	1.1570e-003	8.7800e-004
tblVehicleEF	MDV	0.11	0.13
tblVehicleEF	MDV	0.20	0.17
tblVehicleEF	MDV	0.09	0.11
tblVehicleEF	MDV	0.05	0.04
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.27	0.49
tblVehicleEF	MDV	0.01	6.5120e-003
tblVehicleEF	MDV	0.02	0.08
tblVehicleEF	MDV	1.73	1.46
tblVehicleEF	MDV	2.81	2.88
tblVehicleEF	MDV	530.71	447.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MDV	110.15	87.92
tblVehicleEF	MDV	0.16	0.11
tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.22	0.26
tblVehicleEF	MDV	0.23	0.20
tblVehicleEF	MDV	0.17	0.21
tblVehicleEF	MDV	0.04	0.03
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.21	0.39
tblVehicleEF	MDV	5.3230e-003	4.4210e-003
tblVehicleEF	MDV	1.1510e-003	8.7000e-004
tblVehicleEF	MDV	0.22	0.26
tblVehicleEF	MDV	0.23	0.20
tblVehicleEF	MDV	0.17	0.21
tblVehicleEF	MDV	0.05	0.04
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.23	0.43
tblVehicleEF	MDV	0.01	5.5370e-003
tblVehicleEF	MDV	0.02	0.09
tblVehicleEF	MDV	1.33	1.12
tblVehicleEF	MDV	3.24	3.34
tblVehicleEF	MDV	476.42	413.84
tblVehicleEF	MDV	110.15	88.88
tblVehicleEF	MDV	0.16	0.12

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.09	0.10
tblVehicleEF	MDV	0.21	0.18
tblVehicleEF	MDV	0.08	0.10
tblVehicleEF	MDV	0.03	0.02
tblVehicleEF	MDV	0.13	0.57
tblVehicleEF	MDV	0.25	0.46
tblVehicleEF	MDV	4.7750e-003	4.0920e-003
tblVehicleEF	MDV	1.1590e-003	8.8000e-004
tblVehicleEF	MDV	0.09	0.10
tblVehicleEF	MDV	0.21	0.18
tblVehicleEF	MDV	0.08	0.10
tblVehicleEF	MDV	0.05	0.03
tblVehicleEF	MDV	0.13	0.57
tblVehicleEF	MDV	0.28	0.50
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	2.70	0.34
tblVehicleEF	MH	5.98	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.67	4.43
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	1.56	0.00
tblVehicleEF	MH	0.08	0.00
tblVehicleEF	MH	0.54	0.00
tblVehicleEF	MH	0.09	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.35	0.00
tblVehicleEF	MH	9.9460e-003	8.9030e-003
tblVehicleEF	MH	6.8100e-004	0.00
tblVehicleEF	MH	1.56	0.00
tblVehicleEF	MH	0.08	0.00
tblVehicleEF	MH	0.54	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.39	0.00
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.02	0.00
tblVehicleEF	MH	2.78	0.34
tblVehicleEF	MH	5.56	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.55	4.18
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	2.87	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	1.06	0.00
tblVehicleEF	MH	0.10	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.34	0.00
tblVehicleEF	MH	9.9470e-003	8.9030e-003
tblVehicleEF	MH	6.7400e-004	0.00
tblVehicleEF	MH	2.87	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	1.06	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.37	0.00
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	2.70	0.34
tblVehicleEF	MH	6.02	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.65	4.38
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	1.58	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	0.53	0.00
tblVehicleEF	MH	0.09	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.35	0.00
tblVehicleEF	MH	9.9460e-003	8.9030e-003
tblVehicleEF	MH	6.8200e-004	0.00
tblVehicleEF	MH	1.58	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	0.53	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.39	0.00
tblVehicleEF	MHD	0.02	3.1500e-003
tblVehicleEF	MHD	3.7220e-003	5.9790e-003
tblVehicleEF	MHD	0.06	8.4870e-003
tblVehicleEF	MHD	0.35	0.34
tblVehicleEF	MHD	0.28	0.57
tblVehicleEF	MHD	6.06	1.01
tblVehicleEF	MHD	151.96	74.93
tblVehicleEF	MHD	1,066.63	1,001.03
tblVehicleEF	MHD	55.49	8.18

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MHD	0.65	0.69
tblVehicleEF	MHD	0.99	2.37
tblVehicleEF	MHD	1.0680e-003	2.4180e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	1.0220e-003	2.3130e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	1.7450e-003	7.1900e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	8.5800e-004	3.5500e-004
tblVehicleEF	MHD	0.03	0.11
tblVehicleEF	MHD	0.02	0.10
tblVehicleEF	MHD	0.37	0.05
tblVehicleEF	MHD	1.4610e-003	7.1000e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.6100e-004	8.1000e-005
tblVehicleEF	MHD	1.7450e-003	7.1900e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	8.5800e-004	3.5500e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.10
tblVehicleEF	MHD	0.40	0.05
tblVehicleEF	MHD	0.02	2.9880e-003
tblVehicleEF	MHD	3.7740e-003	6.0080e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MHD	0.05	8.2030e-003
tblVehicleEF	MHD	0.26	0.28
tblVehicleEF	MHD	0.28	0.57
tblVehicleEF	MHD	5.78	0.96
tblVehicleEF	MHD	160.96	76.44
tblVehicleEF	MHD	1,066.63	1,001.04
tblVehicleEF	MHD	55.49	8.10
tblVehicleEF	MHD	0.67	0.70
tblVehicleEF	MHD	0.93	2.23
tblVehicleEF	MHD	9.0000e-004	2.0410e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	8.6100e-004	1.9530e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	3.3760e-003	1.3770e-003
tblVehicleEF	MHD	0.06	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	1.6840e-003	7.0100e-004
tblVehicleEF	MHD	0.03	0.11
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.36	0.04
tblVehicleEF	MHD	1.5460e-003	7.2500e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.5600e-004	8.0000e-005
tblVehicleEF	MHD	3.3760e-003	1.3770e-003
tblVehicleEF	MHD	0.06	0.02

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	1.6840e-003	7.0100e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.39	0.05
tblVehicleEF	MHD	0.02	3.3820e-003
tblVehicleEF	MHD	3.6890e-003	5.9600e-003
tblVehicleEF	MHD	0.06	8.5610e-003
tblVehicleEF	MHD	0.49	0.43
tblVehicleEF	MHD	0.27	0.57
tblVehicleEF	MHD	6.14	1.02
tblVehicleEF	MHD	139.53	72.84
tblVehicleEF	MHD	1,066.63	1,001.03
tblVehicleEF	MHD	55.49	8.20
tblVehicleEF	MHD	0.62	0.67
tblVehicleEF	MHD	0.98	2.35
tblVehicleEF	MHD	1.2990e-003	2.9380e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	1.2430e-003	2.8110e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	1.3320e-003	5.6300e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	6.7900e-004	2.8800e-004
tblVehicleEF	MHD	0.03	0.11

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.37	0.05
tblVehicleEF	MHD	1.3440e-003	6.9100e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.6300e-004	8.1000e-005
tblVehicleEF	MHD	1.3320e-003	5.6300e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	6.7900e-004	2.8800e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.41	0.05
tblVehicleEF	OBUS	0.01	8.9240e-003
tblVehicleEF	OBUS	8.0950e-003	8.5070e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.27	0.50
tblVehicleEF	OBUS	0.54	0.93
tblVehicleEF	OBUS	6.17	2.58
tblVehicleEF	OBUS	75.04	73.28
tblVehicleEF	OBUS	1,098.07	1,407.22
tblVehicleEF	OBUS	70.10	20.86
tblVehicleEF	OBUS	0.35	0.44
tblVehicleEF	OBUS	1.12	1.70
tblVehicleEF	OBUS	1.2100e-004	1.7750e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	1.1600e-004	1.6990e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	2.1800e-003	2.5990e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	9.3000e-004	1.1120e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.39	0.12
tblVehicleEF	OBUS	7.2800e-004	6.9900e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.0900e-004	2.0600e-004
tblVehicleEF	OBUS	2.1800e-003	2.5990e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	9.3000e-004	1.1120e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.42	0.14
tblVehicleEF	OBUS	0.01	8.9470e-003
tblVehicleEF	OBUS	8.2540e-003	8.6370e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.26	0.48
tblVehicleEF	OBUS	0.55	0.94
tblVehicleEF	OBUS	5.76	2.41
tblVehicleEF	OBUS	78.48	73.81
tblVehicleEF	OBUS	1,098.07	1,407.25

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	OBUS	70.10	20.57
tblVehicleEF	OBUS	0.36	0.45
tblVehicleEF	OBUS	1.04	1.59
tblVehicleEF	OBUS	1.0200e-004	1.5000e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	9.8000e-005	1.4350e-003
tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	4.0690e-003	4.7330e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	1.7890e-003	2.1320e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.37	0.12
tblVehicleEF	OBUS	7.6100e-004	7.0400e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.0200e-004	2.0400e-004
tblVehicleEF	OBUS	4.0690e-003	4.7330e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	1.7890e-003	2.1320e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.40	0.13
tblVehicleEF	OBUS	0.01	8.9200e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	OBUS	8.0660e-003	8.4690e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.28	0.53
tblVehicleEF	OBUS	0.54	0.92
tblVehicleEF	OBUS	6.22	2.60
tblVehicleEF	OBUS	70.30	72.56
tblVehicleEF	OBUS	1,098.07	1,407.21
tblVehicleEF	OBUS	70.10	20.90
tblVehicleEF	OBUS	0.34	0.44
tblVehicleEF	OBUS	1.11	1.68
tblVehicleEF	OBUS	1.4700e-004	2.1560e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	1.4100e-004	2.0620e-003
tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	1.8870e-003	2.3830e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	8.5400e-004	1.0620e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.27
tblVehicleEF	OBUS	0.39	0.13
tblVehicleEF	OBUS	6.8300e-004	6.9200e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.1000e-004	2.0700e-004
tblVehicleEF	OBUS	1.8870e-003	2.3830e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	8.5400e-004	1.0620e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.27
tblVehicleEF	OBUS	0.42	0.14
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6110e-003
tblVehicleEF	SBUS	0.06	6.9670e-003
tblVehicleEF	SBUS	7.83	3.03
tblVehicleEF	SBUS	0.64	0.53
tblVehicleEF	SBUS	6.66	0.94
tblVehicleEF	SBUS	1,146.29	366.87
tblVehicleEF	SBUS	1,103.40	1,115.27
tblVehicleEF	SBUS	53.92	6.06
tblVehicleEF	SBUS	10.00	3.57
tblVehicleEF	SBUS	4.65	4.82
tblVehicleEF	SBUS	0.01	4.0660e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	0.01	3.8900e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	4.6830e-003	1.3080e-003
tblVehicleEF	SBUS	0.03	8.6250e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	SBUS	0.94	0.36
tblVehicleEF	SBUS	2.1770e-003	6.2500e-004
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.37	0.04
tblVehicleEF	SBUS	0.01	3.5040e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.5500e-004	6.0000e-005
tblVehicleEF	SBUS	4.6830e-003	1.3080e-003
tblVehicleEF	SBUS	0.03	8.6250e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	2.1770e-003	6.2500e-004
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.40	0.04
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6860e-003
tblVehicleEF	SBUS	0.05	5.8380e-003
tblVehicleEF	SBUS	7.71	2.99
tblVehicleEF	SBUS	0.65	0.54
tblVehicleEF	SBUS	4.83	0.68
tblVehicleEF	SBUS	1,198.60	377.09
tblVehicleEF	SBUS	1,103.40	1,115.28
tblVehicleEF	SBUS	53.92	5.63
tblVehicleEF	SBUS	10.32	3.66
tblVehicleEF	SBUS	4.37	4.53
tblVehicleEF	SBUS	9.1190e-003	3.4340e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	8.7240e-003	3.2850e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	8.4640e-003	2.3620e-003
tblVehicleEF	SBUS	0.03	9.1440e-003
tblVehicleEF	SBUS	0.93	0.36
tblVehicleEF	SBUS	4.0830e-003	1.1650e-003
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.01	0.05
tblVehicleEF	SBUS	0.31	0.03
tblVehicleEF	SBUS	0.01	3.6000e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.2400e-004	5.6000e-005
tblVehicleEF	SBUS	8.4640e-003	2.3620e-003
tblVehicleEF	SBUS	0.03	9.1440e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	4.0830e-003	1.1650e-003
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.01	0.05
tblVehicleEF	SBUS	0.34	0.04
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6040e-003
tblVehicleEF	SBUS	0.07	7.2110e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	SBUS	8.00	3.09
tblVehicleEF	SBUS	0.63	0.53
tblVehicleEF	SBUS	7.02	0.98
tblVehicleEF	SBUS	1,074.07	352.76
tblVehicleEF	SBUS	1,103.40	1,115.26
tblVehicleEF	SBUS	53.92	6.14
tblVehicleEF	SBUS	9.56	3.44
tblVehicleEF	SBUS	4.60	4.78
tblVehicleEF	SBUS	0.01	4.9380e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	0.01	4.7240e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	4.1680e-003	1.1480e-003
tblVehicleEF	SBUS	0.03	8.8290e-003
tblVehicleEF	SBUS	0.94	0.36
tblVehicleEF	SBUS	2.1000e-003	6.0300e-004
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.02	0.06
tblVehicleEF	SBUS	0.38	0.04
tblVehicleEF	SBUS	0.01	3.3710e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.6100e-004	6.1000e-005
tblVehicleEF	SBUS	4.1680e-003	1.1480e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	SBUS	0.03	8.8290e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	2.1000e-003	6.0300e-004
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.02	0.06
tblVehicleEF	SBUS	0.41	0.05
tblVehicleEF	UBUS	1.51	3.35
tblVehicleEF	UBUS	0.09	0.02
tblVehicleEF	UBUS	8.45	26.05
tblVehicleEF	UBUS	15.26	1.50
tblVehicleEF	UBUS	1,822.40	1,617.71
tblVehicleEF	UBUS	153.45	18.08
tblVehicleEF	UBUS	4.95	0.32
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	9.7430e-003	1.6370e-003
tblVehicleEF	UBUS	0.11	9.7740e-003
tblVehicleEF	UBUS	4.7860e-003	7.1300e-004
tblVehicleEF	UBUS	0.52	0.05
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.17	0.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	UBUS	9.9960e-003	4.8690e-003
tblVehicleEF	UBUS	1.8100e-003	1.7900e-004
tblVehicleEF	UBUS	9.7430e-003	1.6370e-003
tblVehicleEF	UBUS	0.11	9.7740e-003
tblVehicleEF	UBUS	4.7860e-003	7.1300e-004
tblVehicleEF	UBUS	2.08	3.43
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.28	0.08
tblVehicleEF	UBUS	1.52	3.35
tblVehicleEF	UBUS	0.08	0.02
tblVehicleEF	UBUS	8.53	26.06
tblVehicleEF	UBUS	13.06	1.28
tblVehicleEF	UBUS	1,822.40	1,617.72
tblVehicleEF	UBUS	153.45	17.70
tblVehicleEF	UBUS	4.62	0.31
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	0.02	2.9250e-003
tblVehicleEF	UBUS	0.14	0.01
tblVehicleEF	UBUS	9.6600e-003	1.4550e-003
tblVehicleEF	UBUS	0.53	0.05

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.06	0.07
tblVehicleEF	UBUS	9.9970e-003	4.8690e-003
tblVehicleEF	UBUS	1.7720e-003	1.7500e-004
tblVehicleEF	UBUS	0.02	2.9250e-003
tblVehicleEF	UBUS	0.14	0.01
tblVehicleEF	UBUS	9.6600e-003	1.4550e-003
tblVehicleEF	UBUS	2.09	3.43
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.17	0.07
tblVehicleEF	UBUS	1.51	3.35
tblVehicleEF	UBUS	0.09	0.02
tblVehicleEF	UBUS	8.44	26.05
tblVehicleEF	UBUS	15.44	1.49
tblVehicleEF	UBUS	1,822.40	1,617.71
tblVehicleEF	UBUS	153.45	18.06
tblVehicleEF	UBUS	4.92	0.31
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	8.9770e-003	1.7200e-003
tblVehicleEF	UBUS	0.13	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleEF	UBUS	4.3820e-003	7.5400e-004
tblVehicleEF	UBUS	0.52	0.05
tblVehicleEF	UBUS	0.03	0.05
tblVehicleEF	UBUS	1.18	0.07
tblVehicleEF	UBUS	9.9960e-003	4.8690e-003
tblVehicleEF	UBUS	1.8130e-003	1.7900e-004
tblVehicleEF	UBUS	8.9770e-003	1.7200e-003
tblVehicleEF	UBUS	0.13	0.01
tblVehicleEF	UBUS	4.3820e-003	7.5400e-004
tblVehicleEF	UBUS	2.08	3.43
tblVehicleEF	UBUS	0.03	0.05
tblVehicleEF	UBUS	1.29	0.08
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TTP	80.20	96.00
tblVehicleTrips	CC_TTP	78.80	96.00
tblVehicleTrips	CC_TTP	64.70	96.00
tblVehicleTrips	CC_TTP	0.00	96.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	0.00	3.00
tblVehicleTrips	CW_TTP	0.80	1.00
tblVehicleTrips	CW_TTP	2.20	1.00
tblVehicleTrips	CW_TTP	16.30	1.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

tblVehicleTrips	CW_TTP	0.00	1.00
tblVehicleTrips	DV_TP	21.00	0.00
tblVehicleTrips	DV_TP	21.00	0.00
tblVehicleTrips	DV_TP	35.00	0.00
tblVehicleTrips	PB_TP	65.00	70.00
tblVehicleTrips	PB_TP	50.00	67.00
tblVehicleTrips	PB_TP	11.00	39.00
tblVehicleTrips	PR_TP	14.00	30.00
tblVehicleTrips	PR_TP	29.00	33.00
tblVehicleTrips	PR_TP	54.00	61.00
tblVehicleTrips	PR_TP	0.00	100.00
tblVehicleTrips	ST_TR	1,448.33	700.00
tblVehicleTrips	ST_TR	722.03	616.12
tblVehicleTrips	ST_TR	0.00	775.00
tblVehicleTrips	SU_TR	1,182.08	700.00
tblVehicleTrips	SU_TR	542.72	472.58
tblVehicleTrips	SU_TR	0.00	775.00
tblVehicleTrips	WD_TR	845.60	837.58
tblVehicleTrips	WD_TR	496.12	470.95
tblVehicleTrips	WD_TR	42.70	114.93
tblVehicleTrips	WD_TR	0.00	775.00
tblWater	IndoorWaterUseRate	0.00	4,248,600.00

**2.0 Emissions Summary**


---

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**2.1 Overall Construction (Maximum Daily Emission)****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day											lb/day					
2020	6.1198	75.6323	24.9292	0.1522	20.3885	2.9903	23.3788	10.2131	2.7511	12.9642	0.0000	15,733.40	15,733.40	2.0536	0.0000	15,784.74	
2021	15.9893	22.7236	22.0652	0.0500	1.3851	1.0388	2.4239	0.3732	0.9753	1.3485	0.0000	4,904.446	4,904.446	0.7789	0.0000	4,923.919	
Maximum	15.9893	75.6323	24.9292	0.1522	20.3885	2.9903	23.3788	10.2131	2.7511	12.9642	0.0000	15,733.40	15,733.40	2.0536	0.0000	15,784.74	

**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day											lb/day					
2020	6.1198	75.6323	24.9292	0.1522	8.0742	2.9903	11.0646	4.0156	2.7511	6.7667	0.0000	15,733.40	15,733.40	2.0536	0.0000	15,784.74	
2021	15.9893	22.7236	22.0652	0.0500	1.3851	1.0388	2.4239	0.3732	0.9753	1.3485	0.0000	4,904.446	4,904.446	0.7789	0.0000	4,923.919	
Maximum	15.9893	75.6323	24.9292	0.1522	8.0742	2.9903	11.0646	4.0156	2.7511	6.7667	0.0000	15,733.40	15,733.40	2.0536	0.0000	15,784.74	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	56.56	0.00	47.72	58.54	0.00	43.30	0.00	0.00	0.00	0.00	0.00	0.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**2.2 Overall Operational****Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Area	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005			7.0000e-003	
Energy	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122		667.1905	
Mobile	23.5154	35.5502	81.8792	0.1325	10.5139	0.1739	10.6878	2.7916	0.1632	2.9548	13,555.8906	13,555.8906	1.3009			13,588.4125	
Total	24.2761	36.1030	82.3466	0.1358	10.5139	0.2159	10.7298	2.7916	0.2052	2.9968	14,219.1464	14,219.1464	1.3136	0.0122		14,255.6100	

**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Area	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005			7.0000e-003	
Energy	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122		667.1905	
Mobile	23.5154	35.5502	81.8792	0.1325	10.5139	0.1739	10.6878	2.7916	0.1632	2.9548	13,555.8906	13,555.8906	1.3009			13,588.4125	
Total	24.2761	36.1030	82.3466	0.1358	10.5139	0.2159	10.7298	2.7916	0.2052	2.9968	14,219.1464	14,219.1464	1.3136	0.0122		14,255.6100	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

---

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/30/2020	6/12/2020	5	10	
2	Grading	Grading	6/13/2020	7/10/2020	5	20	
3	Building Construction	Building Construction	7/11/2020	5/28/2021	5	230	
4	Paving	Paving	5/29/2021	6/25/2021	5	20	
5	Architectural Coating	Architectural Coating	6/26/2021	7/23/2021	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 5.01

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 40,673; Non-Residential Outdoor: 13,558; Striped Parking Area: 13,094 (Architectural Coating – sqft)

#### OffRoad Equipment

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48
Site Preparation	Graders	1	8.00	187	0.41

**Trips and VMT**

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	2,802.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	101.00	40.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

### 3.1 Mitigation Measures Construction

Water Exposed Area

### 3.2 Site Preparation - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0282	70.0929	24.2034	0.0636		2.9891	2.9891		2.7500	2.7500		6,164.262	6,164.262	1.9937		6,214.103
Total	6.0282	70.0929	24.2034	0.0636	20.1873	2.9891	23.1764	10.1597	2.7500	12.9097		6,164.262	6,164.262	1.9937		6,214.103

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.2 Site Preparation - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0916	0.0542	0.7258	1.9900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545	198.2870	198.2870	5.0800e-003	198.4141		
Total	0.0916	0.0542	0.7258	1.9900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545		198.2870	198.2870	5.0800e-003		198.4141

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.8730	0.0000	7.8730	3.9623	0.0000	3.9623		0.0000				0.0000
Off-Road	6.0282	70.0929	24.2034	0.0636		2.9891	2.9891		2.7500	2.7500	0.0000	6,164.2620	6,164.2620	1.9937		6,214.1031
Total	6.0282	70.0929	24.2034	0.0636	7.8730	2.9891	10.8621	3.9623	2.7500	6.7123	0.0000	6,164.2620	6,164.2620	1.9937		6,214.1031

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.2 Site Preparation - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0916	0.0542	0.7258	1.9900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545	198.2870	198.2870	5.0800e-003	198.4141		
Total	0.0916	0.0542	0.7258	1.9900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545		198.2870	198.2870	5.0800e-003		198.4141

**3.3 Grading - 2020****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.2850	0.0000	8.2850	3.5607	0.0000	3.5607		0.0000				0.0000
Off-Road	3.5369	42.4134	16.7138	0.0439		1.7160	1.7160		1.5787	1.5787		4,251.3448	4,251.3448	1.3750		4,285.7191
Total	3.5369	42.4134	16.7138	0.0439	8.2850	1.7160	10.0010	3.5607	1.5787	5.1395		4,251.3448	4,251.3448	1.3750		4,285.7191

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.3 Grading - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.7205	33.1737	4.0932	0.1067	2.4509	0.1057	2.5566	0.6719	0.1011	0.7730	11,316.819 4	11,316.819 4	0.6744			11,333.679 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0763	0.0451	0.6048	1.6600e-003	0.1677	1.0200e-003	0.1687	0.0445	9.3000e-004	0.0454	165.2392	165.2392	4.2400e-003			165.3451
Total	<b>0.7969</b>	<b>33.2189</b>	<b>4.6980</b>	<b>0.1083</b>	<b>2.6185</b>	<b>0.1067</b>	<b>2.7253</b>	<b>0.7163</b>	<b>0.1021</b>	<b>0.8184</b>	<b>11,482.05 86</b>	<b>11,482.05 86</b>	<b>0.6787</b>			<b>11,499.02 47</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.2312	0.0000	3.2312	1.3887	0.0000	1.3887			0.0000			0.0000
Off-Road	3.5369	42.4134	16.7138	0.0439		1.7160	1.7160		1.5787	1.5787	0.0000	4,251.344 8	4,251.344 8	1.3750		4,285.719 1
Total	<b>3.5369</b>	<b>42.4134</b>	<b>16.7138</b>	<b>0.0439</b>	<b>3.2312</b>	<b>1.7160</b>	<b>4.9472</b>	<b>1.3887</b>	<b>1.5787</b>	<b>2.9674</b>	<b>0.0000</b>	<b>4,251.344 8</b>	<b>4,251.344 8</b>	<b>1.3750</b>		<b>4,285.719 1</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.3 Grading - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.7205	33.1737	4.0932	0.1067	2.4509	0.1057	2.5566	0.6719	0.1011	0.7730	11,316.819 4	11,316.819 4	0.6744			11,333.679 7
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0763	0.0451	0.6048	1.6600e-003	0.1677	1.0200e-003	0.1687	0.0445	9.3000e-004	0.0454	165.2392	165.2392	4.2400e-003			165.3451
Total	0.7969	33.2189	4.6980	0.1083	2.6185	0.1067	2.7253	0.7163	0.1021	0.8184	11,482.05 86	11,482.05 86	0.6787			11,499.02 47

**3.4 Building Construction - 2020****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2551	20.6494	17.9678	0.0288		1.1948	1.1948		1.1218	1.1218	2,735.699 9	2,735.699 9	0.6819			2,752.748 1
Total	2.2551	20.6494	17.9678	0.0288		1.1948	1.1948		1.1218	1.1218	2,735.699 9	2,735.699 9	0.6819			2,752.748 1

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.4 Building Construction - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.1115	4.1157	0.7529	0.0105	0.2561	0.0234	0.2796	0.0738	0.0224	0.0961	1,101.563	1,101.563	0.0826	1,103.629	3	7	
Worker	0.5140	0.3040	4.0725	0.0112	1.1289	6.8400e-003	1.1358	0.2994	6.3000e-003	0.3057	1,112.6105	1,112.6105	0.0285	1,113.3235			
Total	<b>0.6255</b>	<b>4.4196</b>	<b>4.8254</b>	<b>0.0216</b>	<b>1.3851</b>	<b>0.0303</b>	<b>1.4153</b>	<b>0.3732</b>	<b>0.0287</b>	<b>0.4018</b>	<b>2,214.174</b>	<b>2,214.174</b>	<b>0.1111</b>	<b>2,216.952</b>	<b>7</b>		

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e		
Category	lb/day											lb/day						
Off-Road	2.2551	20.6494	17.9678	0.0288			1.1948	1.1948		1.1218	1.1218	0.0000	2,735.699	2,735.699	0.6819	2,752.748	1	
Total	<b>2.2551</b>	<b>20.6494</b>	<b>17.9678</b>	<b>0.0288</b>			<b>1.1948</b>	<b>1.1948</b>		<b>1.1218</b>	<b>1.1218</b>	<b>0.0000</b>	<b>2,735.699</b>	<b>2,735.699</b>	<b>0.6819</b>		<b>2,752.748</b>	<b>1</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.4 Building Construction - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1115	4.1157	0.7529	0.0105	0.2561	0.0234	0.2796	0.0738	0.0224	0.0961	1,101.563 7	1,101.563 7	0.0826		1,103.629 3	
Worker	0.5140	0.3040	4.0725	0.0112	1.1289	6.8400e-003	1.1358	0.2994	6.3000e-003	0.3057	1,112.6105 1	1,112.6105 1	0.0285		1,113.3235	
Total	0.6255	4.4196	4.8254	0.0216	1.3851	0.0303	1.4153	0.3732	0.0287	0.4018	2,214.174 2	2,214.174 2	0.1111		2,216.952 7	

**3.4 Building Construction - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.0228	18.7492	17.6706	0.0288		1.0251	1.0251		0.9625	0.9625	2,736.043 8	2,736.043 8	0.6751		2,752.921 2	
Total	2.0228	18.7492	17.6706	0.0288		1.0251	1.0251		0.9625	0.9625	2,736.043 8	2,736.043 8	0.6751		2,752.921 2	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.4 Building Construction - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e				
Category	lb/day										lb/day									
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000				
Vendor	0.0934	3.7016	0.6604	0.0104	0.2561	7.0400e-003	0.2632	0.0738	6.7300e-003	0.0805	1,093.004	1,093.004	0.0782		1,094.958	9				
Worker	0.4788	0.2728	3.7341	0.0108	1.1289	6.6500e-003	1.1356	0.2994	6.1300e-003	0.3055	1,075.398	1,075.398	0.0256		1,076.039	5				
Total	<b>0.5722</b>	<b>3.9744</b>	<b>4.3945</b>	<b>0.0212</b>	<b>1.3851</b>		<b>0.0137</b>	<b>1.3988</b>	<b>0.3732</b>	<b>0.0129</b>	<b>0.3860</b>		<b>2,168.402</b>	<b>5</b>	<b>2,168.402</b>	<b>5</b>	<b>0.1038</b>		<b>2,170.998</b>	<b>4</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e			
Category	lb/day										lb/day								
Off-Road	2.0228	18.7492	17.6706	0.0288		1.0251	1.0251		0.9625	0.9625	0.0000	2,736.043	2,736.043	0.6751		2,752.921	2		
Total	<b>2.0228</b>	<b>18.7492</b>	<b>17.6706</b>	<b>0.0288</b>		<b>1.0251</b>	<b>1.0251</b>		<b>0.9625</b>	<b>0.9625</b>	<b>0.0000</b>	<b>2,736.043</b>	<b>8</b>	<b>2,736.043</b>	<b>8</b>	<b>0.6751</b>		<b>2,752.921</b>	<b>2</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.4 Building Construction - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0934	3.7016	0.6604	0.0104	0.2561	7.0400e-003	0.2632	0.0738	6.7300e-003	0.0805	1,093.004	1,093.004	0.0782		1,094.958	9
Worker	0.4788	0.2728	3.7341	0.0108	1.1289	6.6500e-003	1.1356	0.2994	6.1300e-003	0.3055	1,075.398	1,075.398	0.0256		1,076.039	5
Total	0.5722	3.9744	4.3945	0.0212	1.3851	0.0137	1.3988	0.3732	0.0129	0.3860	2,168.402	2,168.402	0.1038		2,170.998	4

**3.5 Paving - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	2,207.210	2,207.210	0.7139		2,225.057	3
Paving	0.0000					0.0000	0.0000		0.0000	0.0000		0.0000			0.0000	
Total	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	2,207.210	2,207.210	0.7139		2,225.057	3

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.5 Paving - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Worker	0.0711	0.0405	0.5546	1.6000e-003	0.1677	9.9000e-004	0.1687	0.0445	9.1000e-004	0.0454		159.7126	159.7126	3.8100e-003		159.8078	
<b>Total</b>	<b>0.0711</b>	<b>0.0405</b>	<b>0.5546</b>	<b>1.6000e-003</b>	<b>0.1677</b>	<b>9.9000e-004</b>	<b>0.1687</b>	<b>0.0445</b>	<b>9.1000e-004</b>	<b>0.0454</b>		<b>159.7126</b>	<b>159.7126</b>	<b>3.8100e-003</b>		<b>159.8078</b>	

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	0.0000	2,207.2109	2,207.2109	0.7139		2,225.0573	
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000	
<b>Total</b>	<b>1.2556</b>	<b>12.9191</b>	<b>14.6532</b>	<b>0.0228</b>		<b>0.6777</b>	<b>0.6777</b>		<b>0.6235</b>	<b>0.6235</b>	<b>0.0000</b>	<b>2,207.2109</b>	<b>2,207.2109</b>	<b>0.7139</b>		<b>2,225.0573</b>	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.5 Paving - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000	
Worker	0.0711	0.0405	0.5546	1.6000e-003	0.1677	9.9000e-004	0.1687	0.0445	9.1000e-004	0.0454		159.7126	159.7126	3.8100e-003		159.8078	
<b>Total</b>	<b>0.0711</b>	<b>0.0405</b>	<b>0.5546</b>	<b>1.6000e-003</b>	<b>0.1677</b>	<b>9.9000e-004</b>	<b>0.1687</b>	<b>0.0445</b>	<b>9.1000e-004</b>	<b>0.0454</b>		<b>159.7126</b>	<b>159.7126</b>	<b>3.8100e-003</b>		<b>159.8078</b>	

**3.6 Architectural Coating - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Archit. Coating	15.6026						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000	
Off-Road	0.2919	2.0358	2.4234	3.9600e-003		0.1255	0.1255		0.1255	0.1255		375.2641	375.2641	0.0258		375.9079	
<b>Total</b>	<b>15.8944</b>	<b>2.0358</b>	<b>2.4234</b>	<b>3.9600e-003</b>		<b>0.1255</b>	<b>0.1255</b>		<b>0.1255</b>	<b>0.1255</b>		<b>375.2641</b>	<b>375.2641</b>	<b>0.0258</b>		<b>375.9079</b>	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.6 Architectural Coating - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0948	0.0540	0.7394	2.1400e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605	212.9502	212.9502	5.0800e-003	213.0771		
Total	<b>0.0948</b>	<b>0.0540</b>	<b>0.7394</b>	<b>2.1400e-003</b>	<b>0.2236</b>	<b>1.3200e-003</b>	<b>0.2249</b>	<b>0.0593</b>	<b>1.2100e-003</b>	<b>0.0605</b>	<b>212.9502</b>	<b>212.9502</b>	<b>5.0800e-003</b>			<b>213.0771</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	15.6026						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.2919	2.0358	2.4234	3.9600e-003		0.1255	0.1255		0.1255	0.1255	0.0000	375.2641	375.2641	0.0258		375.9079
Total	<b>15.8944</b>	<b>2.0358</b>	<b>2.4234</b>	<b>3.9600e-003</b>		<b>0.1255</b>	<b>0.1255</b>		<b>0.1255</b>	<b>0.1255</b>	<b>0.0000</b>	<b>375.2641</b>	<b>375.2641</b>	<b>0.0258</b>		<b>375.9079</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**3.6 Architectural Coating - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0948	0.0540	0.7394	2.1400e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605	212.9502	212.9502	5.0800e-003			213.0771
Total	0.0948	0.0540	0.7394	2.1400e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605		212.9502	212.9502	5.0800e-003		213.0771

**4.0 Operational Detail - Mobile****4.1 Mitigation Measures Mobile**

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Mitigated	23.5154	35.5502	81.8792	0.1325	10.5139	0.1739	10.6878	2.7916	0.1632	2.9548	13,555.89 06	13,555.89 06	1.3009		13,588.41 25		
Unmitigated	23.5154	35.5502	81.8792	0.1325	10.5139	0.1739	10.6878	2.7916	0.1632	2.9548	13,555.89 06	13,555.89 06	1.3009		13,588.41 25		

## 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated		Mitigated	
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT	Annual VMT	Annual VMT
Convenience Market With Gas Pumps	2,847.77	2,380.00	2380.00	1,033,287		1,033,287	
Fast Food Restaurant with Drive Thru	3,470.90	4,540.80	3482.91	1,505,068		1,505,068	
Other Non-Asphalt Surfaces	0.00	0.00	0.00				
Regional Shopping Center	1,517.08	659.60	333.17	902,534		902,534	
User Defined Retail	775.00	775.00	775.00	917,671		917,671	
Total	8,610.75	8,355.41	6,971.08	4,358,561		4,358,561	

## 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Convenience Market With Gas	16.60	3.00	6.90	1.00	96.00	3.00	30	0	70
Fast Food Restaurant with Drive	16.60	3.00	6.90	1.00	96.00	3.00	33	0	67
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Regional Shopping Center	16.60	3.00	6.90	1.00	96.00	3.00	61	0	39
User Defined Retail	16.60	3.00	6.90	1.00	96.00	3.00	100	0	0

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**4.4 Fleet Mix**

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Convenience Market With Gas Pumps	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
Fast Food Restaurant with Drive Thru	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
Other Non-Asphalt Surfaces	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Regional Shopping Center	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
User Defined Retail	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000

**5.0 Energy Detail**

Historical Energy Use: N

**5.1 Mitigation Measures Energy**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122	667.1905	
NaturalGas Unmitigated	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122	667.1905	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**5.2 Energy by Land Use - NaturalGas****Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Convenience Market With Gas Pumps	20.6795	2.2000e-004	2.0300e-003	1.7000e-003	1.0000e-005		1.5000e-004	1.5000e-004		1.5000e-004	1.5000e-004			2.4329	2.4329	5.0000e-005	4.0000e-005	2.4473
Fast Food Restaurant with Drive Thru	5517.49	0.0595	0.5409	0.4544	3.2500e-003		0.0411	0.0411		0.0411	0.0411		649.1170	649.1170	0.0124	0.0119	652.9744	
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	
Regional Shopping Center	80.2849	8.7000e-004	7.8700e-003	6.6100e-003	5.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004		9.4453	9.4453	1.8000e-004	1.7000e-004	9.5014	
User Defined Retail	19.1589	2.1000e-004	1.8800e-003	1.5800e-003	1.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004		2.2540	2.2540	4.0000e-005	4.0000e-005	2.2674	
<b>Total</b>		<b>0.0608</b>	<b>0.5527</b>	<b>0.4643</b>	<b>3.3200e-003</b>		<b>0.0420</b>	<b>0.0420</b>		<b>0.0420</b>	<b>0.0420</b>		<b>663.2492</b>	<b>663.2492</b>	<b>0.0127</b>	<b>0.0122</b>	<b>667.1905</b>	

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**5.2 Energy by Land Use - NaturalGas****Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Convenience Market With Gas Pumps	0.0206795	2.2000e-004	2.0300e-003	1.7000e-003	1.0000e-005		1.5000e-004	1.5000e-004		1.5000e-004	1.5000e-004			2.4329	2.4329	5.0000e-005	4.0000e-005	2.4473
Fast Food Restaurant with Drive Thru	5.51749	0.0595	0.5409	0.4544	3.2500e-003		0.0411	0.0411		0.0411	0.0411			649.1170	649.1170	0.0124	0.0119	652.9744
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000
Regional Shopping Center	0.0802849	8.7000e-004	7.8700e-003	6.6100e-003	5.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004			9.4453	9.4453	1.8000e-004	1.7000e-004	9.5014
User Defined Retail	0.0191589	2.1000e-004	1.8800e-003	1.5800e-003	1.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			2.2540	2.2540	4.0000e-005	4.0000e-005	2.2674
<b>Total</b>		<b>0.0608</b>	<b>0.5527</b>	<b>0.4643</b>	<b>3.3200e-003</b>		<b>0.0420</b>	<b>0.0420</b>		<b>0.0420</b>	<b>0.0420</b>			<b>663.2492</b>	<b>663.2492</b>	<b>0.0127</b>	<b>0.0122</b>	<b>667.1905</b>

**6.0 Area Detail****6.1 Mitigation Measures Area**

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	
Unmitigated	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	

## 6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0855					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6142					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	
Total	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005			6.5600e-003	6.5600e-003	2.0000e-005	7.0000e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

**6.2 Area by SubCategory****Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0855						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Consumer Products	0.6142						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.0700e-003	0.0000			1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.5600e-003	6.5600e-003	2.0000e-005	7.0000e-003
<b>Total</b>	<b>0.7000</b>	<b>3.0000e-005</b>	<b>3.0700e-003</b>	<b>0.0000</b>			<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>1.0000e-005</b>	<b>1.0000e-005</b>		<b>6.5600e-003</b>	<b>6.5600e-003</b>	<b>2.0000e-005</b>	<b>7.0000e-003</b>

**7.0 Water Detail****7.1 Mitigation Measures Water**

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

**8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

## 12769 - Lake and Mountain - Riverside-South Coast County, Summer

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

## 10.0 Stationary Equipment

---

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

### User Defined Equipment

Equipment Type	Number
----------------	--------

## 11.0 Vegetation

---

12769 - Lake and Mountain - Riverside-South Coast County, Winter

**12769 - Lake and Mountain**  
**Riverside-South Coast County, Winter**

## 1.0 Project Characteristics

---

### 1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Other Non-Asphalt Surfaces	5.01	Acre	5.01	218,235.60	0
Fast Food Restaurant with Drive Thru	7.37	1000sqft	0.17	7,365.00	0
Convenience Market With Gas Pumps	3.40	1000sqft	0.08	3,400.00	0
Regional Shopping Center	13.20	1000sqft	0.30	13,200.00	0
User Defined Retail	1.00	User Defined Unit	0.07	3,150.00	0

### 1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.4	Precipitation Freq (Days)	28
Climate Zone	10			Operational Year	2021
Utility Company	Southern California Edison				
CO2 Intensity (lb/MWhr)	702.44	CH4 Intensity (lb/MWhr)	0.029	N2O Intensity (lb/MWhr)	0.006

### 1.3 User Entered Comments & Non-Default Data

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

## Project Characteristics -

Land Use - Lot acreage = information from site plan

## Construction Phase -

Off-road Equipment - Hours are based on an 8-hour workday.

Off-road Equipment - Hours are based on an 8-hour workday.

Off-road Equipment - Crawler Tractors Utilized in Lieu of T/L/B

## Off-road Equipment -

Off-road Equipment - Crawler Tractors Utilized in Lieu of T/L/B

## Trips and VMT -

## Grading -

Vehicle Trips - TG based on ITE 10th edition

Vehicle Emission Factors - EMFAC2017

Vehicle Emission Factors - EMFAC2017

Vehicle Emission Factors - EMFAC2017

Energy Use - User Defined Retail Rates Consistent with Convenience Market With Gas Pump.

Water And Wastewater - Water Usage from Car Wash estimated as 30 gallons/vehicle washed

Solid Waste - Car Wash Solid Waste assumed to be equivalent to Convenience Market With Gas Pumps

## Construction Off-road Equipment Mitigation -

## Energy Mitigation -

## Water Mitigation -

## Fleet Mix -

Table Name	Column Name	Default Value	New Value
tblEnergyUse	LightingElect	0.00	5.61
tblEnergyUse	NT24E	0.00	2.44
tblEnergyUse	NT24NG	0.00	0.30
tblEnergyUse	T24E	0.00	4.58

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblEnergyUse	T24NG	0.00	1.92
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	HHD	0.07	0.05
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDA	0.54	0.69
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT1	0.04	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LDT2	0.19	0.10
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD1	0.02	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	LHD2	5.1410e-003	0.00
tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MCY	4.5820e-003	5.0000e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MCY	4.5820e-003	5.0000e-003
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MDV	0.12	0.06
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MH	1.0380e-003	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	MHD	0.02	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	OBUS	1.3830e-003	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	SBUS	9.4500e-004	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblFleetMix	UBUS	1.1830e-003	0.00
tblGrading	MaterialExported	0.00	22,417.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblLandUse	LandUseSquareFeet	7,370.00	7,365.00
tblLandUse	LandUseSquareFeet	0.00	3,150.00
tblLandUse	LotAcreage	0.00	0.07
tblOffRoadEquipment	OffRoadEquipmentType		Graders
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	0.00	4.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	0.00	3.00
tblOffRoadEquipment	PhaseName		Site Preparation
tblOffRoadEquipment	PhaseName		Grading
tblOffRoadEquipment	PhaseName		Site Preparation
tblOffRoadEquipment	UsageHours	6.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblOffRoadEquipment	UsageHours	7.00	8.00
tblSolidWaste	SolidWasteGenerationRate	0.00	10.22
tblVehicleEF	HHD	1.43	0.03
tblVehicleEF	HHD	0.03	0.02
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	3.28	7.55
tblVehicleEF	HHD	0.46	0.36
tblVehicleEF	HHD	1.46	2.9270e-003
tblVehicleEF	HHD	6,485.38	1,409.07
tblVehicleEF	HHD	1,461.92	1,350.00
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	26.41	7.34
tblVehicleEF	HHD	2.69	3.05
tblVehicleEF	HHD	0.01	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8980e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	8.4000e-005	4.0000e-006
tblVehicleEF	HHD	2.5800e-003	1.0300e-004
tblVehicleEF	HHD	0.85	0.58
tblVehicleEF	HHD	4.8000e-005	2.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.8000e-004	5.3700e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	7.1000e-005	0.00
tblVehicleEF	HHD	8.4000e-005	4.0000e-006
tblVehicleEF	HHD	2.5800e-003	1.0300e-004
tblVehicleEF	HHD	0.97	0.66
tblVehicleEF	HHD	4.8000e-005	2.0000e-006
tblVehicleEF	HHD	0.11	0.09
tblVehicleEF	HHD	1.8000e-004	5.3700e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	1.35	0.03

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	HHD	0.03	0.02
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	2.39	7.39
tblVehicleEF	HHD	0.46	0.36
tblVehicleEF	HHD	1.39	2.7700e-003
tblVehicleEF	HHD	6,867.98	1,402.59
tblVehicleEF	HHD	1,461.92	1,350.00
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	27.25	7.10
tblVehicleEF	HHD	2.54	2.88
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.01	9.7680e-003
tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8980e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	1.6300e-004	8.0000e-006
tblVehicleEF	HHD	2.9560e-003	1.1800e-004
tblVehicleEF	HHD	0.80	0.60
tblVehicleEF	HHD	9.2000e-005	4.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.8400e-004	5.5600e-004
tblVehicleEF	HHD	0.04	1.0000e-006

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	6.9000e-005	0.00
tblVehicleEF	HHD	1.6300e-004	8.0000e-006
tblVehicleEF	HHD	2.9560e-003	1.1800e-004
tblVehicleEF	HHD	0.92	0.69
tblVehicleEF	HHD	9.2000e-005	4.0000e-006
tblVehicleEF	HHD	0.11	0.09
tblVehicleEF	HHD	1.8400e-004	5.5600e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	1.54	0.03
tblVehicleEF	HHD	0.03	3.2330e-003
tblVehicleEF	HHD	0.10	0.00
tblVehicleEF	HHD	4.51	7.76
tblVehicleEF	HHD	0.45	0.32
tblVehicleEF	HHD	1.47	2.9120e-003
tblVehicleEF	HHD	5,957.03	1,414.57
tblVehicleEF	HHD	1,461.92	1,340.32
tblVehicleEF	HHD	4.62	0.03
tblVehicleEF	HHD	25.25	7.65
tblVehicleEF	HHD	2.67	3.02
tblVehicleEF	HHD	0.02	0.01
tblVehicleEF	HHD	0.06	0.06
tblVehicleEF	HHD	0.04	0.04
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.8000e-005	0.00
tblVehicleEF	HHD	0.02	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	HHD	0.03	0.03
tblVehicleEF	HHD	8.8680e-003	8.8710e-003
tblVehicleEF	HHD	0.01	0.05
tblVehicleEF	HHD	3.5000e-005	0.00
tblVehicleEF	HHD	6.7000e-005	4.0000e-006
tblVehicleEF	HHD	2.7490e-003	1.2100e-004
tblVehicleEF	HHD	0.91	0.54
tblVehicleEF	HHD	4.1000e-005	2.0000e-006
tblVehicleEF	HHD	0.07	0.07
tblVehicleEF	HHD	1.9200e-004	5.6500e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	HHD	0.06	0.01
tblVehicleEF	HHD	0.01	0.01
tblVehicleEF	HHD	7.1000e-005	0.00
tblVehicleEF	HHD	6.7000e-005	4.0000e-006
tblVehicleEF	HHD	2.7490e-003	1.2100e-004
tblVehicleEF	HHD	1.05	0.62
tblVehicleEF	HHD	4.1000e-005	2.0000e-006
tblVehicleEF	HHD	0.11	0.08
tblVehicleEF	HHD	1.9200e-004	5.6500e-004
tblVehicleEF	HHD	0.05	1.0000e-006
tblVehicleEF	LDA	4.0430e-003	2.4680e-003
tblVehicleEF	LDA	5.4670e-003	0.05
tblVehicleEF	LDA	0.58	0.66
tblVehicleEF	LDA	1.16	2.12
tblVehicleEF	LDA	255.91	265.87
tblVehicleEF	LDA	58.81	54.73

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003
tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003
tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.05	0.07
tblVehicleEF	LDA	0.10	0.10
tblVehicleEF	LDA	0.04	0.05
tblVehicleEF	LDA	0.01	9.5180e-003
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.07	0.23
tblVehicleEF	LDA	2.5630e-003	2.6300e-003
tblVehicleEF	LDA	6.0800e-004	5.4200e-004
tblVehicleEF	LDA	0.05	0.07
tblVehicleEF	LDA	0.10	0.10
tblVehicleEF	LDA	0.04	0.05
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.08	0.25
tblVehicleEF	LDA	4.5900e-003	2.8100e-003
tblVehicleEF	LDA	4.7470e-003	0.05
tblVehicleEF	LDA	0.71	0.81
tblVehicleEF	LDA	1.02	1.87
tblVehicleEF	LDA	278.73	289.14
tblVehicleEF	LDA	58.81	54.24
tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003
tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.10	0.14
tblVehicleEF	LDA	0.12	0.12
tblVehicleEF	LDA	0.07	0.10
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.06	0.20
tblVehicleEF	LDA	2.7930e-003	2.8600e-003
tblVehicleEF	LDA	6.0500e-004	5.3700e-004
tblVehicleEF	LDA	0.10	0.14
tblVehicleEF	LDA	0.12	0.12
tblVehicleEF	LDA	0.07	0.10
tblVehicleEF	LDA	0.02	0.02
tblVehicleEF	LDA	0.04	0.21
tblVehicleEF	LDA	0.07	0.22
tblVehicleEF	LDA	3.8980e-003	2.3810e-003
tblVehicleEF	LDA	5.6140e-003	0.05
tblVehicleEF	LDA	0.54	0.62
tblVehicleEF	LDA	1.19	2.17
tblVehicleEF	LDA	249.57	259.47
tblVehicleEF	LDA	58.81	54.82
tblVehicleEF	LDA	0.05	0.04
tblVehicleEF	LDA	1.6140e-003	1.4470e-003
tblVehicleEF	LDA	2.2650e-003	1.9190e-003
tblVehicleEF	LDA	1.4880e-003	1.3330e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDA	2.0830e-003	1.7640e-003
tblVehicleEF	LDA	0.04	0.06
tblVehicleEF	LDA	0.11	0.11
tblVehicleEF	LDA	0.03	0.05
tblVehicleEF	LDA	9.8140e-003	9.1880e-003
tblVehicleEF	LDA	0.04	0.24
tblVehicleEF	LDA	0.08	0.23
tblVehicleEF	LDA	2.4990e-003	2.5670e-003
tblVehicleEF	LDA	6.0800e-004	5.4200e-004
tblVehicleEF	LDA	0.04	0.06
tblVehicleEF	LDA	0.11	0.11
tblVehicleEF	LDA	0.03	0.05
tblVehicleEF	LDA	0.01	0.01
tblVehicleEF	LDA	0.04	0.24
tblVehicleEF	LDA	0.08	0.26
tblVehicleEF	LDT1	0.01	8.0140e-003
tblVehicleEF	LDT1	0.02	0.09
tblVehicleEF	LDT1	1.46	1.62
tblVehicleEF	LDT1	3.40	2.43
tblVehicleEF	LDT1	315.98	317.00
tblVehicleEF	LDT1	72.28	66.64
tblVehicleEF	LDT1	0.14	0.14
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.21	0.23

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT1	0.35	0.27
tblVehicleEF	LDT1	0.14	0.15
tblVehicleEF	LDT1	0.03	0.04
tblVehicleEF	LDT1	0.20	0.87
tblVehicleEF	LDT1	0.24	0.44
tblVehicleEF	LDT1	3.1780e-003	3.1370e-003
tblVehicleEF	LDT1	7.8300e-004	6.5900e-004
tblVehicleEF	LDT1	0.21	0.23
tblVehicleEF	LDT1	0.35	0.27
tblVehicleEF	LDT1	0.14	0.15
tblVehicleEF	LDT1	0.04	0.05
tblVehicleEF	LDT1	0.20	0.87
tblVehicleEF	LDT1	0.26	0.48
tblVehicleEF	LDT1	0.01	9.0560e-003
tblVehicleEF	LDT1	0.02	0.08
tblVehicleEF	LDT1	1.76	1.96
tblVehicleEF	LDT1	2.99	2.15
tblVehicleEF	LDT1	343.19	341.79
tblVehicleEF	LDT1	72.28	66.01
tblVehicleEF	LDT1	0.13	0.13
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.41	0.44
tblVehicleEF	LDT1	0.43	0.34
tblVehicleEF	LDT1	0.27	0.29

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT1	0.03	0.04
tblVehicleEF	LDT1	0.20	0.88
tblVehicleEF	LDT1	0.21	0.38
tblVehicleEF	LDT1	3.4550e-003	3.3820e-003
tblVehicleEF	LDT1	7.7500e-004	6.5300e-004
tblVehicleEF	LDT1	0.41	0.44
tblVehicleEF	LDT1	0.43	0.34
tblVehicleEF	LDT1	0.27	0.29
tblVehicleEF	LDT1	0.05	0.06
tblVehicleEF	LDT1	0.20	0.88
tblVehicleEF	LDT1	0.23	0.42
tblVehicleEF	LDT1	0.01	7.7080e-003
tblVehicleEF	LDT1	0.02	0.09
tblVehicleEF	LDT1	1.37	1.51
tblVehicleEF	LDT1	3.46	2.48
tblVehicleEF	LDT1	307.88	309.49
tblVehicleEF	LDT1	72.28	66.77
tblVehicleEF	LDT1	0.14	0.14
tblVehicleEF	LDT1	2.5300e-003	2.2930e-003
tblVehicleEF	LDT1	3.6970e-003	2.9510e-003
tblVehicleEF	LDT1	2.3290e-003	2.1110e-003
tblVehicleEF	LDT1	3.4000e-003	2.7140e-003
tblVehicleEF	LDT1	0.18	0.19
tblVehicleEF	LDT1	0.39	0.30
tblVehicleEF	LDT1	0.12	0.13
tblVehicleEF	LDT1	0.03	0.03
tblVehicleEF	LDT1	0.23	1.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT1	0.25	0.45
tblVehicleEF	LDT1	3.0960e-003	3.0630e-003
tblVehicleEF	LDT1	7.8400e-004	6.6100e-004
tblVehicleEF	LDT1	0.18	0.19
tblVehicleEF	LDT1	0.39	0.30
tblVehicleEF	LDT1	0.12	0.13
tblVehicleEF	LDT1	0.04	0.05
tblVehicleEF	LDT1	0.23	1.01
tblVehicleEF	LDT1	0.27	0.50
tblVehicleEF	LDT2	5.6080e-003	4.2470e-003
tblVehicleEF	LDT2	7.2840e-003	0.07
tblVehicleEF	LDT2	0.76	0.98
tblVehicleEF	LDT2	1.53	2.73
tblVehicleEF	LDT2	355.02	338.79
tblVehicleEF	LDT2	81.24	71.51
tblVehicleEF	LDT2	0.08	0.09
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.07	0.11
tblVehicleEF	LDT2	0.12	0.14
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.01	0.02
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.10	0.33
tblVehicleEF	LDT2	3.5560e-003	3.3520e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT2	8.3800e-004	7.0800e-004
tblVehicleEF	LDT2	0.07	0.11
tblVehicleEF	LDT2	0.12	0.14
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.02	0.03
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.11	0.37
tblVehicleEF	LDT2	6.3630e-003	4.8280e-003
tblVehicleEF	LDT2	6.3270e-003	0.06
tblVehicleEF	LDT2	0.93	1.20
tblVehicleEF	LDT2	1.35	2.42
tblVehicleEF	LDT2	386.34	362.86
tblVehicleEF	LDT2	81.24	70.86
tblVehicleEF	LDT2	0.07	0.08
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.14	0.22
tblVehicleEF	LDT2	0.14	0.17
tblVehicleEF	LDT2	0.10	0.17
tblVehicleEF	LDT2	0.02	0.02
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.09	0.29
tblVehicleEF	LDT2	3.8710e-003	3.5900e-003
tblVehicleEF	LDT2	8.3500e-004	7.0100e-004
tblVehicleEF	LDT2	0.14	0.22

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT2	0.14	0.17
tblVehicleEF	LDT2	0.10	0.17
tblVehicleEF	LDT2	0.02	0.03
tblVehicleEF	LDT2	0.06	0.44
tblVehicleEF	LDT2	0.09	0.32
tblVehicleEF	LDT2	5.3900e-003	4.0760e-003
tblVehicleEF	LDT2	7.4940e-003	0.07
tblVehicleEF	LDT2	0.71	0.91
tblVehicleEF	LDT2	1.57	2.80
tblVehicleEF	LDT2	345.65	331.49
tblVehicleEF	LDT2	81.24	71.65
tblVehicleEF	LDT2	0.08	0.09
tblVehicleEF	LDT2	1.6030e-003	1.4980e-003
tblVehicleEF	LDT2	2.3320e-003	1.9580e-003
tblVehicleEF	LDT2	1.4740e-003	1.3790e-003
tblVehicleEF	LDT2	2.1450e-003	1.8010e-003
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.13	0.15
tblVehicleEF	LDT2	0.05	0.07
tblVehicleEF	LDT2	0.01	0.02
tblVehicleEF	LDT2	0.07	0.51
tblVehicleEF	LDT2	0.10	0.34
tblVehicleEF	LDT2	3.4620e-003	3.2800e-003
tblVehicleEF	LDT2	8.3900e-004	7.0900e-004
tblVehicleEF	LDT2	0.06	0.09
tblVehicleEF	LDT2	0.13	0.15
tblVehicleEF	LDT2	0.05	0.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LDT2	0.02	0.02
tblVehicleEF	LDT2	0.07	0.51
tblVehicleEF	LDT2	0.11	0.38
tblVehicleEF	LHD1	5.4460e-003	4.8820e-003
tblVehicleEF	LHD1	0.01	5.3310e-003
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.96	0.72
tblVehicleEF	LHD1	2.41	0.96
tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.95
tblVehicleEF	LHD1	30.36	10.54
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.21	1.60
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004
tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	3.8710e-003	3.1780e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.9010e-003	1.5570e-003
tblVehicleEF	LHD1	0.08	0.06

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD1	0.31	0.50
tblVehicleEF	LHD1	0.26	0.08
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4900e-004	1.0400e-004
tblVehicleEF	LHD1	3.8710e-003	3.1780e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	1.9010e-003	1.5570e-003
tblVehicleEF	LHD1	0.10	0.07
tblVehicleEF	LHD1	0.31	0.50
tblVehicleEF	LHD1	0.28	0.08
tblVehicleEF	LHD1	5.4460e-003	4.8940e-003
tblVehicleEF	LHD1	0.01	5.4200e-003
tblVehicleEF	LHD1	0.02	0.01
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.97	0.73
tblVehicleEF	LHD1	2.29	0.92
tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.97
tblVehicleEF	LHD1	30.36	10.46
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.08	1.51
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	7.2450e-003	5.9530e-003
tblVehicleEF	LHD1	0.12	0.09
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	3.6380e-003	2.9980e-003
tblVehicleEF	LHD1	0.08	0.06
tblVehicleEF	LHD1	0.32	0.50
tblVehicleEF	LHD1	0.25	0.07
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4700e-004	1.0300e-004
tblVehicleEF	LHD1	7.2450e-003	5.9530e-003
tblVehicleEF	LHD1	0.12	0.09
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	3.6380e-003	2.9980e-003
tblVehicleEF	LHD1	0.10	0.08
tblVehicleEF	LHD1	0.32	0.50
tblVehicleEF	LHD1	0.27	0.08
tblVehicleEF	LHD1	5.4460e-003	4.8810e-003
tblVehicleEF	LHD1	0.01	5.3180e-003
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	0.15	0.17
tblVehicleEF	LHD1	0.96	0.72
tblVehicleEF	LHD1	2.41	0.96

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD1	9.26	9.44
tblVehicleEF	LHD1	607.95	639.95
tblVehicleEF	LHD1	30.36	10.54
tblVehicleEF	LHD1	0.09	0.08
tblVehicleEF	LHD1	2.18	1.59
tblVehicleEF	LHD1	9.7200e-004	9.7000e-004
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.7100e-004	2.3300e-004
tblVehicleEF	LHD1	9.3000e-004	9.2800e-004
tblVehicleEF	LHD1	2.5390e-003	2.5010e-003
tblVehicleEF	LHD1	0.01	0.01
tblVehicleEF	LHD1	8.0100e-004	2.1400e-004
tblVehicleEF	LHD1	3.4570e-003	2.8250e-003
tblVehicleEF	LHD1	0.11	0.09
tblVehicleEF	LHD1	0.02	0.02
tblVehicleEF	LHD1	1.7350e-003	1.4150e-003
tblVehicleEF	LHD1	0.08	0.06
tblVehicleEF	LHD1	0.33	0.53
tblVehicleEF	LHD1	0.26	0.08
tblVehicleEF	LHD1	9.3000e-005	9.1000e-005
tblVehicleEF	LHD1	5.9620e-003	6.2250e-003
tblVehicleEF	LHD1	3.4900e-004	1.0400e-004
tblVehicleEF	LHD1	3.4570e-003	2.8250e-003
tblVehicleEF	LHD1	0.11	0.09
tblVehicleEF	LHD1	0.02	0.03
tblVehicleEF	LHD1	1.7350e-003	1.4150e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD1	0.10	0.07
tblVehicleEF	LHD1	0.33	0.53
tblVehicleEF	LHD1	0.28	0.08
tblVehicleEF	LHD2	3.6660e-003	3.1720e-003
tblVehicleEF	LHD2	4.5290e-003	3.8570e-003
tblVehicleEF	LHD2	8.3110e-003	9.0280e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.50	0.53
tblVehicleEF	LHD2	1.15	0.56
tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.29
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.71	1.77
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004
tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	1.4980e-003	1.6870e-003
tblVehicleEF	LHD2	0.04	0.04
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	7.7800e-004	8.4200e-004
tblVehicleEF	LHD2	0.06	0.06

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1550e-003
tblVehicleEF	LHD2	2.5700e-004	7.2000e-005
tblVehicleEF	LHD2	1.4980e-003	1.6870e-003
tblVehicleEF	LHD2	0.04	0.04
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	7.7800e-004	8.4200e-004
tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	LHD2	3.6660e-003	3.1790e-003
tblVehicleEF	LHD2	4.5800e-003	3.8860e-003
tblVehicleEF	LHD2	8.0210e-003	8.7250e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.51	0.53
tblVehicleEF	LHD2	1.10	0.53
tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.25
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.62	1.67
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	2.8320e-003	3.1830e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	1.4720e-003	1.6130e-003
tblVehicleEF	LHD2	0.06	0.06
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1560e-003
tblVehicleEF	LHD2	2.5600e-004	7.2000e-005
tblVehicleEF	LHD2	2.8320e-003	3.1830e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	1.4720e-003	1.6130e-003
tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.25
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	LHD2	3.6660e-003	3.1700e-003
tblVehicleEF	LHD2	4.5170e-003	3.8490e-003
tblVehicleEF	LHD2	8.3600e-003	9.0930e-003
tblVehicleEF	LHD2	0.12	0.13
tblVehicleEF	LHD2	0.50	0.53
tblVehicleEF	LHD2	1.16	0.56

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD2	14.48	14.86
tblVehicleEF	LHD2	604.20	638.83
tblVehicleEF	LHD2	23.56	7.30
tblVehicleEF	LHD2	0.12	0.12
tblVehicleEF	LHD2	1.70	1.75
tblVehicleEF	LHD2	1.3360e-003	1.4390e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.8700e-004	1.1400e-004
tblVehicleEF	LHD2	1.2780e-003	1.3770e-003
tblVehicleEF	LHD2	2.6970e-003	2.7110e-003
tblVehicleEF	LHD2	0.01	0.01
tblVehicleEF	LHD2	3.5600e-004	1.0500e-004
tblVehicleEF	LHD2	1.1910e-003	1.3290e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.01	0.02
tblVehicleEF	LHD2	6.6000e-004	7.0100e-004
tblVehicleEF	LHD2	0.06	0.06
tblVehicleEF	LHD2	0.09	0.27
tblVehicleEF	LHD2	0.11	0.04
tblVehicleEF	LHD2	1.4100e-004	1.4200e-004
tblVehicleEF	LHD2	5.8740e-003	6.1550e-003
tblVehicleEF	LHD2	2.5700e-004	7.2000e-005
tblVehicleEF	LHD2	1.1910e-003	1.3290e-003
tblVehicleEF	LHD2	0.04	0.05
tblVehicleEF	LHD2	0.02	0.02
tblVehicleEF	LHD2	6.6000e-004	7.0100e-004

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	LHD2	0.07	0.07
tblVehicleEF	LHD2	0.09	0.27
tblVehicleEF	LHD2	0.12	0.05
tblVehicleEF	MCY	0.42	0.32
tblVehicleEF	MCY	0.15	0.24
tblVehicleEF	MCY	19.52	19.61
tblVehicleEF	MCY	9.67	8.55
tblVehicleEF	MCY	165.74	208.30
tblVehicleEF	MCY	46.23	60.73
tblVehicleEF	MCY	1.13	1.13
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	1.69	1.66
tblVehicleEF	MCY	0.85	0.84
tblVehicleEF	MCY	0.92	0.90
tblVehicleEF	MCY	2.15	2.16
tblVehicleEF	MCY	0.57	1.87
tblVehicleEF	MCY	2.08	1.83
tblVehicleEF	MCY	2.0380e-003	2.0610e-003
tblVehicleEF	MCY	6.8100e-004	6.0100e-004
tblVehicleEF	MCY	1.69	1.66
tblVehicleEF	MCY	0.85	0.84
tblVehicleEF	MCY	0.92	0.90
tblVehicleEF	MCY	2.65	2.65
tblVehicleEF	MCY	0.57	1.87

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MCY	2.26	1.99
tblVehicleEF	MCY	0.42	0.32
tblVehicleEF	MCY	0.14	0.22
tblVehicleEF	MCY	20.23	20.27
tblVehicleEF	MCY	9.11	8.00
tblVehicleEF	MCY	165.74	209.26
tblVehicleEF	MCY	46.23	59.19
tblVehicleEF	MCY	0.98	0.98
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	3.35	3.28
tblVehicleEF	MCY	1.24	1.23
tblVehicleEF	MCY	2.10	2.05
tblVehicleEF	MCY	2.13	2.13
tblVehicleEF	MCY	0.57	1.86
tblVehicleEF	MCY	1.86	1.63
tblVehicleEF	MCY	2.0490e-003	2.0710e-003
tblVehicleEF	MCY	6.6500e-004	5.8600e-004
tblVehicleEF	MCY	3.35	3.28
tblVehicleEF	MCY	1.24	1.23
tblVehicleEF	MCY	2.10	2.05
tblVehicleEF	MCY	2.62	2.63
tblVehicleEF	MCY	0.57	1.86
tblVehicleEF	MCY	2.02	1.77
tblVehicleEF	MCY	0.42	0.32

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MCY	0.15	0.24
tblVehicleEF	MCY	19.04	19.14
tblVehicleEF	MCY	9.62	8.49
tblVehicleEF	MCY	165.74	207.52
tblVehicleEF	MCY	46.23	60.64
tblVehicleEF	MCY	1.12	1.12
tblVehicleEF	MCY	1.7750e-003	1.7570e-003
tblVehicleEF	MCY	3.4010e-003	2.8660e-003
tblVehicleEF	MCY	1.6600e-003	1.6440e-003
tblVehicleEF	MCY	3.2060e-003	2.7000e-003
tblVehicleEF	MCY	1.60	1.59
tblVehicleEF	MCY	1.05	1.04
tblVehicleEF	MCY	0.74	0.73
tblVehicleEF	MCY	2.15	2.15
tblVehicleEF	MCY	0.65	2.12
tblVehicleEF	MCY	2.08	1.83
tblVehicleEF	MCY	2.0310e-003	2.0540e-003
tblVehicleEF	MCY	6.8100e-004	6.0000e-004
tblVehicleEF	MCY	1.60	1.59
tblVehicleEF	MCY	1.05	1.04
tblVehicleEF	MCY	0.74	0.73
tblVehicleEF	MCY	2.64	2.65
tblVehicleEF	MCY	0.65	2.12
tblVehicleEF	MCY	2.27	1.99
tblVehicleEF	MDV	0.01	5.7580e-003
tblVehicleEF	MDV	0.02	0.09
tblVehicleEF	MDV	1.42	1.20

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MDV	3.18	3.27
tblVehicleEF	MDV	488.89	421.49
tblVehicleEF	MDV	110.15	88.73
tblVehicleEF	MDV	0.17	0.12
tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.11	0.13
tblVehicleEF	MDV	0.20	0.17
tblVehicleEF	MDV	0.09	0.11
tblVehicleEF	MDV	0.03	0.03
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.25	0.45
tblVehicleEF	MDV	4.9000e-003	4.1680e-003
tblVehicleEF	MDV	1.1570e-003	8.7800e-004
tblVehicleEF	MDV	0.11	0.13
tblVehicleEF	MDV	0.20	0.17
tblVehicleEF	MDV	0.09	0.11
tblVehicleEF	MDV	0.05	0.04
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.27	0.49
tblVehicleEF	MDV	0.01	6.5120e-003
tblVehicleEF	MDV	0.02	0.08
tblVehicleEF	MDV	1.73	1.46
tblVehicleEF	MDV	2.81	2.88
tblVehicleEF	MDV	530.71	447.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MDV	110.15	87.92
tblVehicleEF	MDV	0.16	0.11
tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.22	0.26
tblVehicleEF	MDV	0.23	0.20
tblVehicleEF	MDV	0.17	0.21
tblVehicleEF	MDV	0.04	0.03
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.21	0.39
tblVehicleEF	MDV	5.3230e-003	4.4210e-003
tblVehicleEF	MDV	1.1510e-003	8.7000e-004
tblVehicleEF	MDV	0.22	0.26
tblVehicleEF	MDV	0.23	0.20
tblVehicleEF	MDV	0.17	0.21
tblVehicleEF	MDV	0.05	0.04
tblVehicleEF	MDV	0.11	0.50
tblVehicleEF	MDV	0.23	0.43
tblVehicleEF	MDV	0.01	5.5370e-003
tblVehicleEF	MDV	0.02	0.09
tblVehicleEF	MDV	1.33	1.12
tblVehicleEF	MDV	3.24	3.34
tblVehicleEF	MDV	476.42	413.84
tblVehicleEF	MDV	110.15	88.88
tblVehicleEF	MDV	0.16	0.12

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MDV	1.7110e-003	1.5730e-003
tblVehicleEF	MDV	2.4630e-003	2.0550e-003
tblVehicleEF	MDV	1.5780e-003	1.4510e-003
tblVehicleEF	MDV	2.2660e-003	1.8910e-003
tblVehicleEF	MDV	0.09	0.10
tblVehicleEF	MDV	0.21	0.18
tblVehicleEF	MDV	0.08	0.10
tblVehicleEF	MDV	0.03	0.02
tblVehicleEF	MDV	0.13	0.57
tblVehicleEF	MDV	0.25	0.46
tblVehicleEF	MDV	4.7750e-003	4.0920e-003
tblVehicleEF	MDV	1.1590e-003	8.8000e-004
tblVehicleEF	MDV	0.09	0.10
tblVehicleEF	MDV	0.21	0.18
tblVehicleEF	MDV	0.08	0.10
tblVehicleEF	MDV	0.05	0.03
tblVehicleEF	MDV	0.13	0.57
tblVehicleEF	MDV	0.28	0.50
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	2.70	0.34
tblVehicleEF	MH	5.98	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.67	4.43
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	1.56	0.00
tblVehicleEF	MH	0.08	0.00
tblVehicleEF	MH	0.54	0.00
tblVehicleEF	MH	0.09	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.35	0.00
tblVehicleEF	MH	9.9460e-003	8.9030e-003
tblVehicleEF	MH	6.8100e-004	0.00
tblVehicleEF	MH	1.56	0.00
tblVehicleEF	MH	0.08	0.00
tblVehicleEF	MH	0.54	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.39	0.00
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.02	0.00
tblVehicleEF	MH	2.78	0.34
tblVehicleEF	MH	5.56	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.55	4.18
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	2.87	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	1.06	0.00
tblVehicleEF	MH	0.10	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.34	0.00
tblVehicleEF	MH	9.9470e-003	8.9030e-003
tblVehicleEF	MH	6.7400e-004	0.00
tblVehicleEF	MH	2.87	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	1.06	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.37	0.00
tblVehicleEF	MH	0.03	3.3370e-003
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	2.70	0.34
tblVehicleEF	MH	6.02	0.00
tblVehicleEF	MH	1,002.10	941.76
tblVehicleEF	MH	57.67	0.00
tblVehicleEF	MH	1.65	4.38
tblVehicleEF	MH	0.01	0.02
tblVehicleEF	MH	0.04	0.14

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MH	1.0860e-003	0.00
tblVehicleEF	MH	3.2460e-003	4.0000e-003
tblVehicleEF	MH	0.04	0.14
tblVehicleEF	MH	9.9800e-004	0.00
tblVehicleEF	MH	1.58	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	0.53	0.00
tblVehicleEF	MH	0.09	0.07
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.35	0.00
tblVehicleEF	MH	9.9460e-003	8.9030e-003
tblVehicleEF	MH	6.8200e-004	0.00
tblVehicleEF	MH	1.58	0.00
tblVehicleEF	MH	0.10	0.00
tblVehicleEF	MH	0.53	0.00
tblVehicleEF	MH	0.13	0.08
tblVehicleEF	MH	0.03	0.00
tblVehicleEF	MH	0.39	0.00
tblVehicleEF	MHD	0.02	3.1500e-003
tblVehicleEF	MHD	3.7220e-003	5.9790e-003
tblVehicleEF	MHD	0.06	8.4870e-003
tblVehicleEF	MHD	0.35	0.34
tblVehicleEF	MHD	0.28	0.57
tblVehicleEF	MHD	6.06	1.01
tblVehicleEF	MHD	151.96	74.93
tblVehicleEF	MHD	1,066.63	1,001.03
tblVehicleEF	MHD	55.49	8.18

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MHD	0.65	0.69
tblVehicleEF	MHD	0.99	2.37
tblVehicleEF	MHD	1.0680e-003	2.4180e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	1.0220e-003	2.3130e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	1.7450e-003	7.1900e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	8.5800e-004	3.5500e-004
tblVehicleEF	MHD	0.03	0.11
tblVehicleEF	MHD	0.02	0.10
tblVehicleEF	MHD	0.37	0.05
tblVehicleEF	MHD	1.4610e-003	7.1000e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.6100e-004	8.1000e-005
tblVehicleEF	MHD	1.7450e-003	7.1900e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	8.5800e-004	3.5500e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.10
tblVehicleEF	MHD	0.40	0.05
tblVehicleEF	MHD	0.02	2.9880e-003
tblVehicleEF	MHD	3.7740e-003	6.0080e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MHD	0.05	8.2030e-003
tblVehicleEF	MHD	0.26	0.28
tblVehicleEF	MHD	0.28	0.57
tblVehicleEF	MHD	5.78	0.96
tblVehicleEF	MHD	160.96	76.44
tblVehicleEF	MHD	1,066.63	1,001.04
tblVehicleEF	MHD	55.49	8.10
tblVehicleEF	MHD	0.67	0.70
tblVehicleEF	MHD	0.93	2.23
tblVehicleEF	MHD	9.0000e-004	2.0410e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	8.6100e-004	1.9530e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	3.3760e-003	1.3770e-003
tblVehicleEF	MHD	0.06	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	1.6840e-003	7.0100e-004
tblVehicleEF	MHD	0.03	0.11
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.36	0.04
tblVehicleEF	MHD	1.5460e-003	7.2500e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.5600e-004	8.0000e-005
tblVehicleEF	MHD	3.3760e-003	1.3770e-003
tblVehicleEF	MHD	0.06	0.02

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	1.6840e-003	7.0100e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.39	0.05
tblVehicleEF	MHD	0.02	3.3820e-003
tblVehicleEF	MHD	3.6890e-003	5.9600e-003
tblVehicleEF	MHD	0.06	8.5610e-003
tblVehicleEF	MHD	0.49	0.43
tblVehicleEF	MHD	0.27	0.57
tblVehicleEF	MHD	6.14	1.02
tblVehicleEF	MHD	139.53	72.84
tblVehicleEF	MHD	1,066.63	1,001.03
tblVehicleEF	MHD	55.49	8.20
tblVehicleEF	MHD	0.62	0.67
tblVehicleEF	MHD	0.98	2.35
tblVehicleEF	MHD	1.2990e-003	2.9380e-003
tblVehicleEF	MHD	6.4490e-003	0.08
tblVehicleEF	MHD	7.8800e-004	9.6000e-005
tblVehicleEF	MHD	1.2430e-003	2.8110e-003
tblVehicleEF	MHD	6.1670e-003	0.08
tblVehicleEF	MHD	7.2400e-004	8.8000e-005
tblVehicleEF	MHD	1.3320e-003	5.6300e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.03	0.02
tblVehicleEF	MHD	6.7900e-004	2.8800e-004
tblVehicleEF	MHD	0.03	0.11

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.37	0.05
tblVehicleEF	MHD	1.3440e-003	6.9100e-004
tblVehicleEF	MHD	0.01	9.5290e-003
tblVehicleEF	MHD	6.6300e-004	8.1000e-005
tblVehicleEF	MHD	1.3320e-003	5.6300e-004
tblVehicleEF	MHD	0.05	0.02
tblVehicleEF	MHD	0.04	0.03
tblVehicleEF	MHD	6.7900e-004	2.8800e-004
tblVehicleEF	MHD	0.04	0.12
tblVehicleEF	MHD	0.02	0.11
tblVehicleEF	MHD	0.41	0.05
tblVehicleEF	OBUS	0.01	8.9240e-003
tblVehicleEF	OBUS	8.0950e-003	8.5070e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.27	0.50
tblVehicleEF	OBUS	0.54	0.93
tblVehicleEF	OBUS	6.17	2.58
tblVehicleEF	OBUS	75.04	73.28
tblVehicleEF	OBUS	1,098.07	1,407.22
tblVehicleEF	OBUS	70.10	20.86
tblVehicleEF	OBUS	0.35	0.44
tblVehicleEF	OBUS	1.12	1.70
tblVehicleEF	OBUS	1.2100e-004	1.7750e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	1.1600e-004	1.6990e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	2.1800e-003	2.5990e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	9.3000e-004	1.1120e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.39	0.12
tblVehicleEF	OBUS	7.2800e-004	6.9900e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.0900e-004	2.0600e-004
tblVehicleEF	OBUS	2.1800e-003	2.5990e-003
tblVehicleEF	OBUS	0.02	0.02
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	9.3000e-004	1.1120e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.42	0.14
tblVehicleEF	OBUS	0.01	8.9470e-003
tblVehicleEF	OBUS	8.2540e-003	8.6370e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.26	0.48
tblVehicleEF	OBUS	0.55	0.94
tblVehicleEF	OBUS	5.76	2.41
tblVehicleEF	OBUS	78.48	73.81
tblVehicleEF	OBUS	1,098.07	1,407.25

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	OBUS	70.10	20.57
tblVehicleEF	OBUS	0.36	0.45
tblVehicleEF	OBUS	1.04	1.59
tblVehicleEF	OBUS	1.0200e-004	1.5000e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	9.8000e-005	1.4350e-003
tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	4.0690e-003	4.7330e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	1.7890e-003	2.1320e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.37	0.12
tblVehicleEF	OBUS	7.6100e-004	7.0400e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.0200e-004	2.0400e-004
tblVehicleEF	OBUS	4.0690e-003	4.7330e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	1.7890e-003	2.1320e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.26
tblVehicleEF	OBUS	0.40	0.13
tblVehicleEF	OBUS	0.01	8.9200e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	OBUS	8.0660e-003	8.4690e-003
tblVehicleEF	OBUS	0.03	0.02
tblVehicleEF	OBUS	0.28	0.53
tblVehicleEF	OBUS	0.54	0.92
tblVehicleEF	OBUS	6.22	2.60
tblVehicleEF	OBUS	70.30	72.56
tblVehicleEF	OBUS	1,098.07	1,407.21
tblVehicleEF	OBUS	70.10	20.90
tblVehicleEF	OBUS	0.34	0.44
tblVehicleEF	OBUS	1.11	1.68
tblVehicleEF	OBUS	1.4700e-004	2.1560e-003
tblVehicleEF	OBUS	6.0450e-003	0.04
tblVehicleEF	OBUS	8.2300e-004	1.9000e-004
tblVehicleEF	OBUS	1.4100e-004	2.0620e-003
tblVehicleEF	OBUS	5.7680e-003	0.04
tblVehicleEF	OBUS	7.5700e-004	1.7400e-004
tblVehicleEF	OBUS	1.8870e-003	2.3830e-003
tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.04	0.05
tblVehicleEF	OBUS	8.5400e-004	1.0620e-003
tblVehicleEF	OBUS	0.04	0.09
tblVehicleEF	OBUS	0.05	0.27
tblVehicleEF	OBUS	0.39	0.13
tblVehicleEF	OBUS	6.8300e-004	6.9200e-004
tblVehicleEF	OBUS	0.01	0.01
tblVehicleEF	OBUS	8.1000e-004	2.0700e-004
tblVehicleEF	OBUS	1.8870e-003	2.3830e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	OBUS	0.02	0.03
tblVehicleEF	OBUS	0.05	0.07
tblVehicleEF	OBUS	8.5400e-004	1.0620e-003
tblVehicleEF	OBUS	0.05	0.11
tblVehicleEF	OBUS	0.05	0.27
tblVehicleEF	OBUS	0.42	0.14
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6110e-003
tblVehicleEF	SBUS	0.06	6.9670e-003
tblVehicleEF	SBUS	7.83	3.03
tblVehicleEF	SBUS	0.64	0.53
tblVehicleEF	SBUS	6.66	0.94
tblVehicleEF	SBUS	1,146.29	366.87
tblVehicleEF	SBUS	1,103.40	1,115.27
tblVehicleEF	SBUS	53.92	6.06
tblVehicleEF	SBUS	10.00	3.57
tblVehicleEF	SBUS	4.65	4.82
tblVehicleEF	SBUS	0.01	4.0660e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	0.01	3.8900e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	4.6830e-003	1.3080e-003
tblVehicleEF	SBUS	0.03	8.6250e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	SBUS	0.94	0.36
tblVehicleEF	SBUS	2.1770e-003	6.2500e-004
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.37	0.04
tblVehicleEF	SBUS	0.01	3.5040e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.5500e-004	6.0000e-005
tblVehicleEF	SBUS	4.6830e-003	1.3080e-003
tblVehicleEF	SBUS	0.03	8.6250e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	2.1770e-003	6.2500e-004
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.02	0.05
tblVehicleEF	SBUS	0.40	0.04
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6860e-003
tblVehicleEF	SBUS	0.05	5.8380e-003
tblVehicleEF	SBUS	7.71	2.99
tblVehicleEF	SBUS	0.65	0.54
tblVehicleEF	SBUS	4.83	0.68
tblVehicleEF	SBUS	1,198.60	377.09
tblVehicleEF	SBUS	1,103.40	1,115.28
tblVehicleEF	SBUS	53.92	5.63
tblVehicleEF	SBUS	10.32	3.66
tblVehicleEF	SBUS	4.37	4.53
tblVehicleEF	SBUS	9.1190e-003	3.4340e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	8.7240e-003	3.2850e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	8.4640e-003	2.3620e-003
tblVehicleEF	SBUS	0.03	9.1440e-003
tblVehicleEF	SBUS	0.93	0.36
tblVehicleEF	SBUS	4.0830e-003	1.1650e-003
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.01	0.05
tblVehicleEF	SBUS	0.31	0.03
tblVehicleEF	SBUS	0.01	3.6000e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.2400e-004	5.6000e-005
tblVehicleEF	SBUS	8.4640e-003	2.3620e-003
tblVehicleEF	SBUS	0.03	9.1440e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	4.0830e-003	1.1650e-003
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.01	0.05
tblVehicleEF	SBUS	0.34	0.04
tblVehicleEF	SBUS	0.84	0.08
tblVehicleEF	SBUS	0.01	6.6040e-003
tblVehicleEF	SBUS	0.07	7.2110e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	SBUS	8.00	3.09
tblVehicleEF	SBUS	0.63	0.53
tblVehicleEF	SBUS	7.02	0.98
tblVehicleEF	SBUS	1,074.07	352.76
tblVehicleEF	SBUS	1,103.40	1,115.26
tblVehicleEF	SBUS	53.92	6.14
tblVehicleEF	SBUS	9.56	3.44
tblVehicleEF	SBUS	4.60	4.78
tblVehicleEF	SBUS	0.01	4.9380e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	0.03	0.03
tblVehicleEF	SBUS	4.5700e-004	4.0000e-005
tblVehicleEF	SBUS	0.01	4.7240e-003
tblVehicleEF	SBUS	2.6950e-003	2.6510e-003
tblVehicleEF	SBUS	0.02	0.03
tblVehicleEF	SBUS	4.2000e-004	3.6000e-005
tblVehicleEF	SBUS	4.1680e-003	1.1480e-003
tblVehicleEF	SBUS	0.03	8.8290e-003
tblVehicleEF	SBUS	0.94	0.36
tblVehicleEF	SBUS	2.1000e-003	6.0300e-004
tblVehicleEF	SBUS	0.11	0.10
tblVehicleEF	SBUS	0.02	0.06
tblVehicleEF	SBUS	0.38	0.04
tblVehicleEF	SBUS	0.01	3.3710e-003
tblVehicleEF	SBUS	0.01	0.01
tblVehicleEF	SBUS	6.6100e-004	6.1000e-005
tblVehicleEF	SBUS	4.1680e-003	1.1480e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	SBUS	0.03	8.8290e-003
tblVehicleEF	SBUS	1.35	0.52
tblVehicleEF	SBUS	2.1000e-003	6.0300e-004
tblVehicleEF	SBUS	0.13	0.11
tblVehicleEF	SBUS	0.02	0.06
tblVehicleEF	SBUS	0.41	0.05
tblVehicleEF	UBUS	1.51	3.35
tblVehicleEF	UBUS	0.09	0.02
tblVehicleEF	UBUS	8.45	26.05
tblVehicleEF	UBUS	15.26	1.50
tblVehicleEF	UBUS	1,822.40	1,617.71
tblVehicleEF	UBUS	153.45	18.08
tblVehicleEF	UBUS	4.95	0.32
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	9.7430e-003	1.6370e-003
tblVehicleEF	UBUS	0.11	9.7740e-003
tblVehicleEF	UBUS	4.7860e-003	7.1300e-004
tblVehicleEF	UBUS	0.52	0.05
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.17	0.07

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	UBUS	9.9960e-003	4.8690e-003
tblVehicleEF	UBUS	1.8100e-003	1.7900e-004
tblVehicleEF	UBUS	9.7430e-003	1.6370e-003
tblVehicleEF	UBUS	0.11	9.7740e-003
tblVehicleEF	UBUS	4.7860e-003	7.1300e-004
tblVehicleEF	UBUS	2.08	3.43
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.28	0.08
tblVehicleEF	UBUS	1.52	3.35
tblVehicleEF	UBUS	0.08	0.02
tblVehicleEF	UBUS	8.53	26.06
tblVehicleEF	UBUS	13.06	1.28
tblVehicleEF	UBUS	1,822.40	1,617.72
tblVehicleEF	UBUS	153.45	17.70
tblVehicleEF	UBUS	4.62	0.31
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	0.02	2.9250e-003
tblVehicleEF	UBUS	0.14	0.01
tblVehicleEF	UBUS	9.6600e-003	1.4550e-003
tblVehicleEF	UBUS	0.53	0.05

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.06	0.07
tblVehicleEF	UBUS	9.9970e-003	4.8690e-003
tblVehicleEF	UBUS	1.7720e-003	1.7500e-004
tblVehicleEF	UBUS	0.02	2.9250e-003
tblVehicleEF	UBUS	0.14	0.01
tblVehicleEF	UBUS	9.6600e-003	1.4550e-003
tblVehicleEF	UBUS	2.09	3.43
tblVehicleEF	UBUS	0.02	0.05
tblVehicleEF	UBUS	1.17	0.07
tblVehicleEF	UBUS	1.51	3.35
tblVehicleEF	UBUS	0.09	0.02
tblVehicleEF	UBUS	8.44	26.05
tblVehicleEF	UBUS	15.44	1.49
tblVehicleEF	UBUS	1,822.40	1,617.71
tblVehicleEF	UBUS	153.45	18.06
tblVehicleEF	UBUS	4.92	0.31
tblVehicleEF	UBUS	0.50	0.09
tblVehicleEF	UBUS	0.01	0.02
tblVehicleEF	UBUS	0.06	2.9340e-003
tblVehicleEF	UBUS	1.4200e-003	1.6100e-004
tblVehicleEF	UBUS	0.21	0.04
tblVehicleEF	UBUS	3.0000e-003	5.4780e-003
tblVehicleEF	UBUS	0.05	2.7920e-003
tblVehicleEF	UBUS	1.3060e-003	1.4800e-004
tblVehicleEF	UBUS	8.9770e-003	1.7200e-003
tblVehicleEF	UBUS	0.13	0.01

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleEF	UBUS	4.3820e-003	7.5400e-004
tblVehicleEF	UBUS	0.52	0.05
tblVehicleEF	UBUS	0.03	0.05
tblVehicleEF	UBUS	1.18	0.07
tblVehicleEF	UBUS	9.9960e-003	4.8690e-003
tblVehicleEF	UBUS	1.8130e-003	1.7900e-004
tblVehicleEF	UBUS	8.9770e-003	1.7200e-003
tblVehicleEF	UBUS	0.13	0.01
tblVehicleEF	UBUS	4.3820e-003	7.5400e-004
tblVehicleEF	UBUS	2.08	3.43
tblVehicleEF	UBUS	0.03	0.05
tblVehicleEF	UBUS	1.29	0.08
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TL	8.40	3.00
tblVehicleTrips	CC_TTP	80.20	96.00
tblVehicleTrips	CC_TTP	78.80	96.00
tblVehicleTrips	CC_TTP	64.70	96.00
tblVehicleTrips	CC_TTP	0.00	96.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	19.00	3.00
tblVehicleTrips	CNW_TTP	0.00	3.00
tblVehicleTrips	CW_TTP	0.80	1.00
tblVehicleTrips	CW_TTP	2.20	1.00
tblVehicleTrips	CW_TTP	16.30	1.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

tblVehicleTrips	CW_TTP	0.00	1.00
tblVehicleTrips	DV_TP	21.00	0.00
tblVehicleTrips	DV_TP	21.00	0.00
tblVehicleTrips	DV_TP	35.00	0.00
tblVehicleTrips	PB_TP	65.00	70.00
tblVehicleTrips	PB_TP	50.00	67.00
tblVehicleTrips	PB_TP	11.00	39.00
tblVehicleTrips	PR_TP	14.00	30.00
tblVehicleTrips	PR_TP	29.00	33.00
tblVehicleTrips	PR_TP	54.00	61.00
tblVehicleTrips	PR_TP	0.00	100.00
tblVehicleTrips	ST_TR	1,448.33	700.00
tblVehicleTrips	ST_TR	722.03	616.12
tblVehicleTrips	ST_TR	0.00	775.00
tblVehicleTrips	SU_TR	1,182.08	700.00
tblVehicleTrips	SU_TR	542.72	472.58
tblVehicleTrips	SU_TR	0.00	775.00
tblVehicleTrips	WD_TR	845.60	837.58
tblVehicleTrips	WD_TR	496.12	470.95
tblVehicleTrips	WD_TR	42.70	114.93
tblVehicleTrips	WD_TR	0.00	775.00
tblWater	IndoorWaterUseRate	0.00	4,248,600.00

**2.0 Emissions Summary**


---

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**2.1 Overall Construction (Maximum Daily Emission)****Unmitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day															lb/day	
2020	6.1179	75.9240	24.7905	0.1494	20.3885	2.9903	23.3788	10.2131	2.7511	12.9642	0.0000	15,433.26	15,433.26	2.1168	0.0000	15,486.18	
2021	15.9875	22.7010	21.4660	0.0485	1.3851	1.0391	2.4241	0.3732	0.9755	1.3487	0.0000	4,752.682	4,752.682	0.7845	0.0000	4,772.295	
Maximum	15.9875	75.9240	24.7905	0.1494	20.3885	2.9903	23.3788	10.2131	2.7511	12.9642	0.0000	15,433.26	15,433.26	2.1168	0.0000	15,486.18	
																63	

**Mitigated Construction**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Year	lb/day															lb/day	
2020	6.1179	75.9240	24.7905	0.1494	8.0742	2.9903	11.0646	4.0156	2.7511	6.7667	0.0000	15,433.26	15,433.26	2.1168	0.0000	15,486.18	
2021	15.9875	22.7010	21.4660	0.0485	1.3851	1.0391	2.4241	0.3732	0.9755	1.3487	0.0000	4,752.682	4,752.682	0.7845	0.0000	4,772.295	
Maximum	15.9875	75.9240	24.7905	0.1494	8.0742	2.9903	11.0646	4.0156	2.7511	6.7667	0.0000	15,433.26	15,433.26	2.1168	0.0000	15,486.18	
																63	

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	56.56	0.00	47.72	58.54	0.00	43.30	0.00	0.00	0.00	0.00	0.00	0.00

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**2.2 Overall Operational****Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Area	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005			7.0000e-003	
Energy	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122		667.1905	
Mobile	20.8407	36.4677	81.7279	0.1241	10.5135	0.1750	10.6886	2.7914	0.1643	2.9558	12,694.89 61	12,694.89 61	1.4378			12,730.84 07	
Total	21.6014	37.0204	82.1952	0.1274	10.5135	0.2171	10.7306	2.7914	0.2064	2.9978	13,358.15 18	13,358.15 18	1.4505	0.0122		13,398.03 83	

**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Area	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005			7.0000e-003	
Energy	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122		667.1905	
Mobile	20.8407	36.4677	81.7279	0.1241	10.5135	0.1750	10.6886	2.7914	0.1643	2.9558	12,694.89 61	12,694.89 61	1.4378			12,730.84 07	
Total	21.6014	37.0204	82.1952	0.1274	10.5135	0.2171	10.7306	2.7914	0.2064	2.9978	13,358.15 18	13,358.15 18	1.4505	0.0122		13,398.03 83	

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N20	CO2e
Percent Reduction	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

### 3.0 Construction Detail

---

#### Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	5/30/2020	6/12/2020	5	10	
2	Grading	Grading	6/13/2020	7/10/2020	5	20	
3	Building Construction	Building Construction	7/11/2020	5/28/2021	5	230	
4	Paving	Paving	5/29/2021	6/25/2021	5	20	
5	Architectural Coating	Architectural Coating	6/26/2021	7/23/2021	5	20	

Acres of Grading (Site Preparation Phase): 20

Acres of Grading (Grading Phase): 40

Acres of Paving: 5.01

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 40,673; Non-Residential Outdoor: 13,558; Striped Parking Area: 13,094 (Architectural Coating – sqft)

#### OffRoad Equipment

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Crawler Tractors	4	8.00	212	0.43
Site Preparation	Rubber Tired Dozers	3	8.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Grading	Crawler Tractors	3	8.00	212	0.43
Grading	Excavators	1	8.00	158	0.38
Grading	Graders	1	8.00	187	0.41
Grading	Rubber Tired Dozers	1	8.00	247	0.40
Grading	Tractors/Loaders/Backhoes	0	8.00	97	0.37
Building Construction	Cranes	1	8.00	231	0.29
Building Construction	Forklifts	3	8.00	89	0.20
Building Construction	Generator Sets	1	8.00	84	0.74
Building Construction	Tractors/Loaders/Backhoes	3	8.00	97	0.37
Building Construction	Welders	1	8.00	46	0.45
Paving	Pavers	2	8.00	130	0.42
Paving	Paving Equipment	2	8.00	132	0.36
Paving	Rollers	2	8.00	80	0.38
Architectural Coating	Air Compressors	1	8.00	78	0.48
Site Preparation	Graders	1	8.00	187	0.41

**Trips and VMT**

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	7	18.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Grading	6	15.00	0.00	2,802.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Building Construction	9	101.00	40.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Paving	6	15.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT
Architectural Coating	1	20.00	0.00	0.00	14.70	6.90	20.00	LD_Mix	HDT_Mix	HHDT

### 3.1 Mitigation Measures Construction

Water Exposed Area

### 3.2 Site Preparation - 2020

#### Unmitigated Construction On-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					20.1873	0.0000	20.1873	10.1597	0.0000	10.1597			0.0000			0.0000
Off-Road	6.0282	70.0929	24.2034	0.0636		2.9891	2.9891		2.7500	2.7500		6,164.262	6,164.262	1.9937		6,214.103
Total	6.0282	70.0929	24.2034	0.0636	20.1873	2.9891	23.1764	10.1597	2.7500	12.9097		6,164.262	6,164.262	1.9937		6,214.103

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.2 Site Preparation - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0897	0.0560	0.5871	1.7900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545	177.8824	177.8824	4.4200e-003			177.9929
<b>Total</b>	<b>0.0897</b>	<b>0.0560</b>	<b>0.5871</b>	<b>1.7900e-003</b>	<b>0.2012</b>	<b>1.2200e-003</b>	<b>0.2024</b>	<b>0.0534</b>	<b>1.1200e-003</b>	<b>0.0545</b>		<b>177.8824</b>	<b>177.8824</b>	<b>4.4200e-003</b>		<b>177.9929</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					7.8730	0.0000	7.8730	3.9623	0.0000	3.9623			0.0000			0.0000
Off-Road	6.0282	70.0929	24.2034	0.0636		2.9891	2.9891		2.7500	2.7500	0.0000	6,164.2620	6,164.2620	1.9937		6,214.1031
<b>Total</b>	<b>6.0282</b>	<b>70.0929</b>	<b>24.2034</b>	<b>0.0636</b>	<b>7.8730</b>	<b>2.9891</b>	<b>10.8621</b>	<b>3.9623</b>	<b>2.7500</b>	<b>6.7123</b>	<b>0.0000</b>	<b>6,164.2620</b>	<b>6,164.2620</b>	<b>1.9937</b>		<b>6,214.1031</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.2 Site Preparation - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0897	0.0560	0.5871	1.7900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545	177.8824	177.8824	4.4200e-003			177.9929
Total	0.0897	0.0560	0.5871	1.7900e-003	0.2012	1.2200e-003	0.2024	0.0534	1.1200e-003	0.0545		177.8824	177.8824	4.4200e-003		177.9929

**3.3 Grading - 2020****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					8.2850	0.0000	8.2850	3.5607	0.0000	3.5607		0.0000				0.0000
Off-Road	3.5369	42.4134	16.7138	0.0439		1.7160	1.7160		1.5787	1.5787		4,251.3448	4,251.3448	1.3750		4,285.7191
Total	3.5369	42.4134	16.7138	0.0439	8.2850	1.7160	10.0010	3.5607	1.5787	5.1395		4,251.3448	4,251.3448	1.3750		4,285.7191

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.3 Grading - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.7579	33.4638	4.7940	0.1040	2.4509	0.1072	2.5581	0.6719	0.1026	0.7744	11,033.6850	11,033.6850	0.7382			11,052.1398
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000
Worker	0.0748	0.0467	0.4893	1.4900e-003	0.1677	1.0200e-003	0.1687	0.0445	9.3000e-004	0.0454	148.2354	148.2354	3.6800e-003			148.3274
<b>Total</b>	<b>0.8326</b>	<b>33.5105</b>	<b>5.2832</b>	<b>0.1055</b>	<b>2.6185</b>	<b>0.1082</b>	<b>2.7268</b>	<b>0.7163</b>	<b>0.1035</b>	<b>0.8198</b>	<b>11,181.9204</b>	<b>11,181.9204</b>	<b>0.7419</b>			<b>11,200.4672</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					3.2312	0.0000	3.2312	1.3887	0.0000	1.3887			0.0000			0.0000
Off-Road	3.5369	42.4134	16.7138	0.0439		1.7160	1.7160		1.5787	1.5787	0.0000	4,251.3448	4,251.3448	1.3750		4,285.7191
<b>Total</b>	<b>3.5369</b>	<b>42.4134</b>	<b>16.7138</b>	<b>0.0439</b>	<b>3.2312</b>	<b>1.7160</b>	<b>4.9472</b>	<b>1.3887</b>	<b>1.5787</b>	<b>2.9674</b>	<b>0.0000</b>	<b>4,251.3448</b>	<b>4,251.3448</b>	<b>1.3750</b>		<b>4,285.7191</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.3 Grading - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.7579	33.4638	4.7940	0.1040	2.4509	0.1072	2.5581	0.6719	0.1026	0.7744	11,033.6850	11,033.6850	0.7382			11,052.1398
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0748	0.0467	0.4893	1.4900e-003	0.1677	1.0200e-003	0.1687	0.0445	9.3000e-004	0.0454	148.2354	148.2354	3.6800e-003			148.3274
Total	0.8326	33.5105	5.2832	0.1055	2.6185	0.1082	2.7268	0.7163	0.1035	0.8198	11,181.9204	11,181.9204	0.7419			11,200.4672

**3.4 Building Construction - 2020****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2551	20.6494	17.9678	0.0288		1.1948	1.1948		1.1218	1.1218	2,735.6999	2,735.6999	0.6819			2,752.7481
Total	2.2551	20.6494	17.9678	0.0288		1.1948	1.1948		1.1218	1.1218	2,735.6999	2,735.6999	0.6819			2,752.7481

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.4 Building Construction - 2020****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1176	4.0941	0.8816	0.0101	0.2561	0.0237	0.2798	0.0738	0.0227	0.0964	1,060.171 1	1,060.1711	0.0919		1,062.469 6	
Worker	0.5033	0.3145	3.2944	0.0100	1.1289	6.8400e-003	1.1358	0.2994	6.3000e-003	0.3057	998.1182	998.1182	0.0248		998.7379	
Total	<b>0.6209</b>	<b>4.4086</b>	<b>4.1760</b>	<b>0.0201</b>	<b>1.3851</b>	<b>0.0305</b>	<b>1.4156</b>	<b>0.3732</b>	<b>0.0290</b>	<b>0.4021</b>	<b>2,058.289 2</b>	<b>2,058.289 2</b>	<b>0.1167</b>		<b>2,061.207 5</b>	

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.2551	20.6494	17.9678	0.0288		1.1948	1.1948		1.1218	1.1218	0.0000 9	2,735.699 9	2,735.699 9	0.6819		2,752.748 1
Total	<b>2.2551</b>	<b>20.6494</b>	<b>17.9678</b>	<b>0.0288</b>		<b>1.1948</b>	<b>1.1948</b>		<b>1.1218</b>	<b>1.1218</b>	<b>0.0000</b>	<b>2,735.699 9</b>	<b>2,735.699 9</b>	<b>0.6819</b>		<b>2,752.748 1</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.4 Building Construction - 2020****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.1176	4.0941	0.8816	0.0101	0.2561	0.0237	0.2798	0.0738	0.0227	0.0964	1,060.171 1	1,060.171 1	0.0919			1,062.469 6
Worker	0.5033	0.3145	3.2944	0.0100	1.1289	6.8400e-003	1.1358	0.2994	6.3000e-003	0.3057	998.1182	998.1182	0.0248			998.7379
Total	0.6209	4.4086	4.1760	0.0201	1.3851	0.0305	1.4156	0.3732	0.0290	0.4021	2,058.289 2	2,058.289 2	0.1167			2,061.207 5

**3.4 Building Construction - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	2.0228	18.7492	17.6706	0.0288		1.0251	1.0251		0.9625	0.9625	2,736.043 8	2,736.043 8	0.6751			2,752.921 2
Total	2.0228	18.7492	17.6706	0.0288		1.0251	1.0251		0.9625	0.9625	2,736.043 8	2,736.043 8	0.6751			2,752.921 2

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.4 Building Construction - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0992	3.6697	0.7812	9.9800e-003	0.2561	7.2500e-003	0.2634	0.0738	6.9400e-003	0.0807	1,051.8929	1,051.8929	0.0871			1,054.0711	
Worker	0.4699	0.2821	3.0141	9.6800e-003	1.1289	6.6500e-003	1.1356	0.2994	6.1300e-003	0.3055	964.7455	964.7455	0.0223			965.3028	
<b>Total</b>	<b>0.5691</b>	<b>3.9518</b>	<b>3.7954</b>	<b>0.0197</b>	<b>1.3851</b>	<b>0.0139</b>	<b>1.3990</b>	<b>0.3732</b>	<b>0.0131</b>	<b>0.3862</b>	<b>2,016.6384</b>	<b>2,016.6384</b>	<b>0.1094</b>			<b>2,019.3739</b>	

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	2.0228	18.7492	17.6706	0.0288			1.0251	1.0251		0.9625	0.9625	0.0000	2,736.0438	2,736.0438	0.6751		2,752.9212
<b>Total</b>	<b>2.0228</b>	<b>18.7492</b>	<b>17.6706</b>	<b>0.0288</b>			<b>1.0251</b>	<b>1.0251</b>		<b>0.9625</b>	<b>0.9625</b>	<b>0.0000</b>	<b>2,736.0438</b>	<b>2,736.0438</b>	<b>0.6751</b>		<b>2,752.9212</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.4 Building Construction - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Vendor	0.0992	3.6697	0.7812	9.9800e-003	0.2561	7.2500e-003	0.2634	0.0738	6.9400e-003	0.0807	1,051.8929	1,051.8929	0.0871			1,054.0711	
Worker	0.4699	0.2821	3.0141	9.6800e-003	1.1289	6.6500e-003	1.1356	0.2994	6.1300e-003	0.3055	964.7455	964.7455	0.0223			965.3028	
Total	<b>0.5691</b>	<b>3.9518</b>	<b>3.7954</b>	<b>0.0197</b>	<b>1.3851</b>	<b>0.0139</b>	<b>1.3990</b>	<b>0.3732</b>	<b>0.0131</b>	<b>0.3862</b>	<b>2,016.6384</b>	<b>2,016.6384</b>	<b>0.1094</b>			<b>2,019.3739</b>	

**3.5 Paving - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day										lb/day						
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	2,207.2109	2,207.2109	0.7139			2,225.0573	
Paving	0.0000					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000	
Total	<b>1.2556</b>	<b>12.9191</b>	<b>14.6532</b>	<b>0.0228</b>		<b>0.6777</b>	<b>0.6777</b>		<b>0.6235</b>	<b>0.6235</b>	<b>2,207.2109</b>	<b>2,207.2109</b>	<b>0.7139</b>			<b>2,225.0573</b>	

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.5 Paving - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0698	0.0419	0.4476	1.4400e-003	0.1677	9.9000e-004	0.1687	0.0445	9.1000e-004	0.0454	143.2790	143.2790	3.3100e-003			143.3618
Total	<b>0.0698</b>	<b>0.0419</b>	<b>0.4476</b>	<b>1.4400e-003</b>	<b>0.1677</b>	<b>9.9000e-004</b>	<b>0.1687</b>	<b>0.0445</b>	<b>9.1000e-004</b>	<b>0.0454</b>		<b>143.2790</b>	<b>143.2790</b>	<b>3.3100e-003</b>		<b>143.3618</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Off-Road	1.2556	12.9191	14.6532	0.0228		0.6777	0.6777		0.6235	0.6235	0.0000	2,207.210	2,207.210	0.7139		2,225.057
Paving	0.0000					0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000
Total	<b>1.2556</b>	<b>12.9191</b>	<b>14.6532</b>	<b>0.0228</b>		<b>0.6777</b>	<b>0.6777</b>		<b>0.6235</b>	<b>0.6235</b>	<b>0.0000</b>	<b>2,207.210</b>	<b>2,207.210</b>	<b>0.7139</b>		<b>2,225.057</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.5 Paving - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0698	0.0419	0.4476	1.4400e-003	0.1677	9.9000e-004	0.1687	0.0445	9.1000e-004	0.0454	143.2790	143.2790	3.3100e-003			143.3618
Total	0.0698	0.0419	0.4476	1.4400e-003	0.1677	9.9000e-004	0.1687	0.0445	9.1000e-004	0.0454		143.2790	143.2790	3.3100e-003		143.3618

**3.6 Architectural Coating - 2021****Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	15.6026						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.2919	2.0358	2.4234	3.9600e-003		0.1255	0.1255		0.1255	0.1255		375.2641	375.2641	0.0258		375.9079
Total	15.8944	2.0358	2.4234	3.9600e-003		0.1255	0.1255		0.1255	0.1255		375.2641	375.2641	0.0258		375.9079

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.6 Architectural Coating - 2021****Unmitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0931	0.0559	0.5969	1.9200e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605	191.0387	191.0387	4.4100e-003			191.1491
Total	<b>0.0931</b>	<b>0.0559</b>	<b>0.5969</b>	<b>1.9200e-003</b>	<b>0.2236</b>	<b>1.3200e-003</b>	<b>0.2249</b>	<b>0.0593</b>	<b>1.2100e-003</b>	<b>0.0605</b>		<b>191.0387</b>	<b>191.0387</b>	<b>4.4100e-003</b>		<b>191.1491</b>

**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Archit. Coating	15.6026						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Off-Road	0.2919	2.0358	2.4234	3.9600e-003		0.1255	0.1255		0.1255	0.1255	0.0000	375.2641	375.2641	0.0258		375.9079
Total	<b>15.8944</b>	<b>2.0358</b>	<b>2.4234</b>	<b>3.9600e-003</b>		<b>0.1255</b>	<b>0.1255</b>		<b>0.1255</b>	<b>0.1255</b>	<b>0.0000</b>	<b>375.2641</b>	<b>375.2641</b>	<b>0.0258</b>		<b>375.9079</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**3.6 Architectural Coating - 2021****Mitigated Construction Off-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0931	0.0559	0.5969	1.9200e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605	191.0387	191.0387	4.4100e-003		191.1491	
Total	0.0931	0.0559	0.5969	1.9200e-003	0.2236	1.3200e-003	0.2249	0.0593	1.2100e-003	0.0605		191.0387	191.0387	4.4100e-003		191.1491

**4.0 Operational Detail - Mobile****4.1 Mitigation Measures Mobile**

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Category	lb/day											lb/day					
Mitigated	20.8407	36.4677	81.7279	0.1241	10.5135	0.1750	10.6886	2.7914	0.1643	2.9558	12,694.89 61	12,694.89 61	1.4378			12,730.84 07	
Unmitigated	20.8407	36.4677	81.7279	0.1241	10.5135	0.1750	10.6886	2.7914	0.1643	2.9558	12,694.89 61	12,694.89 61	1.4378			12,730.84 07	

## 4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Convenience Market With Gas Pumps	2,847.77	2,380.00	2380.00	1,033,287	1,033,287
Fast Food Restaurant with Drive Thru	3,470.90	4,540.80	3482.91	1,505,068	1,505,068
Other Non-Asphalt Surfaces	0.00	0.00	0.00		
Regional Shopping Center	1,517.08	659.60	333.17	902,534	902,534
User Defined Retail	775.00	775.00	775.00	917,671	917,671
Total	8,610.75	8,355.41	6,971.08	4,358,561	4,358,561

## 4.3 Trip Type Information

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Convenience Market With Gas	16.60	3.00	6.90	1.00	96.00	3.00	30	0	70
Fast Food Restaurant with Drive	16.60	3.00	6.90	1.00	96.00	3.00	33	0	67
Other Non-Asphalt Surfaces	16.60	8.40	6.90	0.00	0.00	0.00	0	0	0
Regional Shopping Center	16.60	3.00	6.90	1.00	96.00	3.00	61	0	39
User Defined Retail	16.60	3.00	6.90	1.00	96.00	3.00	100	0	0

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**4.4 Fleet Mix**

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Convenience Market With Gas Pumps	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
Fast Food Restaurant with Drive Thru	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
Other Non-Asphalt Surfaces	0.542116	0.037578	0.185203	0.118503	0.016241	0.005141	0.017392	0.068695	0.001383	0.001183	0.004582	0.000945	0.001038
Regional Shopping Center	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000
User Defined Retail	0.690000	0.097000	0.097000	0.064000	0.000000	0.000000	0.000000	0.047000	0.000000	0.000000	0.005000	0.000000	0.000000

**5.0 Energy Detail**

Historical Energy Use: N

**5.1 Mitigation Measures Energy**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122	667.1905	
NaturalGas Unmitigated	0.0608	0.5527	0.4643	3.3200e-003		0.0420	0.0420		0.0420	0.0420	663.2492	663.2492	0.0127	0.0122	667.1905	

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**5.2 Energy by Land Use - NaturalGas****Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Convenience Market With Gas Pumps	20.6795	2.2000e-004	2.0300e-003	1.7000e-003	1.0000e-005		1.5000e-004	1.5000e-004		1.5000e-004	1.5000e-004			2.4329	2.4329	5.0000e-005	4.0000e-005	2.4473
Fast Food Restaurant with Drive Thru	5517.49	0.0595	0.5409	0.4544	3.2500e-003		0.0411	0.0411		0.0411	0.0411			649.1170	649.1170	0.0124	0.0119	652.9744
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000
Regional Shopping Center	80.2849	8.7000e-004	7.8700e-003	6.6100e-003	5.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004			9.4453	9.4453	1.8000e-004	1.7000e-004	9.5014
User Defined Retail	19.1589	2.1000e-004	1.8800e-003	1.5800e-003	1.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			2.2540	2.2540	4.0000e-005	4.0000e-005	2.2674
<b>Total</b>		<b>0.0608</b>	<b>0.5527</b>	<b>0.4643</b>	<b>3.3200e-003</b>		<b>0.0420</b>	<b>0.0420</b>		<b>0.0420</b>	<b>0.0420</b>			<b>663.2492</b>	<b>663.2492</b>	<b>0.0127</b>	<b>0.0122</b>	<b>667.1905</b>

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**5.2 Energy by Land Use - NaturalGas****Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e	
Land Use	kBTU/yr	lb/day										lb/day						
Convenience Market With Gas Pumps	0.0206795	2.2000e-004	2.0300e-003	1.7000e-003	1.0000e-005		1.5000e-004	1.5000e-004		1.5000e-004	1.5000e-004			2.4329	2.4329	5.0000e-005	4.0000e-005	2.4473
Fast Food Restaurant with Drive Thru	5.51749	0.0595	0.5409	0.4544	3.2500e-003		0.0411	0.0411		0.0411	0.0411			649.1170	649.1170	0.0124	0.0119	652.9744
Other Non-Asphalt Surfaces	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000			0.0000	0.0000	0.0000	0.0000	0.0000
Regional Shopping Center	0.0802849	8.7000e-004	7.8700e-003	6.6100e-003	5.0000e-005		6.0000e-004	6.0000e-004		6.0000e-004	6.0000e-004			9.4453	9.4453	1.8000e-004	1.7000e-004	9.5014
User Defined Retail	0.0191589	2.1000e-004	1.8800e-003	1.5800e-003	1.0000e-005		1.4000e-004	1.4000e-004		1.4000e-004	1.4000e-004			2.2540	2.2540	4.0000e-005	4.0000e-005	2.2674
<b>Total</b>		<b>0.0608</b>	<b>0.5527</b>	<b>0.4643</b>	<b>3.3200e-003</b>		<b>0.0420</b>	<b>0.0420</b>		<b>0.0420</b>	<b>0.0420</b>			<b>663.2492</b>	<b>663.2492</b>	<b>0.0127</b>	<b>0.0122</b>	<b>667.1905</b>

**6.0 Area Detail****6.1 Mitigation Measures Area**

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	
Unmitigated	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	

## 6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0855					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	0.6142					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005	6.5600e-003	6.5600e-003	2.0000e-005		7.0000e-003	
Total	0.7000	3.0000e-005	3.0700e-003	0.0000		1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005			6.5600e-003	6.5600e-003	2.0000e-005	7.0000e-003

## 12769 - Lake and Mountain - Riverside-South Coast County, Winter

**6.2 Area by SubCategory****Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	0.0855						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Consumer Products	0.6142						0.0000	0.0000		0.0000	0.0000		0.0000			0.0000
Landscaping	2.9000e-004	3.0000e-005	3.0700e-003	0.0000			1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.5600e-003	6.5600e-003	2.0000e-005	7.0000e-003
Total	0.7000	3.0000e-005	3.0700e-003	0.0000			1.0000e-005	1.0000e-005		1.0000e-005	1.0000e-005		6.5600e-003	6.5600e-003	2.0000e-005	7.0000e-003

**7.0 Water Detail****7.1 Mitigation Measures Water**

Install Low Flow Bathroom Faucet

Install Low Flow Kitchen Faucet

Install Low Flow Toilet

Install Low Flow Shower

**8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

12769 - Lake and Mountain - Riverside-South Coast County, Winter

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	-----------	-------------	-------------	-----------

## 10.0 Stationary Equipment

---

### Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type
----------------	--------	-----------	------------	-------------	-------------	-----------

### Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type
----------------	--------	----------------	-----------------	---------------	-----------

### User Defined Equipment

Equipment Type	Number
----------------	--------

## 11.0 Vegetation

---