



Lead Agency: Caltrans (District 8)
ATTN: Antonio Toledo
Address: 464 West 4th St, 6th Floor, MS-820
San Bernardino, CA 92401

FILED / POSTED

County of Riverside
Peter Aldana
Assessor-County Clerk-Recorder

E-202401172
10/31/2024 10:49 AM Fee: \$ 2966.75
Page 1 of 2

Removed: By: Deputy

Project Title

I-15/SR-74 INTERCHANGE IMPROVEMENT PROJECT

Filing Type

- ☐ Environmental Impact Report
- ☒ Mitigated/Negative Declaration
- ☐ Notice of Exemption
- ☐ Other:

Notes

Notice of Determination**Appendix D****To:**☒ Office of Planning and Research

U.S. Mail:

P.O. Box 3044

Sacramento, CA 95812-3044

Street Address:

1400 Tenth St., Rm 113

Sacramento, CA 95814

From:Public Agency: City of Lake ElsinoreAddress: 130 S Main StreetLake Elsinore, CA 92530Contact: Remon HabibPhone: (951) 674-3124 ext. 213☒ County ClerkCounty of: RiversideAddress: 2724 Gateway DriveRiverside, CA 92507

Lead Agency (if different from above):

Caltrans (District 8)Address: 464 West 4th Street, 6th Floor, MS-820San Bernardino, CA 92401-1400Contact: Antonia ToledoPhone: (909) 501-5741**SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.**State Clearinghouse Number (if submitted to State Clearinghouse): 2023110279Project Title: I-15/SR-74 Interchange Improvement ProjectProject Applicant: City of Lake ElsinoreProject Location (include county): I-15 and SR-74, City of Lake Elsinore, Riverside County

Project Description:

The City of Lake Elsinore, in cooperation with the California Department of Transportation, plans to improve the Interstate 15/State Route 74 interchange in the City of Lake Elsinore, County of Riverside, California.

+

This is to advise that the Caltrans (District 8) has approved the above☒ Lead Agency or ☐ Responsible Agency)described project on 10/30/2024 and has made the following determinations regarding the above

(date)

described project.

1. The project [☐ will ☒ will not] have a significant effect on the environment.
2. ☐ An Environmental Impact Report was prepared for this project pursuant to the provisions of CEQA.
☒ A Negative Declaration was prepared for this project pursuant to the provisions of CEQA.
3. Mitigation measures [☒ were ☐ were not] made a condition of the approval of the project.
4. A mitigation reporting or monitoring plan [☒ was ☐ was not] adopted for this project.
5. A statement of Overriding Considerations [☐ was ☒ was not] adopted for this project.
6. Findings [☒ were ☐ were not] made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

<https://www.lake-elsinore.org/CentralAveInterchange>Signature (Public Agency): Antonia ToledoDigitally signed by Antonia Toledo
Date: 2024.10.30 15:40:22 -07'00'Title: Branch Chief

Date: _____ Date Received for filing at OPR: _____

Authority cited: Section 21083, Public Resources Code.

Reference: Sections 21000–21174, Public Resources Code.

Revised 2011