



Baker Lake Elsinore

CONSTRUCTION AND OPERATIONAL HEALTH RISK ASSESSMENT

CITY OF LAKE ELSINORE

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com

Ali Dadabhoy
adadabhoy@urbanxroads.com

JUNE 3, 2025

TABLE OF CONTENTS

TABLE OF CONTENTS.....	I
APPENDICES.....	I
LIST OF EXHIBITS.....	II
LIST OF TABLES	II
LIST OF ABBREVIATED TERMS	III
EXECUTIVE SUMMARY	1
1 INTRODUCTION.....	5
1.1 Site Location.....	6
1.2 Project Description.....	6
2 BACKGROUND.....	10
2.1 Background on Recommended Methodology	10
2.2 Construction Health Risk Assessment.....	10
2.3 Operational Health Risk Assessment	15
2.4 Exposure Quantification.....	22
2.5 Carcinogenic Chemical Risk.....	24
2.6 Non-carcinogenic Exposures.....	25
2.7 Potential Project DPM-Source Cancer and Non-Cancer Risks	26
3 REFERENCES.....	31
4 CERTIFICATIONS.....	33

APPENDICES

APPENDIX 2.1: CALEEMOD OUTPUTS
APPENDIX 2.2: EMFAC EMISSIONS SUMMARY
APPENDIX 2.3: AERMOD MODEL INPUT/OUTPUT
APPENDIX 2.4: RISK CALCULATIONS
APPENDIX 2.5: MODELED RECEPTORS

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP	7
EXHIBIT 1-B: SITE PLAN.....	8
EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES	14
EXHIBIT 2-B: MODELED ON-SITE EMISSION SOURCES	19
EXHIBIT 2-C: MODELED OFF-SITE EMISSION SOURCES	20
EXHIBIT 2-D: RECEPTOR LOCATIONS.....	29

LIST OF TABLES

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS	3
TABLE ES-2: SUMMARY OF OPERATIONAL CANCER AND NON-CANCER RISKS.....	4
TABLE ES-3: SUMMARY OF CONSTRUCTION AND OPERATIONAL CANCER AND NON-CANCER RISKS	4
TABLE 2-1: CONSTRUCTION DURATION.....	11
TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS.....	11
TABLE 2-3: 2027 WEIGHTED AVERAGE DPM EMISSIONS FACTORS	16
TABLE 2-4: DPM EMISSIONS FROM PROJECT TRUCKS	21
TABLE 2-5: AERMOD MODEL PARAMETERS.....	22
TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (CONSTRUCTION ACTIVITY)	23
TABLE 2-7: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (30 YEAR RESIDENTIAL)	23
TABLE 2-8: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (25 YEAR WORKER)	24
TABLE 2-9: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD)	24

LIST OF ABBREVIATED TERMS

(1)	Reference
µg	Microgram
AERMOD	American Meteorological Society/Environmental Protection Agency Regulatory Model
AQMD	Air Quality Management District
ARB	Air Resources Board
ASF	Age Sensitivity Factor
CEQA	California Environmental Quality Act
CPF	Cancer Potency Factor
DPM	Diesel Particulate Matter
EMFAC	Emission Factor Model
EPA	Environmental Protection Agency
FAH	Fraction of Time at Home
HHD	Heavy Heavy-Duty
HI	Hazard Index
HRA	Health Risk Assessment
LHD	Light Heavy-Duty
MEIR	Maximally Exposed Individual Receptor
MEIW	Maximally Exposed Individual Worker
MEISC	Maximally Exposed Individual School Child
MHD	Medium Heavy-Duty
NAD	North American Datum
OEHHA	Office of Environmental Health Hazard Assessment
PDF	Project Design Feature
PM ₁₀	Particulate Matter 10 microns in diameter or less
Project	Baker Lake Elsinore
REL	Reference Exposure Level
SCAQMD	South Coast Air Quality Management District
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
TA	Traffic Analysis
TRU	Transport Refrigeration Unit
URF	Unit Risk Factor
UTM	Universal Transverse Mercator
VMT	Vehicle Miles Traveled

This page intentionally left blank

EXECUTIVE SUMMARY

This report evaluates the potential health risk impacts to sensitive receptors (which are residents) and adjacent workers associated with the development of the Project, more specifically, health risk impacts as a result of exposure to Toxic Air Contaminants (TACs) including diesel particulate matter (DPM) as a result of heavy-duty diesel trucks and equipment associated with on-site and off-site construction and operational activity. This section summarizes the significance criteria and Project health risks.

The results of the health risk assessment from Project-generated DPM emissions are provided in Tables ES-1, ES-2, and ES-3.

CONSTRUCTION IMPACTS

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R6 which is located approximately 155 feet east of the Project site at an existing residence located at 17401 Baker Street. R6 is placed in the private outdoor living areas (backyard) facing the Project site. At the maximally exposed individual receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 1.35 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤ 0.01 , which would not exceed the applicable threshold of 1.0. Although Location R6 is not the nearest receptor to the Project site, R6 would experience the highest concentrations of DPM during Project construction due to its location and meteorological conditions at the site. Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. All other receptors during construction activity would experience less risk than what is identified for this location.

OPERATIONAL IMPACTS

Residential Exposure Scenario:

The residential land use with the greatest potential exposure to Project operational-source DPM emissions is Location R1 which is located approximately 92 feet east of the Project site at an existing residence located at 28750 Pierce Street. R1 is placed in the private outdoor living area (backyard) facing the Project site. At this location, the maximum incremental cancer risk attributable to Project operational-source DPM emissions is estimated at 5.95 in one million which would not exceed the SCAQMD's significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be 0.01 which would not exceed the applicable significance threshold of 1.0.

Location R1 is the nearest receptor to the Project site and would experience the highest concentrations of DPM from Project operation due to its location and meteorological conditions

at the Project site. Because all other modeled receptors would be exposed to lower concentrations of DPM, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby residences.

Worker Exposure Scenario¹:

The worker receptor land use with the greatest potential exposure to Project operational-source DPM emissions is Location R7, which represents the potential worker receptor located approximately 1,890 feet northeast of the Project site. The maximally exposed individual worker (MEIW) is the worker receptor location that would experience the highest modeled concentrations of DPM, and thus the highest risk. At the MEIW, the maximum incremental cancer risk impact is 0.54 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤ 0.01 which would not exceed the applicable significance threshold of 1.0. Because all other modeled worker receptors would be exposed to lower concentrations of DPM, all other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent workers.

School Child Exposure Scenario:

Proximity to sources of toxics is critical to determining the impact. In traffic-related studies, the additional non-cancer health risk attributable to proximity was seen within 1,000 feet and was strongest within 300 feet. California freeway studies show about a 70-percent drop-off in particulate pollution levels at 500 feet. Based on California Air Resources Board (CARB) and SCAQMD emissions and modeling analyses, an 80-percent drop-off in pollutant concentrations is expected at approximately 1,000 feet from a distribution center (1).

The 1,000-foot evaluation distance is supported by research-based findings concerning Toxic Air Contaminant (TAC) emission dispersion rates from roadways and large sources showing that emissions diminish substantially between 500 and 1,000 feet from emission sources.

A one-quarter mile radius, or 1,320 feet, is commonly utilized for identifying sensitive receptors, such as schools, that may be impacted by a proposed project. This radius is more robust than, and therefore provides a more health protective scenario for evaluation than the 1,000-foot impact radius identified above. Notwithstanding, for full disclosure purposes, the nearest school was also evaluated.

The nearest school and location of the maximally exposed individual school child (MEISC) is Temescal Valley High School, located approximately 2,347 feet northeast of the Project site and represented by Receptor R8. At the MEISC, the maximum incremental cancer risk impact

1 SCAQMD guidance does not require assessment of the potential health risk to on-site workers. Excerpts from the document OEHHA Air Toxics Hot Spots Program Risk Assessment Guidelines—The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments (OEHHA 2003), also indicate that it is not necessary to examine the health effects to on-site workers unless required by RCRA (Resource Conservation and Recovery Act) / CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) or the worker resides on-site.

attributable to the Project is calculated to be 0.17 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤ 0.01 , which would not exceed the applicable significance threshold of 1.0. Because all other modeled school receptors would be exposed to lower concentrations of DPM, all other school receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein.

CONSTRUCTION AND OPERATIONAL IMPACTS

This analysis considers a conservative scenario in which a child at a nearby residence is exposed to Project construction-related DPM emissions from birth for the expected one year of Project construction and is then exposed to Project operational emissions for the remaining 28.08 years of the 30-year residential exposure scenario.

The land use with the greatest potential exposure to Project construction-source and operational-source DPM emissions is Location R6. At the MEIR, the maximum incremental cancer risk attributable to Project construction-source and operational-source DPM emissions is estimated at 4.20 in one million which is less than the threshold of 10 in one million. At this same location, non-cancer risks were estimated to be 0.01 under both scenarios, which would not exceed the applicable threshold of 1.0. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction and operational activity. All other receptors during construction and operational activity would experience less risk than what is identified for this location.

It should be noted that the combined construction and operational risk is lower than the operational risk due to the assumption the conservative use of exposure parameters for the 0 to 2 age group during construction activities and the use of exposure parameters for the 2 to 16 and 16 to 30 age groups during operation.

TABLE ES-1: SUMMARY OF CONSTRUCTION CANCER AND NON-CANCER RISKS

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold
1.92 Year Exposure	Maximum Exposed Sensitive Receptor (Location R6)	1.35	10	NO
Time Period	Location	Maximum Hazard Index	Significance Threshold	Exceeds Significance Threshold
Annual Average	Maximum Exposed Sensitive Receptor (Location R6)	≤ 0.01	1.0	NO

TABLE ES-2: SUMMARY OF OPERATIONAL CANCER AND NON-CANCER RISKS

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold
30 Year Exposure	Maximum Exposed Sensitive Receptor (Location R1)	5.95	10	NO
25 Year Exposure	Maximum Exposed Worker Receptor (Location R7)	0.54	10	NO
9 Year Exposure	Maximum Exposed Individual School Child (Location R8)	0.17	10	NO
Time Period	Location	Maximum Hazard Index	Significance Threshold	Exceeds Significance Threshold
Annual Average	Maximum Exposed Sensitive Receptor (Location R1)	0.01	1.0	NO
Annual Average	Maximum Exposed Worker Receptor (Location R7)	≤0.01	1.0	NO
Annual Average	Maximum Exposed Individual School Child (Location R8)	≤0.01	1.0	NO

TABLE ES-3: SUMMARY OF CONSTRUCTION AND OPERATIONAL CANCER AND NON-CANCER RISKS

Time Period	Location	Maximum Lifetime Cancer Risk (Risk per Million)	Significance Threshold (Risk per Million)	Exceeds Significance Threshold
30 Year Exposure	Maximum Exposed Sensitive Receptor (Location R6)	4.20	10	NO
Time Period	Location	Maximum Hazard Index	Significance Threshold	Exceeds Significance Threshold
Annual Average	Maximum Exposed Sensitive Receptor (Location R6)	0.01	1.0	NO

1 INTRODUCTION

REGULATORY GUIDANCE

This HRA has been prepared in accordance with the document Health Risk Assessment Guidance for Analyzing Cancer Risk from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis (2) and is comprised of all relevant and appropriate procedures presented by the United States Environmental Protection Agency (U.S. EPA), California EPA and SCAQMD. Cancer risk is expressed in terms of expected incremental incidence per million population. The SCAQMD has established an incidence rate of ten (10) persons per million as the maximum acceptable incremental cancer risk due to TAC exposure from a project such as the proposed Project. This threshold serves to determine whether or not a given project has a potentially significant development-specific and cumulatively considerable impact.

The AQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (3). In this report, the AQMD states (Page D-3):

“...the AQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for toxic air contaminant (TAC) emissions. The project specific (project increment) significance threshold is $HI > 1.0$ while the cumulative (facility-wide) is $HI > 3.0$. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.

Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant.”

The SCAQMD has also established non-carcinogenic risk parameters for use in HRAs. Non-carcinogenic risks are quantified by calculating a “hazard index,” expressed as the ratio between the ambient pollutant concentration and its toxicity or Reference Exposure Level (REL). A REL is a concentration level at or below which health effects are not likely to occur. A hazard index less than one (1.0) means that adverse health effects are not expected. In this HRA, non-carcinogenic exposures of less than 1.0 are considered less-than-significant. Both the cancer risk and non-carcinogenic risk thresholds are applied to the nearest sensitive receptors below.

In 2015 OEEHA published guidance that summarizes the Exposure Parameters for residents, workers and school children. See section 2.4 for further information on exposure quantification.

1.1 SITE LOCATION

The proposed project is located southeast of Pierce and Baker Street in the City of Lake Elsinore, as shown in Exhibit 1-A.

1.2 PROJECT DESCRIPTION

The Project will consist of constructing two new warehouse buildings and related onsite improvements on the 65.81-acres site. The project will also include ROW improvements along Baker Street and Pierce Street. The 33.65 acres of land opposite the industrial development will be used for future restoration activities. A preliminary site plan for the proposed Project is shown on Exhibit 1-B.

The Project will consist of two new warehouse buildings totaling a combined 1,000,451 SF². Building 1 will be 212,028 SF, inclusive of 5,000 SF of ground floor office, 5,000 SF of mezzanine, and include 23 dock doors along the southwest side of the building. Building 2 will be 788,423 SF inclusive of 10,000 SF of ground floor office, 10,000 SF of mezzanine, and include 110 dock doors along the northeast side of the building. Building 1 will be located at the northwestern end of the site and Building 2 will be located at the southeastern end of the site. The proposed Project is anticipated to have an Opening Year of 2027.

As summarized in the *Baker Lake Elsinore Traffic Impact Analysis* prepared by Urban Crossroads, Inc., the Project is expected to generate a total of approximately 2,384 two-way trips per day which includes 1,400 two-way passenger car trips per day and 984 two-way truck trips per day (4).


² It should be noted that the TIA report analyzed 90% (900,405 SF) high-cube cold storage and 10% (100,045 SF) manufacturing. However, for purposes of this analysis, the building was analyzed as 80% high cube (800,361), 10% manufacturing (100,045 SF), and 10% cold storage (100,451 SF) utilizing the trips disclosed in the TIA report.

EXHIBIT 1-A: LOCATION MAP



LEGEND:

EXHIBIT 1-B: SITE PLAN



LEGEND:

This page intentionally left blank

2 BACKGROUND

This section presents an overview of relevant regulatory guidance issued by the California Air Resources Board (CARB), the Office of Environmental Health Hazard Assessment (OEHHA), the California Air Pollution Control Officers Association (CAPCOA), and the South Coast Air Quality Management District (SCAQMD).

- **California Air Resources Board (CARB):** CARB’s Air Quality and Land Use Handbook (2005) and Technical Advisory (2017) provide guidance on minimizing health risks from traffic-related air pollution. These documents highlight the link between exposure to emissions—especially diesel exhaust—and increased cancer and respiratory risks, and recommend thoughtful site design (e.g., distancing sensitive receptors from major roadways).
- **Office of Environmental Health Hazard Assessment (OEHHA):** OEHHA’s Air Toxics Hot Spots Program Guidance Manual (2015), developed in partnership with CARB, establishes a tiered, science-based framework for health risk assessments (HRAs). It incorporates exposure factors such as age-specific breathing rates and emphasizes protecting children’s health and ensuring consistent, transparent evaluation practices.
- **California Air Pollution Control Officers Association (CAPCOA):** CAPCOA’s 2009 guidance supports CEQA review of land use projects by outlining when and how to conduct HRAs, how to engage the public, present findings, and apply mitigation strategies to address acute, chronic, and carcinogenic health risks.
- **South Coast Air Quality Management District (SCAQMD):** SCAQMD’s AB 2588 and Rule 1402 Supplemental Guidelines (2018) align with OEHHA guidance and detail how to conduct HRAs, promoting consistency, regulatory compliance, and methodological accuracy in risk assessments across the region.

2.1 BACKGROUND ON RECOMMENDED METHODOLOGY

This HRA is based on applicable guidelines to produce conservative estimates of human health risk posed by exposure to DPM. The conservative nature of this analysis is due primarily to the following factors:

- The ARB-adopted diesel exhaust Unit Risk Factor (URF) of 300 in one million per $\mu\text{g}/\text{m}^3$ is based upon the upper 95 percentile of estimated risk for each of the epidemiological studies utilized to develop the URF. Using the 95th percentile URF represents a very conservative (health-protective) risk posed by DPM because it represents breathing rates that are high for the human body.
- The emissions derived assume that every truck accessing the Project site will idle for 15 minutes. The California Air Resources Board (CARB’s) anti-idling requirements impose a 5-minute maximum idling time.

2.2 CONSTRUCTION HEALTH RISK ASSESSMENT

2.2.1 EMISSIONS CALCULATIONS

The emissions calculations for the construction HRA component are based on an assumed mix of construction equipment and hauling activity as presented in the *Baker Lake Elsinore Air Quality Impact Analysis* (“technical study”) prepared by Urban Crossroads, Inc. (5)

Construction related DPM emissions are expected to occur primarily as a function of the operation of heavy-duty construction equipment.

As discussed in the technical study, the Project would result in approximately 349 total working-days of construction activity. The construction duration by phase is shown in Table 2-1. A detailed summary of construction equipment assumptions by phase is provided at Table 2-2. The CalEEMod emissions outputs are presented in Appendix 2.1. The modeled emission sources for construction activity are illustrated on Exhibit 2-A. Consistent with SCAQMD's Localized Significance Threshold Methodology (6), DPM emissions from construction equipment were modeled using adjacent volume sources with a release height of 5 meters and an initial vertical dimension of 1.4 meters. On-road truck emissions were modeled as a line source (made up of multiple adjacent volume sources).

TABLE 2-1: CONSTRUCTION DURATION

Phase	Construction Activity	Start Date	End Date	Working
Project Buildout	Demolition	4/1/2026	4/24/2026	18
	Site Preparation	4/27/2026	5/11/2026	11
	Grading	5/12/2026	6/22/2026	30
	Building Construction	6/23/2026	8/2/2027	290
	Paving	6/22/2027	8/2/2027	30
	Architectural Coating	3/30/2027	8/2/2027	90
Off-Site/Lift Station Improvements	Grading	9/1/2025	9/2/2025	2
	Building Construction	9/3/2025	7/3/2026	218
	Paving	7/6/2026	7/10/2026	5
	Architectural Coating	7/13/2026	7/17/2026	5
	Linear, Grubbing &	7/20/2026	8/17/2026	21
	Linear, Grading &	8/18/2026	12/9/2026	82
	Linear, Drainage,	12/10/2026	3/19/2027	72
	Linear, Paving	3/22/2027	5/3/2027	31

TABLE 2-2: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Phase	Construction Activity	Equipment ²	Amount	Hours Per Day
Project Buildout	Demolition	Concrete/Industrial Saws	1	8
		Excavators	3	8
		Rubber Tired Dozers	2	8
	Site Preparation	Rubber Tired Dozers	3	8
		Crawler Tractors	4	8

Phase	Construction Activity	Equipment ²	Amount	Hours Per Day
	Grading	Excavators	2	8
		Graders	1	8
		Rubber Tired Dozers	1	8
		Scrapers	2	8
		Crawler Tractors	2	8
	Building Construction	Cranes	1	8
		Forklifts	3	8
		Generator Sets	1	8
		Tractors/Loaders/Backhoes	3	8
		Welders	1	8
	Paving	Pavers	2	8
		Paving Equipment	2	8
		Rollers	2	8
	Architectural Coating	Air Compressors	1	8
Off-Site/Lift Station Improvements	Grading	Graders	1	8
		Rubber Tired Dozers	1	8
		Tractors/Loaders/Backhoes	2	8
		Excavators	2	8
		Scrapers	2	8
	Building Construction	Cranes	1	8
		Forklifts	2	8
		Generator Sets	1	8
		Tractors/Loaders/Backhoes	1	8
		Welders	3	8
	Paving	Tractors/Loaders/Backhoes	1	8
		Pavers	1	8
		Paving Equipment	1	8
		Rollers	2	8
		Cement and Mortar Mixers	1	8
	Architectural Coating	Air Compressors	1	8
	Linear, Grubbing & Land Clearing	Signal Boards	2	8
		Crawler Tractors	1	8
		Excavators	1	8

Phase	Construction Activity	Equipment ²	Amount	Hours Per Day
	Linear, Grading & Excavation	Excavators	3	8
		Crawler Tractors	1	8
		Graders	1	8
		Rollers	2	8
		Scrapers	2	8
		Rubber Tired Loaders	1	8
		Signal Boards	2	8
		Tractors/Loaders/Backhoes	2	8
	Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Backhoes	2	8
		Signal Boards	2	8
		Scrapers	2	8
		Rough Terrain Forklifts	1	8
		Graders	1	8
		Plate Compactors	1	8
		Pumps	1	8
		Air Compressors	1	8
		Generator Sets	1	8
	Linear, Paving	Rollers	3	8
		Paving Equipment	1	8
		Pavers	1	8
		Tractors/Loaders/Backhoes	2	8
		Signal Boards	2	8

EXHIBIT 2-A: MODELED CONSTRUCTION EMISSION SOURCES



LEGEND:

 Mobile Construction Activity	 RCA Conserved Area
 Stationary Construction Activity	 Shared Offsite Impacts
 Disturbed EIP Excess Property	

2.3 OPERATIONAL HEALTH RISK ASSESSMENT

2.3.1 ON-SITE AND OFF-SITE TRUCK ACTIVITY

Vehicle DPM emissions were calculated using emission factors for particulate matter less than 10 μ m in diameter (PM₁₀) generated with the 2021 version of the Emission FACTor model (EMFAC) developed by the CARB. EMFAC 2021 is a mathematical model that CARB developed to calculate emission rates from motor vehicles that operate on highways, freeways, and local roads in California and is commonly used by CARB to project changes in future emissions from on-road mobile sources (7). The most recent version of this model, EMFAC 2021, incorporates regional motor vehicle data, information and estimates regarding the distribution of vehicle miles traveled (VMT) by speed, and number of starts per day.

Several distinct emission processes are included in EMFAC 2021. Emission factors calculated using EMFAC 2021 are expressed in units of grams per vehicle miles traveled (g/VMT) or grams per idle-hour (g/idle-hr), depending on the emission process. The emission processes and corresponding emission factor units associated with diesel particulate exhaust for this Project are presented below.

For this Project, annual average PM₁₀ emission factors were generated by running EMFAC 2021 in EMFAC Mode for vehicles in the Riverside County jurisdiction. The EMFAC Mode generates emission factors in terms of grams of pollutant emitted per vehicle activity and can calculate a matrix of emission factors at specific values of temperature, relative humidity, and vehicle speed. The model was run for speeds traveled in the vicinity of the Project. The vehicle travel speeds for each segment modeled are summarized below:

- Idling – on-site loading/unloading and truck trailer parking areas;
- 5 miles per hour – on-site vehicle movement including driving and maneuvering; and
- 25 miles per hour – off-site vehicle movement including driving and maneuvering.

It is expected that minimal idling would occur at nearby intersections during truck travel on study area roadways (e.g., at an intersection during a red light, or yielding to make a turn). Notwithstanding, the analysis conservatively utilizes a reduced off-site average speed of 25 miles per hour (below the posted speed limit) for travel on study area roadways. Use of a lower average speed for off-site travel results in a higher emission factor and therefore any negligible idling that would occur during truck travel along the study area is accounted for.

Calculated emission factors are shown at Table 2-3. As a conservative measure, a 2027 EMFAC 2021 run was conducted and a static 2027 emissions factor data set was used for the entire duration of analysis herein (e.g., 30 years). Use of 2027 emission factors would overstate potential impacts since this approach assumes that emission factors remain “static” and do not change over time due to fleet turnover or cleaner technology with lower emissions that would be incorporated into vehicles after 2027. Additionally, based on EMFAC 2021, Light-Heavy-Duty Trucks are comprised of 59.9% diesel, Medium-Heavy-Duty Trucks are comprised of 92.1% diesel, and Heavy-Heavy-Duty Trucks are comprised of 94.9% diesel. Trucks fueled by diesel are

accounted for by these percentages accordingly in the emissions factor generation. Appendix 2.2 includes additional details on the emissions estimates from EMFAC.

The vehicle DPM exhaust emissions were calculated for running exhaust emissions. The running exhaust emissions were calculated by applying the running exhaust PM₁₀ emission factor (g/VMT) from EMFAC over the total distance traveled. The following equation was used to estimate off-site emissions for each of the different vehicle classes comprising the mobile sources (8):

$$Emissions_{Speed A} = EF_{Run Exhaust} \times Distance \times \frac{Number of Trips per Day}{Seconds per Day}$$

Where:

$Emissions_{Speed A}$	=	Vehicle emissions at a given speed A (g/s)
$EF_{Run Exhaust}$	=	EMFAC running exhaust PM ₁₀ emission factor at speed A (g/vmt)
$Distance$	=	Total distance traveled per trip (miles)

Similar to off-site traffic, on-site vehicle running emissions were calculated by applying the running exhaust PM₁₀ emission factor (g/VMT) from EMFAC and the total vehicle trip number over the length of the driving path using the same formula presented above for on-site emissions. In addition, on-site vehicle idling exhaust emissions were calculated by applying the idle exhaust PM₁₀ emission factor (g/idle-hr) from EMFAC and the total truck trip over the total assumed idle time (15 minutes at loading docks and 5 minutes at parking spaces). The following equation was used to estimate the on-site vehicle idling emissions for each of the different vehicle classes (8):

$$Emissions_{Idle} = EF_{Idle} \times Number of Trips \times Idling Time \times \frac{60 minutes per hour}{seconds per day}$$

Where:

$Emissions_{Idle}$	=	Vehicle emissions during Idling (g/s)
EF_{Idle}	=	EMFAC idle exhaust PM ₁₀ emission factor (g/s)
$Number of Trips$	=	Number of trips per day
$Idling Time$	=	Idling time (minutes per trip)

TABLE 2-3: 2027 WEIGHTED AVERAGE DPM EMISSIONS FACTORS

Speed	Weighted Average
0 (idling)	0.04585 (g/idle-hr)
5	0.01633 (g/mile)
25	0.00723 (g/mile)

Each roadway was modeled as a line source (made up of multiple adjacent volume sources). Due to the large number of volume sources modeled for this analysis, the corresponding coordinates

of each volume source have not been included in this report but are included in Appendix 2.3. The DPM emission rate for each line volume source was calculated by multiplying the emission factor (based on the average travel speed along the roadway) by the number of trips and the distance traveled along each roadway segment, as illustrated in Table 2-4. In order to model idling emissions, line sources were modeled at the building loading docks and tractor trailer parking stalls. The modeled emission sources are illustrated on Exhibit 2-B for on-site sources and Exhibit 2-C for off-site sources. The modeling domain is limited to the Project's primary truck route and includes off-site sources in the study area for more than $\frac{1}{4}$ mile. This modeling domain is more inclusive and conservative than using only a $\frac{1}{4}$ mile modeling domain which is the distance supported by several reputable studies which conclude that the greatest potential risks occur within a $\frac{1}{4}$ mile of the primary source of emissions (1) In the case of the Project, the primary source of emissions is the on-site idling and on-site travel.

On-site truck idling was estimated to occur at building loading docks as well as in truck trailer parking areas. Although the Project's diesel-fueled truck and equipment operators will be required by State law to comply with CARB's idling limit of 5 minutes, staff at SCAQMD recommends that the on-site idling emissions be calculated assuming 15 minutes of truck idling (9), which would take into account on-site idling which occurs while the trucks are waiting to pull up to the truck bays, idling at the bays, idling at check-in and check-out, etc. As such, this analysis calculates truck idling at 15 minutes, consistent with SCAQMD's recommendation. An idling duration of 5 minutes was assumed for the truck trailer parking portions of the Project. Idling emissions at building loading docks were modeled in AERMOD as line sources, which consist of multiple adjacent volume sources.

As summarized in the *Baker Lake Elsinore Traffic Impact Analysis* prepared by EPD Solutions, Inc., the Project is expected to generate a total of approximately 2,384 actual vehicular trip-ends per day (1,192 vehicles inbound + 1,192 vehicles outbound) which includes 1,400 passenger vehicle trips (700 passenger vehicles inbound + 700 passenger vehicles outbound) and 984 two-way truck trips (492 trucks inbound per day + 492 trucks outbound) per day (4).

2.3.2 TRU EMISSIONS

In order to account for the possibility of refrigerated uses, trucks associated with the cold-storage land use are assumed to also have TRUs. For modeling purposes, a total of 95 two-way truck trips have been estimated to include TRUs. TRUs are accounted for during on-site and off-site travel. The TRU calculations are based on OFFROAD Model version 2021 (OFFROAD 2021), developed by CARB. OFFROAD 2021 does not provide emission rates per hour or mile as with the on-road emission model and only provides emission inventories. Emission results are produced in tons per day while all activity, fuel consumption and horsepower hours were reported at annual levels. The emission inventory is based on specific assumptions including the average horsepower rating of specific types of equipment and the hours of operation annually. These assumptions are not always consistent with assumptions used in the modeling of project level emissions. Therefore, the emissions inventory was converted into emission rates to accurately calculate emissions from TRU operation associated with project level details. This was accomplished by converting the annual horsepower hours to daily operational characteristics and converting the daily emission

levels into hourly emission rates based on the total emission of each criteria pollutant by equipment type and the average daily hours of operations.

2.3.2 EMERGENCY GENERATOR

It is conservatively assumed that the proposed Project would include installation of three emergency generators, two at the industrial buildings and one at the off-site lift station, as shown on Exhibit 2-B. The generators would be diesel fueled and potentially would result in exposure of sensitive receptors to DPM. Based on the CalEEMod output presented in the Project air quality impact analysis, it is estimated that the two generators at the industrial buildings would be rated at 300 brake horsepower (bhp) and the one generator at the off-site lift station would be rated at 350 brake horsepower (bhp). The analysis assumed that the generators could potentially operate for up to one hour per day, one day per week, for a total of 50 hours per year for maintenance and testing purposes. Consistent with SCAQMD guidance, the emergency generators were modeled as a point source. Because detailed engine specifications are not known at this time, release parameters (including exhaust height, diameter, temperature, and flow rate) were obtained from the California Air Pollution Control Officers Association Facility Prioritization Guidelines (10).

EXHIBIT 2-B: MODELED ON-SITE EMISSION SOURCES




EXHIBIT 2-C: MODELED OFF-SITE EMISSION SOURCES




TABLE 2-4: DPM EMISSIONS FROM PROJECT TRUCKS

Truck Emission Rates							
Source	Trucks Per Day	VM ^a (miles/day)	Truck Emission Rate ^b (grams/mile)	Truck Emission Rate ^b (grams/idle-hour)	Daily Truck Emissions ^c (grams/day)	TRU Emissions (grams/day) ^d	Modeled Emission Rates (g/second)
On-Site Dock Door Idling - Building 1	104			0.1436	3.75	24.46	3.264E-04
On-Site Trailer Parking Idling - Building 1	104			0.1436	1.25	0.00	1.445E-05
On-Site Dock Door Idling - Building 2	388			0.1436	13.93	0.00	1.613E-04
On-Site Trailer Parking (N) Idling - Building 2	388			0.1436	4.64	0.00	5.375E-05
On-Site Trailer Parking (N) Idling - NorthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (S) Idling - NorthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (N) Idling - SouthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (S) Idling - SouthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (W) Idling - SCE Easement	194			0.1436	2.32	0.00	2.688E-05
On-Site Trailer Parking (E) Idling - SCE Easement	194			0.1436	2.32	0.00	2.688E-05
On-Site Travel - Building 1	209	57.55	0.0237		1.36	1.31	3.090E-05
On-Site Travel - Building 2 (Rear)	388	188.43	0.0237		4.46	0.00	5.160E-05
On-Site Travel - Building 2	388	173.95	0.0237		4.12	0.00	4.764E-05
On-Site Travel - Eastern Lot	149	54.22	0.0237		1.28	0.00	1.485E-05
On-Site Travel - SCE Easement	81	6.30	0.0237		0.15	0.00	1.724E-06
Off-Site Travel - Baker St 100%	985	607.46	0.0108		6.57	0.59	8.282E-05
Off-Site Travel - Nichols Road 100% (E)	985	376.96	0.0108		4.08	0.36	5.139E-05
Off-Site Travel - Nichols Road 50% (E)	493	63.29	0.0108		0.68	0.06	8.628E-06
Off-Site Travel - I-15 Off-Ramp SB 30%	246	50.04	0.0108		0.54	0.05	6.822E-06
Off-Site Travel - I-15 On-Ramp SB 30%	246	63.10	0.0108		0.68	0.06	8.603E-06
Off-Site Travel - I-15 Off-Ramp NB 30%	246	48.46	0.0108		0.52	0.05	6.607E-06
Off-Site Travel - I-15 On-Ramp NB 30%	246	56.55	0.0108		0.61	0.05	7.710E-06

^a Vehicle miles traveled are for modeled truck route only.

^b Emission rates determined using EMFAC 2021. Idle emission rates are expressed in grams per idle hour rather than grams per mile.

^c This column includes the total truck travel and truck idle emissions. For idle emissions this column includes emissions based on the assumption that each truck idles for 15 minutes at loading docks and 5 minutes at parking spaces.

^d It is assumed that each TRU operates for 2.1 hours while parked at building loading docks.

2.4 EXPOSURE QUANTIFICATION

The analysis herein has been conducted in accordance with the guidelines in the Health Risk Assessment Guidance for Analyzing Cancer Risks from Mobile Source Diesel Idling Emissions for CEQA Air Quality Analysis (2). The Environmental Protection Agency's (U.S. EPA's) AERMOD model has been utilized. For purposes of this analysis, the Lakes AERMOD View (Version 12.0.0) was used to calculate annual average particulate concentrations associated with site operations. Lakes AERMOD View was utilized to incorporate the U.S. EPA's latest AERMOD Version 23132 (11).

The model offers additional flexibility by allowing the user to assign an initial release height and vertical dispersion parameters for mobile sources representative of a roadway. For this HRA, the roadways were modeled as adjacent volume sources. Roadways were modeled using the U.S. EPA's haul route methodology for modeling of on-site and off-site truck movement. More specifically, the Haul Road Volume Source Calculator in Lakes AERMOD View has been utilized to determine the release height parameters. Based on the US EPA methodology, the Project's modeled sources would result in a release height of 3.49 meters and an initial lateral dimension of 4.0 meters, and an initial vertical dimension of 3.25 meters.

Model parameters are presented in Table 2-5 (12). The model requires additional input parameters including emission data and local meteorology. Meteorological data from the SCAQMD's Lake Elsinore monitoring station was used to represent local weather conditions and prevailing winds (13).

TABLE 2-5: AERMOD MODEL PARAMETERS

Dispersion Coefficient (Urban/Rural)	Urban (population 2,189,641)
Terrain (Flat/Elevated)	Elevated (Regulatory Default)
Averaging Time	1 year (5-year Meteorological Data Set)
Receptor Height	0 meters (Regulatory Default)

Universal Transverse Mercator (UTM) coordinates for World Geodetic System (WGS) 84 were used to locate the Project site boundaries, each volume source location, and receptor locations in the Project vicinity. The AERMOD dispersion model summary output files for the Project are presented in Appendix 2.3. Modeled sensitive receptors were placed at residential and non-residential locations.

Receptors may be placed at applicable structure locations for residential and worker property and not necessarily the boundaries of the properties containing these uses because the human receptors (residents and workers) spend a majority of their time at the residence or in the workplace's building, and not on the property line. It should be noted that the primary purpose of receptor placement is focused on long-term exposure. For example, the HRA evaluates the potential health risks to residents, workers and school children over a period of 30, 25, or 9 years of exposure, respectively. Notwithstanding, as a conservative measure, receptors were placed at either the outdoor living area or the building façade, whichever is closer to the Project site.

Discrete receptors were placed in all directions nearest to the Project site and Project truck routes in order to account for the predominant wind directions in the Project vicinity.

For purposes of this HRA, receptors include both residential and non-residential (worker) land uses in the vicinity of the Project. These receptors are included in the HRA since residents, workers, and school children may be exposed at these locations over a long-term duration of 30, 25, and 9 years, respectively. This methodology is consistent with SCAQMD and OEHHA recommended guidance.

Any impacts to residents or workers located further away from the Project site than the modeled residential and workers in a given direction would have a lesser impact than what has already been disclosed in the HRA at the MEIR, MEISC and MEIW because concentrations dissipate with distance.

All receptors were set to existing elevation height so that only ground-level concentrations are analyzed. United States Geological Survey (USGS) Digital Elevation Model (DEM) terrain data based on a 7.5-minute topographic quadrangle map series using AERMAP was utilized in the HRA modeling to set elevations (14).

Discrete variants for daily breathing rates, exposure frequency, fraction of time at home, and exposure duration were obtained from relevant distribution profiles presented in the 2015 OEHHA Guidelines. Tables 2-6 through 2-9 summarize the Exposure Parameters for residents, workers and school children based on 2015 OEHHA Guidelines. Appendix 2.4 includes the detailed risk calculation.

TABLE 2-6: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (CONSTRUCTION ACTIVITY)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Fraction of Time at Home	Exposure Frequency (days/year)	Exposure Time (hours/day)
0 to 2	1,090	10	1.92	0.91	250	8

TABLE 2-7: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (30 YEAR RESIDENTIAL)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Fraction of Time at Home	Exposure Frequency (days/year)	Exposure Time (hours/day)
-0.25 to 0	361	10	0.25	0.85	350	24
0 to 2	1,090	10	2	0.85	350	24
2 to 16	572	3	14	0.72	350	24
16 to 30	261	1	14	0.73	350	24

TABLE 2-8: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (25 YEAR WORKER)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year)	Exposure Time (hours/day)
16 to 41	230	1	25	250	12

TABLE 2-9: EXPOSURE ASSUMPTIONS FOR INDIVIDUAL CANCER RISK (9 YEAR SCHOOL CHILD)

Age	Daily Breathing Rate (L/kg-day)	Age Specific Factor	Exposure Duration (years)	Exposure Frequency (days/year) ^a	Exposure Time (hours/day)
4 to 13	631	3	9	180	12
^a To represent the unique characteristics of the school-based population, the assessment employed the U.S. Environmental Protection Agency's guidance to develop viable dose estimates based on reasonable maximum exposures (RME). RME's are defined as the "highest exposure that is reasonably expected to occur" for a given receptor population. As a result, lifetime risk values for the student population were adjusted to account for an exposure duration of 180 days per year for nine (9) years. The 9 year exposure duration is also consistent with OEHHA Recommendations and consistent with the exposure duration utilized in school-based risk assessments for various schools within the Los Angeles County Unified School District (LAUSD) that have been accepted by the SCAQMD.					

2.5 CARCINOGENIC CHEMICAL RISK

Excess cancer risks are estimated as the upper-bound incremental probability that an individual will develop cancer over a lifetime as a direct result of exposure to potential carcinogens over a specified exposure duration. The estimated risk is expressed as a unitless probability. The cancer risk attributed to a chemical is calculated by multiplying the chemical intake or dose at the human exchange boundaries (e.g., lungs) by the chemical-specific cancer potency factor (CPF). A risk level of 10 in one million implies a likelihood that up to 10 people out of one million equally exposed people would contract cancer if exposed continuously (24 hours per day) to the levels of toxic air contaminants over a specified duration of time.

Guidance from CARB and the California Environmental Protection Agency, Office of Environmental Health Hazard Assessment (OEHHA) recommends a refinement to the standard point estimate approach when alternate human body weights and breathing rates are utilized to assess risk for susceptible subpopulations such as children. For the inhalation pathway, the procedure requires the incorporation of several discrete variates to effectively quantify dose. Once determined, contaminant dose is multiplied by the cancer potency factor (CPF) in units of inverse dose expressed in milligrams per kilogram per day (mg/kg/day)⁻¹ to derive the cancer risk estimate. Therefore, to assess exposures, the following dose algorithm was utilized.

$$DOSE_{AIR} = \left(C_{AIR} \times \frac{BR}{BW} \times A \times EF \right) \times (1 \times 10^{-6})$$

Where:

$$DOSE_{AIR} = \text{chronic daily intake (mg/kg/day)}$$

C_{AIR}	=	concentration of contaminant in air ($\mu\text{g}/\text{m}^3$)
$\frac{BR}{BW}$	=	daily breathing rate normalized to body weight (L/kg BW-day)
A	=	inhalation absorption factor
EF	=	exposure frequency (days/365 days)
BW	=	body weight (kg)
1×10^{-6}	=	conversion factors (μg to mg , L to m^3)

$$RISK_{AIR} = DOSE_{AIR} \times CPF \times ASF \times FAH \times \frac{ED}{AT}$$

Where:

$DOSE_{AIR}$	=	chronic daily intake ($\text{mg}/\text{kg}/\text{day}$)
CPF	=	cancer potency factor
ASF	=	age sensitivity factor
FAH	=	fraction of time at home
ED	=	number of years within particular age group
AT	=	averaging time

2.6 NON-CARCINOGENIC EXPOSURES

An evaluation of the potential noncarcinogenic effects of chronic exposures was also conducted. Adverse health effects are evaluated by comparing a compound's annual concentration with its toxicity factor or Reference Exposure Level (REL). The REL for diesel particulates was obtained from OEHHA for this analysis. The chronic reference exposure level (REL) for DPM was established by OEHHA as $5 \mu\text{g}/\text{m}^3$ (15).

Non-cancer health effects are expressed as a hazard index (HI), which is calculated using the following equation:

$$HI_{DPM} = \frac{C_{DPM}}{REL_{DPM}}$$

Where:

HI_{DPM}	=	Hazard index (unitless)
C_{DPM}	=	Annual average DPM concentration ($\mu\text{g}/\text{m}^3$)

REL_{DPM} = REL for DPM (the DPM concentration at which no adverse health effects are anticipated).

2.7 POTENTIAL PROJECT DPM-SOURCE CANCER AND NON-CANCER RISKS

CONSTRUCTION IMPACTS

The land use with the greatest potential exposure to Project construction-source DPM emissions is Location R6 which is located approximately 155 feet east of the Project site at an existing residence located at 17401 Baker Street. R6 is placed in the private outdoor living areas (backyard) facing the Project site. At the maximally exposed individual receptor (MEIR), the maximum incremental cancer risk attributable to Project construction-source DPM emissions is estimated at 1.35 in one million, which is less than the South Coast Air Quality Management District (SCAQMD) significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be ≤ 0.01 , which would not exceed the applicable threshold of 1.0. Although Location R6 is not the nearest receptor to the Project site, R6 would experience the highest concentrations of DPM during Project construction due to its location and meteorological conditions at the site. Because all other modeled receptors would experience lower concentrations of DPM during Project construction, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction activity. All other receptors during construction activity would experience less risk than what is identified for this location.

OPERATIONAL IMPACTS

Residential Exposure Scenario:

The residential land use with the greatest potential exposure to Project operational-source DPM emissions is Location R1 which is located approximately 92 feet east of the Project site at an existing residence located at 28750 Pierce Street. R1 is placed in the private outdoor living area (backyard) facing the Project site. At this location, the maximum incremental cancer risk attributable to Project operational-source DPM emissions is estimated at 5.95 in one million which would not exceed the SCAQMD's significance threshold of 10 in one million. At this same location, non-cancer risks were estimated to be 0.01 which would not exceed the applicable significance threshold of 1.0.

Location R1 is the nearest receptor to the Project site and would experience the highest concentrations of DPM from Project operation due to its location and meteorological conditions at the Project site. Because all other modeled receptors would be exposed to lower concentrations of DPM, all other receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIR identified herein. As such, the Project will not cause a significant human health or cancer risk to nearby residences.

Worker Exposure Scenario³:

The worker receptor land use with the greatest potential exposure to Project operational-source DPM emissions is Location R7, which represents the potential worker receptor located approximately 1,890 feet northeast of the Project site. The maximally exposed individual worker (MEIW) is the worker receptor location that would experience the highest modeled concentrations of DPM, and thus the highest risk. At the MEIW, the maximum incremental cancer risk impact is 0.54 in one million which is less than the SCAQMD's threshold of 10 in one million. Maximum non-cancer risks at this same location were estimated to be ≤ 0.01 which would not exceed the applicable significance threshold of 1.0. Because all other modeled worker receptors would be exposed to lower concentrations of DPM, all other worker receptors in the vicinity of the Project would be exposed to less emissions and therefore less risk than the MEIW identified herein. As such, the Project will not cause a significant human health or cancer risk to adjacent workers.

School Child Exposure Scenario:

Proximity to sources of toxics is critical to determining the impact. In traffic-related studies, the additional non-cancer health risk attributable to proximity was seen within 1,000 feet and was strongest within 300 feet. California freeway studies show about a 70-percent drop-off in particulate pollution levels at 500 feet. Based on California Air Resources Board (CARB) and SCAQMD emissions and modeling analyses, an 80-percent drop-off in pollutant concentrations is expected at approximately 1,000 feet from a distribution center (1).

The 1,000-foot evaluation distance is supported by research-based findings concerning Toxic Air Contaminant (TAC) emission dispersion rates from roadways and large sources showing that emissions diminish substantially between 500 and 1,000 feet from emission sources.

A one-quarter mile radius, or 1,320 feet, is commonly utilized for identifying sensitive receptors, such as schools, that may be impacted by a proposed project. This radius is more robust than, and therefore provides a more health protective scenario for evaluation than the 1,000-foot impact radius identified above. Notwithstanding, for full disclosure purposes, the nearest school was also evaluated.

The nearest school and location of the maximally exposed individual school child (MEISC) is Temescal Valley High School, located approximately 2,347 feet northeast of the Project site and represented by Receptor R8. At the MEISC, the maximum incremental cancer risk impact attributable to the Project is calculated to be 0.17 in one million, which is less than the significance threshold of 10 in one million. At this same location, non-cancer risks attributable to the Project were calculated to be ≤ 0.01 , which would not exceed the applicable significance threshold of 1.0. Because all other modeled school receptors would be exposed to lower

3 SCAQMD guidance does not require assessment of the potential health risk to on-site workers. Excerpts from the document OEHH Air Toxics Hot Spots Program Risk Assessment Guidelines—The Air Toxics Hot Spots Program Guidance Manual for Preparation of Health Risk Assessments (OEHHA 2003), also indicate that it is not necessary to examine the health effects to on-site workers unless required by RCRA (Resource Conservation and Recovery Act) / CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) or the worker resides on-site.

concentrations of DPM, all other school receptors in the vicinity of the of the Project would be exposed to less emissions and therefore less risk than the MEISC identified herein.

CONSTRUCTION AND OPERATIONAL IMPACTS

This analysis considers a conservative scenario in which a child at a nearby residence is exposed to Project construction-related DPM emissions from birth for the expected one year of Project construction and is then exposed to Project operational emissions for the remaining 28.08 years of the 30-year residential exposure scenario.

The land use with the greatest potential exposure to Project construction-source and operational-source DPM emissions is Location R6. At the MEIR, the maximum incremental cancer risk attributable to Project construction-source and operational-source DPM emissions is estimated at 4.20 in one million which is less than the threshold of 10 in one million. At this same location, non-cancer risks were estimated to be 0.01 under both scenarios, which would not exceed the applicable threshold of 1.0. As such, the Project will not cause a significant human health or cancer risk to adjacent land uses as a result of Project construction and operational activity. All other receptors during construction and operational activity would experience less risk than what is identified for this location.

It should be noted that for clarity purposes, the receptors presented in Exhibit 2-D do not represent all modeled receptors and instead presents the nearest receptors that would experience the highest pollutant concentrations. A total of 46 receptors were modeled in the analysis. Appendix 2.5 presents a figure detailing the locations of all receptors as modeled in AERMOD.

EXHIBIT 2-D: RECEPTOR LOCATIONS



This page intentionally left blank

3 REFERENCES

1. **Air Resources Board.** *Air Quality and Land Use Handbook: A Community Health Perspective.* 2005.
2. **South Coast Air Quality Management District.** Mobile Source Toxics Analysis. [Online] 2003. http://www.aqmd.gov/ceqa/handbook/mobile_toxic/mobile_toxic.html.
3. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. [Cited: June 6, 2019.] <http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf?sfvrsn=2>.
4. **EPD Solutions, Inc.** *Baker Lake Elsinore Traffic Impact Analysis.* 2024.
5. —. *Baker Lake Elsinore Air Quality Impact Analysis.* 2024.
6. **South Coast Air Quality Management District.** *Final Localized Significance Threshold Methodology.* 2008.
7. **California Air Resources Board.** EMFAC 2021. [Online] <https://arb.ca.gov/emfac/>.
8. **California Department of Transportation.** EMFAC Software. [Online] <http://www.dot.ca.gov/hq/env/air/pages/emfac.htm>.
9. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan (AQMP). [Online] March 2017. <http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf?sfvrsn=11>.
10. **California Air Pollution Control Officers Association.** *Air Toxic "Hot Spots" Program Facility Prioritization Guidelines.* 2016.
11. **Environmental Protection Agency.** User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] June 2022. https://gaftp.epa.gov/Air/aqmg/SCRAM/models/preferred/aermod/aermod_userguide.pdf.
12. —. User's Guide for the AMS/EPA Regulatory Model (AERMOD). [Online] April 2018. https://www3.epa.gov/ttn/scram/models/aermod/aermod_userguide.pdf.
13. **South Coast Air Quality Management District.** Data for AERMOD. [Online] [Cited: May 9, 2022.] <https://www.aqmd.gov/home/air-quality/air-quality-data-studies/meteorological-data/data-for-aermod>.
14. **Environmental Protection Agency.** User's Guide for the AERMOD Terrain Preprocessor (AERMAP). [Online] 2018. https://gaftp.epa.gov/Air/aqmg/SCRAM/models/related/aermap/aermap_userguide_v18081.pdf.
15. **Office of Environmental Health Hazard Assessment.** Chemical Toxicity Database. [Online] <https://oehha.ca.gov/chemicals>.

This page intentionally left blank

4 CERTIFICATIONS

The contents of this health risk assessment represent an accurate depiction of the impacts to sensitive receptors associated with the proposed Baker Lake Elsinore. The information contained in this health risk assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me at (949) 660-1994.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
(949) 660-1994
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Environmental Site Assessment – American Society for Testing and Materials • June 2013
Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – California Air Resources Board • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 2.1:

CALEEMOD OUTPUTS

15852 - Baker Industrial (Tier 4) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

3.3. Site Preparation (2026) - Unmitigated

3.5. Grading (2026) - Unmitigated

3.7. Building Construction (2026) - Unmitigated

3.9. Building Construction (2027) - Unmitigated

3.11. Paving (2027) - Unmitigated

3.13. Architectural Coating (2027) - Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15852 - Baker Industrial (Tier 4)
Construction Start Date	4/1/2026
Operational Year	2027
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	21.8
Location	33.703271, -117.365751
County	Riverside-South Coast
City	Lake Elsinore
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5527
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.25

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description

Refrigerated Warehouse-No Rail	100	1000sqft	2.31	100,451	88,930	—	—	Trucks
Manufacturing	100	1000sqft	2.30	100,045	88,930	—	—	Trucks
Parking Lot	805	Space	7.34	0.00	0.00	—	—	—
Other Asphalt Surfaces	35.5	Acre	35.5	0.00	0.00	—	—	—
User Defined Industrial	1,000	User Defined Unit	0.00	0.00	0.00	—	—	PC
Unrefrigerated Warehouse-No Rail	800	1000sqft	18.4	800,361	711,440	—	—	Trucks

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	64.2	63.8	36.0	63.4	0.16	0.47	7.95	8.23	0.46	2.75	2.86	—	21,519	21,519	0.56	2.38	32.1	22,275
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	60.0	59.7	17.3	43.6	0.06	0.19	7.76	7.95	0.19	1.87	2.05	—	13,109	13,109	0.29	0.86	0.82	13,375
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	15.5	15.4	10.2	20.7	0.04	0.11	3.23	3.33	0.11	0.86	0.96	—	6,696	6,696	0.17	0.53	6.14	6,863

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	2.84	2.81	1.85	3.77	0.01	0.02	0.59	0.61	0.02	0.16	0.18	—	1,109	1,109	0.03	0.09	1.02	1,136

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.51	2.21	36.0	47.2	0.16	0.47	6.84	7.31	0.46	2.75	2.86	—	21,519	21,519	0.56	2.38	31.0	22,275
2027	64.2	63.8	24.1	63.4	0.07	0.28	7.95	8.23	0.27	1.91	2.18	—	15,369	15,369	0.35	0.88	32.1	15,673
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	2.41	2.11	15.9	40.0	0.06	0.15	6.66	6.81	0.15	1.61	1.76	—	12,057	12,057	0.28	0.86	0.80	12,322
2027	60.0	59.7	17.3	43.6	0.06	0.19	7.76	7.95	0.19	1.87	2.05	—	13,109	13,109	0.29	0.86	0.82	13,375
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	1.08	0.93	10.2	20.7	0.04	0.11	3.23	3.33	0.11	0.86	0.96	—	6,696	6,696	0.17	0.53	6.14	6,863
2027	15.5	15.4	7.61	18.7	0.03	0.08	3.03	3.11	0.08	0.73	0.81	—	5,449	5,449	0.13	0.36	5.44	5,564
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	0.20	0.17	1.85	3.77	0.01	0.02	0.59	0.61	0.02	0.16	0.18	—	1,109	1,109	0.03	0.09	1.02	1,136
2027	2.84	2.81	1.39	3.42	< 0.005	0.01	0.55	0.57	0.01	0.13	0.15	—	902	902	0.02	0.06	0.90	921

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	42.5	39.6	80.5	172	0.91	1.56	48.6	50.2	1.48	12.7	14.1	967	103,904	104,871	100	12.0	403	111,348
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	34.4	32.1	83.8	108	0.89	1.49	48.6	50.1	1.42	12.7	14.1	967	101,906	102,873	100	12.0	119	109,079
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	36.1	34.1	61.3	111	0.66	1.06	35.5	36.6	1.01	9.26	10.3	967	77,646	78,613	99.9	9.20	205	84,058
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.59	6.22	11.2	20.3	0.12	0.19	6.49	6.68	0.18	1.69	1.87	160	12,855	13,015	16.5	1.52	33.9	13,917

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	10.7	8.50	77.3	126	0.90	1.34	48.6	49.9	1.28	12.7	13.9	—	94,905	94,905	1.83	10.8	291	98,454
Area	30.7	30.1	0.37	43.5	< 0.005	0.08	—	0.08	0.06	—	0.06	—	179	179	0.01	< 0.005	—	180
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	6,751	6,751	0.64	0.08	—	6,790
Water	—	—	—	—	—	—	—	—	—	—	—	444	1,565	2,009	45.6	1.10	—	3,477
Waste	—	—	—	—	—	—	—	—	—	—	—	523	0.00	523	52.3	0.00	—	1,831
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112	112
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	42.5	39.6	80.5	172	0.91	1.56	48.6	50.2	1.48	12.7	14.1	967	103,904	104,871	100	12.0	403	111,348

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	10.3	8.19	81.1	106	0.88	1.34	48.6	49.9	1.28	12.7	13.9	—	93,086	93,086	1.84	10.8	7.56	96,364
Area	23.0	23.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	6,751	6,751	0.64	0.08	—	6,790
Water	—	—	—	—	—	—	—	—	—	—	—	444	1,565	2,009	45.6	1.10	—	3,477
Waste	—	—	—	—	—	—	—	—	—	—	—	523	0.00	523	52.3	0.00	—	1,831
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112	112
Stationary	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	34.4	32.1	83.8	108	0.89	1.49	48.6	50.1	1.42	12.7	14.1	967	101,906	102,873	100	12.0	119	109,079
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.66	6.06	60.7	80.9	0.66	0.99	35.5	36.5	0.95	9.26	10.2	—	69,138	69,138	1.36	8.02	93.1	71,656
Area	28.3	27.9	0.25	29.8	< 0.005	0.05	—	0.05	0.04	—	0.04	—	123	123	0.01	< 0.005	—	123
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	6,751	6,751	0.64	0.08	—	6,790
Water	—	—	—	—	—	—	—	—	—	—	—	444	1,565	2,009	45.6	1.10	—	3,477
Waste	—	—	—	—	—	—	—	—	—	—	—	523	0.00	523	52.3	0.00	—	1,831
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112	112
Stationary	0.15	0.13	0.38	0.34	< 0.005	0.02	0.00	0.02	0.02	0.00	0.02	0.00	69.0	69.0	< 0.005	< 0.005	0.00	69.2
Total	36.1	34.1	61.3	111	0.66	1.06	35.5	36.6	1.01	9.26	10.3	967	77,646	78,613	99.9	9.20	205	84,058
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.40	1.11	11.1	14.8	0.12	0.18	6.49	6.67	0.17	1.69	1.86	—	11,447	11,447	0.23	1.33	15.4	11,863
Area	5.16	5.09	0.05	5.44	< 0.005	0.01	—	0.01	0.01	—	0.01	—	20.3	20.3	< 0.005	< 0.005	—	20.4
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	1,118	1,118	0.11	0.01	—	1,124
Water	—	—	—	—	—	—	—	—	—	—	—	73.4	259	333	7.55	0.18	—	576
Waste	—	—	—	—	—	—	—	—	—	—	—	86.6	0.00	86.6	8.66	0.00	—	303

Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18.5	18.5
Stationary	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	6.59	6.22	11.2	20.3	0.12	0.19	6.49	6.68	0.18	1.69	1.87	160	12,855	13,015	16.5	1.52	33.9	13,917

3. Construction Emissions Details

3.1. Demolition (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.41	0.41	11.9	18.2	0.03	0.20	—	0.20	0.19	—	0.19	—	3,427	3,427	0.14	0.03	—	3,438
Demolition	—	—	—	—	—	—	0.13	0.13	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.59	0.90	< 0.005	0.01	—	0.01	0.01	—	0.01	—	169	169	0.01	< 0.005	—	170
Demolition	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	< 0.005	< 0.005	0.11	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.0	28.0	< 0.005	< 0.005	—	28.1
Demolition	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.06	1.08	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	207	207	0.01	0.01	0.70	210
Vendor	0.01	0.01	0.26	0.08	< 0.005	< 0.005	0.07	0.07	< 0.005	0.02	0.02	—	241	241	0.01	0.04	0.66	253
Hauling	< 0.005	< 0.005	0.11	0.03	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	102	102	< 0.005	0.02	0.21	107
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.50	9.50	< 0.005	< 0.005	0.01	9.63
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	11.9	11.9	< 0.005	< 0.005	0.01	12.4
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.01	5.01	< 0.005	< 0.005	< 0.005	5.26
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.57	1.57	< 0.005	< 0.005	< 0.005	1.59
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.97	1.97	< 0.005	< 0.005	< 0.005	2.06
Hauling	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.83	0.83	< 0.005	< 0.005	< 0.005	0.87

3.3. Site Preparation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.68	0.68	15.7	30.0	0.05	0.10	—	0.10	0.10	—	0.10	—	5,532	5,532	0.22	0.04	—	5,551
Dust From Material Movement	—	—	—	—	—	—	5.66	5.66	—	2.69	2.69	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.47	0.90	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	167	167	0.01	< 0.005	—	167
Dust From Material Movement	—	—	—	—	—	—	0.17	0.17	—	0.08	0.08	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.09	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	27.6	27.6	< 0.005	< 0.005	—	27.7
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.07	1.26	0.00	0.00	0.23	0.23	0.00	0.05	0.05	—	241	241	0.01	0.01	0.82	245
Vendor	0.01	< 0.005	0.16	0.05	< 0.005	< 0.005	0.04	0.05	< 0.005	0.01	0.01	—	151	151	< 0.005	0.02	0.41	158
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.77	6.77	< 0.005	< 0.005	0.01	6.86
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.54	4.54	< 0.005	< 0.005	0.01	4.75
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.12	1.12	< 0.005	< 0.005	< 0.005	1.14
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.75	0.75	< 0.005	< 0.005	< 0.005	0.79
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.82	0.82	19.9	36.2	0.06	0.18	—	0.18	0.18	—	0.18	—	6,715	6,715	0.27	0.05	—	6,738

Dust From Material Movement	—	—	—	—	—	—	2.69	2.69	—	0.98	0.98	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.07	1.64	2.97	0.01	0.02	—	0.02	0.01	—	0.01	—	552	552	0.02	< 0.005	—	554
Dust From Material Movement	—	—	—	—	—	—	0.22	0.22	—	0.08	0.08	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.30	0.54	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	91.4	91.4	< 0.005	< 0.005	—	91.7
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.08	1.44	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	276	276	0.01	0.01	0.93	280
Vendor	0.02	0.01	0.45	0.14	< 0.005	0.01	0.12	0.13	0.01	0.03	0.04	—	421	421	0.01	0.07	1.15	442
Hauling	0.60	0.23	15.5	3.80	0.10	0.28	3.77	4.05	0.28	1.06	1.33	—	14,107	14,107	0.27	2.26	28.9	14,814

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.09	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	21.1	21.1	< 0.005	< 0.005	0.03	21.4
Vendor	< 0.005	< 0.005	0.04	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	34.6	34.6	< 0.005	0.01	0.04	36.3
Hauling	0.05	0.02	1.34	0.31	0.01	0.02	0.31	0.33	0.02	0.09	0.11	—	1,160	1,160	0.02	0.19	1.03	1,217
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.50	3.50	< 0.005	< 0.005	0.01	3.54
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.74	5.74	< 0.005	< 0.005	0.01	6.01
Hauling	0.01	< 0.005	0.24	0.06	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	192	192	< 0.005	0.03	0.17	201

3.7. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.35	0.35	9.48	15.7	0.03	0.09	—	0.09	0.09	—	0.09	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.35	0.35	9.48	15.7	0.03	0.09	—	0.09	0.09	—	0.09	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.13	0.13	3.56	5.89	0.01	0.03	—	0.03	0.03	—	0.03	—	988	988	0.04	0.01	—	992
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.65	1.07	< 0.005	0.01	—	0.01	0.01	—	0.01	—	164	164	0.01	< 0.005	—	164
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.98	1.78	1.65	30.2	0.00	0.00	5.49	5.49	0.00	1.29	1.29	—	5,797	5,797	0.25	0.20	19.6	5,882
Vendor	0.19	0.09	4.37	1.36	0.03	0.06	1.16	1.22	0.06	0.32	0.38	—	4,094	4,094	0.09	0.63	11.2	4,296
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.89	1.68	1.84	22.9	0.00	0.00	5.49	5.49	0.00	1.29	1.29	—	5,331	5,331	0.08	0.21	0.51	5,395
Vendor	0.18	0.08	4.56	1.39	0.03	0.06	1.16	1.22	0.06	0.32	0.38	—	4,097	4,097	0.09	0.63	0.29	4,288
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.71	0.63	0.76	9.00	0.00	0.00	2.04	2.04	0.00	0.48	0.48	—	2,028	2,028	0.03	0.08	3.19	2,056
Vendor	0.07	0.03	1.72	0.52	0.01	0.02	0.43	0.46	0.02	0.12	0.14	—	1,539	1,539	0.03	0.24	1.81	1,612
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.11	0.14	1.64	0.00	0.00	0.37	0.37	0.00	0.09	0.09	—	336	336	0.01	0.01	0.53	340

Vendor	0.01	0.01	0.31	0.09	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.03	—	255	255	0.01	0.04	0.30	267
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.35	0.35	9.48	15.7	0.03	0.09	—	0.09	0.09	—	0.09	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.35	0.35	9.48	15.7	0.03	0.09	—	0.09	0.09	—	0.09	—	2,630	2,630	0.11	0.02	—	2,639
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.15	0.15	3.97	6.56	0.01	0.04	—	0.04	0.04	—	0.04	—	1,101	1,101	0.04	0.01	—	1,105
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.72	1.20	< 0.005	0.01	—	0.01	0.01	—	0.01	—	182	182	0.01	< 0.005	—	183
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.90	1.69	1.46	27.9	0.00	0.00	5.49	5.49	0.00	1.29	1.29	—	5,690	5,690	0.06	0.20	17.7	5,769
Vendor	0.18	0.08	4.20	1.32	0.03	0.06	1.16	1.22	0.06	0.32	0.38	—	4,019	4,019	0.09	0.60	10.2	4,211
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	1.80	1.59	1.65	21.1	0.00	0.00	5.49	5.49	0.00	1.29	1.29	—	5,233	5,233	0.07	0.20	0.46	5,295
Vendor	0.18	0.08	4.39	1.36	0.03	0.06	1.16	1.22	0.06	0.32	0.38	—	4,022	4,022	0.09	0.60	0.27	4,204
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.75	0.67	0.76	9.28	0.00	0.00	2.27	2.27	0.00	0.53	0.53	—	2,219	2,219	0.03	0.08	3.19	2,248
Vendor	0.08	0.03	1.84	0.56	0.01	0.03	0.48	0.51	0.03	0.13	0.16	—	1,684	1,684	0.04	0.25	1.85	1,762
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.14	0.12	0.14	1.69	0.00	0.00	0.41	0.41	0.00	0.10	0.10	—	367	367	0.01	0.01	0.53	372
Vendor	0.01	0.01	0.34	0.10	< 0.005	< 0.005	0.09	0.09	< 0.005	0.02	0.03	—	279	279	0.01	0.04	0.31	292
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.23	0.23	7.21	10.6	0.01	0.09	—	0.09	0.08	—	0.08	—	1,511	1,511	0.06	0.01	—	1,516
Paving	3.74	3.74	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.59	0.87	< 0.005	0.01	—	0.01	0.01	—	0.01	—	124	124	0.01	< 0.005	—	125
Paving	0.31	0.31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.11	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.6	20.6	< 0.005	< 0.005	—	20.6
Paving	0.06	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.05	1.00	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	203	203	< 0.005	0.01	0.63	206
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.01	< 0.005	0.01	0.06	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	15.5	15.5	< 0.005	< 0.005	0.02	15.7
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.57	2.57	< 0.005	< 0.005	< 0.005	2.61
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	1.43	1.28	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	57.3	57.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	1.43	1.28	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Architect ural Coatings	57.3	57.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.35	0.32	< 0.005	0.01	—	0.01	0.01	—	0.01	—	43.9	43.9	< 0.005	< 0.005	—	44.0
Architect ural Coatings	14.1	14.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.06	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	7.27	7.27	< 0.005	< 0.005	—	7.29
Architect ural Coatings	2.58	2.58	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.38	0.34	0.29	5.58	0.00	0.00	1.10	1.10	0.00	0.26	0.26	—	1,138	1,138	0.01	0.04	3.54	1,154
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.36	0.32	0.33	4.22	0.00	0.00	1.10	1.10	0.00	0.26	0.26	—	1,047	1,047	0.01	0.04	0.09	1,059
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.09	1.09	0.00	0.00	0.27	0.27	0.00	0.06	0.06	—	261	261	< 0.005	0.01	0.38	265

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.01	0.02	0.20	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	43.3	43.3	< 0.005	< 0.005	0.06	43.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.35	0.22	6.94	2.45	0.06	0.12	2.38	2.50	0.11	0.64	0.75	—	6,692	6,692	0.11	0.96	21.3	7,003
Manufacturing	0.45	0.24	10.7	2.98	0.10	0.18	3.47	3.65	0.17	0.93	1.10	—	10,969	10,969	0.18	1.65	28.8	11,493
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

User Defined Industrial	7.10	6.31	4.49	101	0.24	0.09	23.8	23.9	0.09	6.01	6.10	—	23,929	23,929	0.66	0.48	71.7	24,159
Unrefrigerated Warehouse-No Rail	2.77	1.73	55.3	19.5	0.50	0.95	18.9	19.9	0.90	5.08	5.98	—	53,316	53,316	0.88	7.69	170	55,798
Total	10.7	8.50	77.3	126	0.90	1.34	48.6	49.9	1.28	12.7	13.9	—	94,905	94,905	1.83	10.8	291	98,454
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.34	0.21	7.24	2.45	0.06	0.12	2.38	2.50	0.11	0.64	0.75	—	6,694	6,694	0.11	0.97	0.55	6,985
Manufacturing	0.44	0.23	11.1	3.00	0.10	0.18	3.47	3.65	0.17	0.93	1.10	—	10,973	10,973	0.18	1.65	0.75	11,469
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	6.84	6.06	5.00	80.8	0.22	0.09	23.8	23.9	0.09	6.01	6.10	—	22,088	22,088	0.67	0.52	1.86	22,260
Unrefrigerated Warehouse-No Rail	2.71	1.68	57.7	19.6	0.50	0.95	18.9	19.9	0.91	5.08	5.98	—	53,332	53,332	0.88	7.69	4.40	55,651
Total	10.3	8.19	81.1	106	0.88	1.34	48.6	49.9	1.28	12.7	13.9	—	93,086	93,086	1.84	10.8	7.56	96,364
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse No Rail	0.05	0.03	0.98	0.33	0.01	0.02	0.31	0.33	0.02	0.08	0.10	—	810	810	0.01	0.12	1.11	846
Manufacturing	0.06	0.03	1.62	0.43	0.01	0.03	0.49	0.52	0.02	0.13	0.16	—	1,433	1,433	0.02	0.22	1.63	1,499
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	0.92	0.82	0.70	11.4	0.03	0.01	3.18	3.19	0.01	0.80	0.81	—	2,749	2,749	0.08	0.06	3.81	2,774
Unrefrigerated Warehouse No Rail	0.37	0.23	7.78	2.60	0.07	0.13	2.50	2.62	0.12	0.67	0.79	—	6,455	6,455	0.11	0.93	8.87	6,744
Total	1.40	1.11	11.1	14.8	0.12	0.18	6.49	6.67	0.17	1.69	1.86	—	11,447	11,447	0.23	1.33	15.4	11,863

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,084	2,084	0.20	0.02	—	2,096

Manufact	—	—	—	—	—	—	—	—	—	—	—	—	908	908	0.09	0.01	—	913
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	266	266	0.03	< 0.005	—	267
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Unrefrig rated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	3,494	3,494	0.33	0.04	—	3,514
Total	—	—	—	—	—	—	—	—	—	—	—	—	6,751	6,751	0.64	0.08	—	6,790
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigera ted Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	2,084	2,084	0.20	0.02	—	2,096
Manufact uring	—	—	—	—	—	—	—	—	—	—	—	—	908	908	0.09	0.01	—	913
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	266	266	0.03	< 0.005	—	267
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

Unrefrige rated Warehou se-No	—	—	—	—	—	—	—	—	—	—	—	—	3,494	3,494	0.33	0.04	—	3,514
Total	—	—	—	—	—	—	—	—	—	—	—	—	6,751	6,751	0.64	0.08	—	6,790
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	345	345	0.03	< 0.005	—	347
Manufact uring	—	—	—	—	—	—	—	—	—	—	—	—	150	150	0.01	< 0.005	—	151
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	44.0	44.0	< 0.005	< 0.005	—	44.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Unrefrige rated Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	578	578	0.06	0.01	—	582
Total	—	—	—	—	—	—	—	—	—	—	—	—	1,118	1,118	0.11	0.01	—	1,124

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Manufacturing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Manufacturing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Manufacturing	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	21.6	21.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	1.41	1.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	7.75	7.15	0.37	43.5	< 0.005	0.08	—	0.08	0.06	—	0.06	—	179	179	0.01	< 0.005	—	180
Total	30.7	30.1	0.37	43.5	< 0.005	0.08	—	0.08	0.06	—	0.06	—	179	179	0.01	< 0.005	—	180
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	21.6	21.6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	1.41	1.41	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	23.0	23.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	3.94	3.94	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.26	0.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Landscape Equipme	0.97	0.89	0.05	5.44	< 0.005	0.01	—	0.01	0.01	—	0.01	—	20.3	20.3	< 0.005	< 0.005	—	20.4
Total	5.16	5.09	0.05	5.44	< 0.005	0.01	—	0.01	0.01	—	0.01	—	20.3	20.3	< 0.005	< 0.005	—	20.4

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	44.5	157	202	4.58	0.11	—	349
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	44.3	156	201	4.56	0.11	—	348
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	355	1,252	1,606	36.5	0.88	—	2,780
Total	—	—	—	—	—	—	—	—	—	—	—	444	1,565	2,009	45.6	1.10	—	3,477

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	44.5	157	202	4.58	0.11	—	349
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	44.3	156	201	4.56	0.11	—	348
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	355	1,252	1,606	36.5	0.88	—	2,780
Total	—	—	—	—	—	—	—	—	—	—	—	444	1,565	2,009	45.6	1.10	—	3,477
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	7.37	26.0	33.4	0.76	0.02	—	57.8
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	7.34	25.9	33.2	0.76	0.02	—	57.5
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	58.7	207	266	6.04	0.15	—	460
Total	—	—	—	—	—	—	—	—	—	—	—	73.4	259	333	7.55	0.18	—	576

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	50.9	0.00	50.9	5.09	0.00	—	178
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	66.9	0.00	66.9	6.68	0.00	—	234
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	405	0.00	405	40.5	0.00	—	1,419
Total	—	—	—	—	—	—	—	—	—	—	—	523	0.00	523	52.3	0.00	—	1,831
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	50.9	0.00	50.9	5.09	0.00	—	178
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	66.9	0.00	66.9	6.68	0.00	—	234
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	405	0.00	405	40.5	0.00	—	1,419
Total	—	—	—	—	—	—	—	—	—	—	—	523	0.00	523	52.3	0.00	—	1,831
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refrigerated Warehouse Rail	—	—	—	—	—	—	—	—	—	—	—	8.43	0.00	8.43	0.84	0.00	—	29.5
Manufacturing	—	—	—	—	—	—	—	—	—	—	—	11.1	0.00	11.1	1.11	0.00	—	38.7
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	67.1	0.00	67.1	6.71	0.00	—	235
Total	—	—	—	—	—	—	—	—	—	—	—	86.6	0.00	86.6	8.66	0.00	—	303

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	102	102

Manufact	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.35	9.35
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112	112
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigera ted Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	102	102
Manufact uring	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9.35	9.35
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	112	112
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigera ted Warehou se-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17.0	17.0
Manufact uring	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.55	1.55
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18.5	18.5

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipme nt Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emergency Generator	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Total	1.08	0.98	2.75	2.51	< 0.005	0.14	0.00	0.14	0.14	0.00	0.14	0.00	504	504	0.02	< 0.005	0.00	505
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Emergency	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5
Total	0.03	0.02	0.07	0.06	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	11.4	11.4	< 0.005	< 0.005	0.00	11.5

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Demolition	Demolition	4/1/2026	4/24/2026	5.00	18.0	—
Site Preparation	Site Preparation	4/27/2026	5/11/2026	5.00	11.0	—
Grading	Grading	5/12/2026	6/22/2026	5.00	30.0	—
Building Construction	Building Construction	6/23/2026	8/2/2027	5.00	290	—
Paving	Paving	6/22/2027	8/2/2027	5.00	30.0	—
Architectural Coating	Architectural Coating	3/30/2027	8/2/2027	5.00	90.0	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Demolition	Concrete/Industrial Saws	Diesel	Tier 4 Interim	1.00	8.00	33.0	0.73
Demolition	Excavators	Diesel	Tier 4 Interim	3.00	8.00	36.0	0.38
Demolition	Rubber Tired Dozers	Diesel	Tier 4 Interim	2.00	8.00	367	0.40
Site Preparation	Rubber Tired Dozers	Diesel	Tier 4 Interim	3.00	8.00	367	0.40
Site Preparation	Crawler Tractors	Diesel	Tier 4 Interim	4.00	8.00	87.0	0.43
Grading	Excavators	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Grading	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Grading	Crawler Tractors	Diesel	Tier 4 Interim	2.00	8.00	87.0	0.43
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	8.00	367	0.29

Building Construction	Forklifts	Diesel	Tier 4 Interim	3.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Tier 4 Interim	1.00	8.00	14.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Interim	3.00	8.00	84.0	0.37
Building Construction	Welders	Diesel	Tier 4 Interim	1.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Tier 4 Interim	2.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	2.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 4 Interim	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Demolition	—	—	—	—
Demolition	Worker	15.0	18.5	LDA,LDT1,LDT2
Demolition	Vendor	8.00	10.2	HHDT,MHDT
Demolition	Hauling	1.50	20.0	HHDT
Demolition	Onsite truck	—	—	HHDT
Site Preparation	—	—	—	—
Site Preparation	Worker	17.5	18.5	LDA,LDT1,LDT2
Site Preparation	Vendor	5.00	10.2	HHDT,MHDT
Site Preparation	Hauling	0.00	20.0	HHDT
Site Preparation	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	14.0	10.2	HHDT,MHDT
Grading	Hauling	208	20.0	HHDT

Grading	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	420	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	136	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	84.1	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	1,501,286	500,429	111,993

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (Building Square Footage)	Acres Paved (acres)
Demolition	0.00	0.00	0.00	2,336	—
Site Preparation	—	—	38.5	0.00	—
Grading	—	50,000	120	0.00	—
Paving	0.00	0.00	0.00	0.00	42.8

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Refrigerated Warehouse-No Rail	0.00	0%
Manufacturing	0.00	0%
Parking Lot	7.34	100%
Other Asphalt Surfaces	35.5	100%
User Defined Industrial	0.00	0%
Unrefrigerated Warehouse-No Rail	0.00	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2026	0.00	346	0.03	< 0.005
2027	0.00	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Refrigerated Warehouse-No Rail	95.2	8.04	3.21	25,414	2,718	229	91.7	725,310
Manufacturing	131	41.1	27.3	37,711	3,990	1,253	832	1,149,055
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	1,400	182	96.0	379,406	34,200	4,449	2,347	9,270,854
Unrefrigerated Warehouse-No Rail	759	64.0	25.6	202,489	21,655	1,827	731	5,779,037

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	1,501,286	500,429	111,993

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00

Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Refrigerated Warehouse-No Rail	2,196,818	346	0.0330	0.0040	0.00
Manufacturing	957,338	346	0.0330	0.0040	0.00
Parking Lot	280,084	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00
Unrefrigerated Warehouse-No Rail	3,683,543	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Refrigerated Warehouse-No Rail	23,229,294	1,410,048
Manufacturing	23,135,406	1,410,048
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
User Defined Industrial	0.00	0.00
Unrefrigerated Warehouse-No Rail	185,083,458	11,280,387

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Refrigerated Warehouse-No Rail	94.4	—
Manufacturing	124	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
User Defined Industrial	0.00	—
Unrefrigerated Warehouse-No Rail	752	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0
Manufacturing	Other commercial A/C and heat pumps	User Defined	750	0.30	4.00	4.00	18.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor

Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	300	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.4	annual days of extreme heat
Extreme Precipitation	3.75	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	30.4	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about $\frac{3}{4}$ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events.

Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—

AQ-Ozone	82.6
AQ-PM	53.0
AQ-DPM	45.6
Drinking Water	31.7
Lead Risk Housing	29.7
Pesticides	0.00
Toxic Releases	38.0
Traffic	94.1
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	54.6
Impaired Water Bodies	51.2
Solid Waste	70.4
Sensitive Population	—
Asthma	63.2
Cardio-vascular	99.0
Low Birth Weights	58.8
Socioeconomic Factor Indicators	—
Education	75.0
Housing	57.9
Linguistic	50.0
Poverty	74.3
Unemployment	79.7

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	26.30565892
Employed	24.97112794
Median HI	28.34595149
Education	—
Bachelor's or higher	13.35814192
High school enrollment	13.19132555
Preschool enrollment	14.19222379
Transportation	—
Auto Access	39.18901578
Active commuting	20.32593353
Social	—
2-parent households	14.24355191
Voting	17.66970358
Neighborhood	—
Alcohol availability	33.09380213
Park access	28.48710381
Retail density	33.95354806
Supermarket access	45.33555755
Tree canopy	4.876170923
Housing	—
Homeownership	48.33825228
Housing habitability	48.68471705
Low-inc homeowner severe housing cost burden	60.13088669
Low-inc renter severe housing cost burden	42.02489414
Uncrowded housing	32.59335301

Health Outcomes	—
Insured adults	27.4990376
Arthritis	0.0
Asthma ER Admissions	56.2
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	36.2
Cognitively Disabled	22.1
Physically Disabled	33.4
Heart Attack ER Admissions	6.3
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	70.8
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	21.2
SLR Inundation Area	0.0

Children	10.0
Elderly	77.3
English Speaking	28.1
Foreign-born	49.8
Outdoor Workers	10.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	83.6
Traffic Density	81.8
Traffic Access	23.0
Other Indices	—
Hardship	73.3
Other Decision Support	—
2016 Voting	42.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	73.0
Healthy Places Index Score for Project Location (b)	16.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Building Construction, Paving, and Architectural Coating overlap to present a conservative analysis Construction schedule based on Q2 2026 start date and will last 16 months Arch coating extended to 90 days.
Construction: Off-Road Equipment	T/L/B replaced with Crawler Tractor to accurately calculate disturbance for Site Preparation and Grading phases. Standard 8 hours work days. Per the City of Lake Elsinore's Good Neighbor Policy, construction equipment will meet or exceed CARB Tier 4 standards.
Construction: Trips and VMT	Vendor Trips adjusted based on CalEEMod defaults for Building Construction and number of days for Demolition, Site Preparation, Grading, and Building Construction
Construction: Architectural Coatings	SCAQMD Rule 1113
Operations: Vehicle Data	Trip characteristics taken from Traffic Analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater. Further, R-404A (the CalEEMod default) is unacceptable for new supermarket and cold storage systems as of 1 January 2019 and 2023, respectively. Beginning 1 January 2025, all new air conditioning equipment may not use refrigerants with a GWP of 750 or greater.
Land Use	Taken from Site plan
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Energy Use	Project will not utilize natural gas

15852 - Baker Industrial Off-Site Construction Detailed Report

Table of Contents

- 1. Basic Project Information
 - 1.1. Basic Project Information
 - 1.2. Land Use Types
 - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
 - 2.1. Construction Emissions Compared Against Thresholds
 - 2.2. Construction Emissions by Year, Unmitigated
 - 2.4. Operations Emissions Compared Against Thresholds
 - 2.5. Operations Emissions by Sector, Unmitigated
- 3. Construction Emissions Details
 - 3.1. Linear, Grubbing & Land Clearing (2026) - Unmitigated
 - 3.3. Linear, Grading & Excavation (2026) - Unmitigated
 - 3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated
 - 3.7. Linear, Drainage, Utilities, & Sub-Grade (2027) - Unmitigated
 - 3.9. Linear, Paving (2027) - Unmitigated

3.11. Grading (2025) - Unmitigated

3.13. Building Construction (2025) - Unmitigated

3.15. Building Construction (2026) - Unmitigated

3.17. Paving (2026) - Unmitigated

3.19. Architectural Coating (2026) - Unmitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	15852 - Baker Industrial Off-Site Construction
Construction Start Date	9/1/2025
Operational Year	2027
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	2.50
Precipitation (days)	21.8
Location	33.70575192954131, -117.36466998391134
County	Riverside-South Coast
City	Lake Elsinore
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	5527
EDFZ	11
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Other Asphalt Surfaces	19.0	1000sqft	0.44	0.00	0.00	—	—	Pump Station

Road Construction	3.51	Mile	37.9	0.00	—	—	—	—

1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	20.3	20.3	23.4	40.1	0.06	0.63	2.65	3.28	0.58	1.01	1.59	—	7,008	7,008	0.28	0.07	1.72	7,039
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.00	0.98	23.0	39.5	0.06	0.27	1.29	1.56	0.25	0.20	0.45	—	6,969	6,969	0.27	0.07	0.04	6,998
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.67	0.66	9.69	15.5	0.03	0.13	0.35	0.49	0.12	0.05	0.18	—	2,719	2,719	0.11	0.03	0.21	2,730
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.12	0.12	1.77	2.83	< 0.005	0.02	0.06	0.09	0.02	0.01	0.03	—	450	450	0.02	< 0.005	0.03	452

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

2025	2.41	2.08	23.4	29.6	0.06	0.63	2.65	3.28	0.58	1.01	1.59	—	6,881	6,881	0.28	0.06	1.04	6,908
2026	20.3	20.3	23.0	40.1	0.06	0.27	1.29	1.56	0.25	0.20	0.45	—	7,008	7,008	0.28	0.07	1.72	7,039
2027	0.40	0.39	8.28	13.7	0.01	0.12	0.46	0.57	0.11	0.11	0.22	—	2,094	2,094	0.07	0.03	1.47	2,106
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.30	0.30	9.83	13.5	0.02	0.17	0.00	0.17	0.16	0.00	0.16	—	2,312	2,312	0.09	0.02	0.00	2,320
2026	1.00	0.98	23.0	39.5	0.06	0.27	1.29	1.56	0.25	0.20	0.45	—	6,969	6,969	0.27	0.07	0.04	6,998
2027	0.81	0.80	16.9	31.9	0.05	0.14	1.08	1.22	0.14	0.17	0.30	—	6,066	6,066	0.24	0.06	0.04	6,090
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.08	0.08	2.44	3.34	0.01	0.04	0.01	0.06	0.04	0.01	0.05	—	581	581	0.02	< 0.005	< 0.005	583
2026	0.67	0.66	9.69	15.5	0.03	0.13	0.35	0.49	0.12	0.05	0.18	—	2,719	2,719	0.11	0.03	0.21	2,730
2027	0.16	0.15	3.29	6.01	0.01	0.03	0.20	0.23	0.03	0.03	0.06	—	1,102	1,102	0.04	0.01	0.14	1,106
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.02	0.01	0.44	0.61	< 0.005	0.01	< 0.005	0.01	0.01	< 0.005	0.01	—	96.1	96.1	< 0.005	< 0.005	< 0.005	96.4
2026	0.12	0.12	1.77	2.83	< 0.005	0.02	0.06	0.09	0.02	0.01	0.03	—	450	450	0.02	< 0.005	0.03	452
2027	0.03	0.03	0.60	1.10	< 0.005	0.01	0.04	0.04	0.01	0.01	0.01	—	182	182	0.01	< 0.005	0.02	183

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.63	0.58	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.63	0.58	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Area	< 0.005	< 0.005	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Stationary	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Total	0.63	0.58	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Area	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Stationary	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Total	0.63	0.58	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Area	< 0.005	< 0.005	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Stationary	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Total	0.09	0.08	0.22	0.20	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	40.3	40.3	< 0.005	< 0.005	0.00	40.4
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Area	< 0.005	< 0.005	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Water	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Waste	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Stationary	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

3. Construction Emissions Details

3.1. Linear, Grubbing & Land Clearing (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.07	2.52	3.43	< 0.005	0.04	—	0.04	0.04	—	0.04	—	490	490	0.02	< 0.005	—	492
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.14	0.20	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	28.2	28.2	< 0.005	< 0.005	—	28.3
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.04	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.67	4.67	< 0.005	< 0.005	—	4.69
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.05	0.04	0.04	0.72	0.00	0.00	0.13	0.13	0.00	0.03	0.03	—	138	138	0.01	< 0.005	0.47	140
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	7.39	7.39	< 0.005	< 0.005	0.01	7.49
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.22	1.22	< 0.005	< 0.005	< 0.005	1.24
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Linear, Grading & Excavation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.84	0.84	22.9	37.5	0.06	0.27	—	0.27	0.25	—	0.25	—	6,495	6,495	0.26	0.05	—	6,517
Dust From Material Movement	—	—	—	—	—	—	0.83	0.83	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.84	0.84	22.9	37.5	0.06	0.27	—	0.27	0.25	—	0.25	—	6,495	6,495	0.26	0.05	—	6,517
Dust From Material Movement	—	—	—	—	—	—	0.83	0.83	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	5.13	8.44	0.01	0.06	—	0.06	0.06	—	0.06	—	1,459	1,459	0.06	0.01	—	1,464
Dust From Material Movement	—	—	—	—	—	—	0.19	0.19	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.03	0.03	0.94	1.54	< 0.005	0.01	—	0.01	0.01	—	0.01	—	242	242	0.01	< 0.005	—	242
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.15	0.14	2.51	0.00	0.00	0.46	0.46	0.00	0.11	0.11	—	483	483	0.02	0.02	1.64	490
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	30.1	30.1	< 0.005	< 0.005	0.08	31.6
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.16	0.14	0.15	1.91	0.00	0.00	0.46	0.46	0.00	0.11	0.11	—	444	444	0.01	0.02	0.04	449
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	30.1	30.1	< 0.005	< 0.005	< 0.005	31.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.45	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	101	101	< 0.005	< 0.005	0.16	102
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	6.76	6.76	< 0.005	< 0.005	0.01	7.09
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.08	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	16.7	16.7	< 0.005	< 0.005	0.03	16.9
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	1.12	1.12	< 0.005	< 0.005	< 0.005	1.17
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Linear, Drainage, Utilities, & Sub-Grade (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.69	0.69	16.8	30.4	0.05	0.14	—	0.14	0.14	—	0.14	—	5,693	5,693	0.23	0.05	—	5,712
Dust From Material Movement	—	—	—	—	—	—	0.69	0.69	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.03	0.03	0.72	1.31	< 0.005	0.01	—	0.01	0.01	—	0.01	—	245	245	0.01	< 0.005	—	246
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.01	0.01	0.13	0.24	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	40.6	40.6	< 0.005	< 0.005	—	40.7
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.12	0.13	1.63	0.00	0.00	0.39	0.39	0.00	0.09	0.09	—	380	380	0.01	0.01	0.04	385
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.07	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	16.6	16.6	< 0.005	< 0.005	0.03	16.8
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.75	2.75	< 0.005	< 0.005	< 0.005	2.78
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.7. Linear, Drainage, Utilities, & Sub-Grade (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.69	0.69	16.8	30.4	0.05	0.14	—	0.14	0.14	—	0.14	—	5,692	5,692	0.23	0.05	—	5,711
Dust From Material Movement	—	—	—	—	—	—	0.69	0.69	—	0.07	0.07	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.10	2.56	4.64	0.01	0.02	—	0.02	0.02	—	0.02	—	869	869	0.04	0.01	—	872
Dust From Material Movement	—	—	—	—	—	—	0.11	0.11	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.47	0.85	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	144	144	0.01	< 0.005	—	144

Dust From Material Movement	—	—	—	—	—	—	0.02	0.02	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.13	0.11	0.12	1.51	0.00	0.00	0.39	0.39	0.00	0.09	0.09	—	373	373	0.01	0.01	0.03	378
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.24	0.00	0.00	0.06	0.06	0.00	0.01	0.01	—	57.7	57.7	< 0.005	< 0.005	0.08	58.5
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.56	9.56	< 0.005	< 0.005	0.01	9.68
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.9. Linear, Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.25	8.16	11.3	0.01	0.12	—	0.12	0.11	—	0.11	—	1,619	1,619	0.07	0.01	—	1,625
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.25	8.16	11.3	0.01	0.12	—	0.12	0.11	—	0.11	—	1,619	1,619	0.07	0.01	—	1,625
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.69	0.96	< 0.005	0.01	—	0.01	0.01	—	0.01	—	138	138	0.01	< 0.005	—	138
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.13	0.18	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	22.8	22.8	< 0.005	< 0.005	—	22.9
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.16	0.14	0.12	2.32	0.00	0.00	0.46	0.46	0.00	0.11	0.11	—	474	474	0.01	0.02	1.47	480
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.15	0.13	0.14	1.76	0.00	0.00	0.46	0.46	0.00	0.11	0.11	—	436	436	0.01	0.02	0.04	441
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.16	0.00	0.00	0.04	0.04	0.00	0.01	0.01	—	37.5	37.5	< 0.005	< 0.005	0.05	38.0
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.20	6.20	< 0.005	< 0.005	0.01	6.28
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.11. Grading (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.30	1.99	23.3	28.1	0.06	0.63	—	0.63	0.58	—	0.58	—	6,599	6,599	0.27	0.05	—	6,622

Dust From Material Movement	—	—	—	—	—	—	2.39	2.39	—	0.95	0.95	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.13	0.15	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	36.2	36.2	< 0.005	< 0.005	—	36.3
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.03	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	5.99	5.99	< 0.005	< 0.005	—	6.01
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.09	0.09	1.54	0.00	0.00	0.26	0.26	0.00	0.06	0.06	—	282	282	0.01	0.01	1.04	286

Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.44	1.44	< 0.005	< 0.005	< 0.005	1.46
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.24	0.24	< 0.005	< 0.005	< 0.005	0.24
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Building Construction (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.30	9.83	13.5	0.02	0.17	—	0.17	0.16	—	0.16	—	2,312	2,312	0.09	0.02	—	2,320
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.30	0.30	9.83	13.5	0.02	0.17	—	0.17	0.16	—	0.16	—	2,312	2,312	0.09	0.02	—	2,320
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.07	2.31	3.18	0.01	0.04	—	0.04	0.04	—	0.04	—	543	543	0.02	< 0.005	—	545
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.42	0.58	< 0.005	0.01	—	0.01	0.01	—	0.01	—	89.9	89.9	< 0.005	< 0.005	—	90.2
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Building Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.30	9.83	13.5	0.02	0.17	—	0.17	0.16	—	0.16	—	2,312	2,312	0.09	0.02	—	2,320
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.30	0.30	9.83	13.5	0.02	0.17	—	0.17	0.16	—	0.16	—	2,312	2,312	0.09	0.02	—	2,320
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.11	0.11	3.54	4.88	0.01	0.06	—	0.06	0.06	—	0.06	—	832	832	0.03	0.01	—	835
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.65	0.89	< 0.005	0.01	—	0.01	0.01	—	0.01	—	138	138	0.01	< 0.005	—	138
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Paving (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.18	5.88	8.32	0.01	0.08	—	0.08	0.08	—	0.08	—	1,244	1,244	0.05	0.01	—	1,248
Paving	20.1	20.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.08	0.11	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	17.0	17.0	< 0.005	< 0.005	—	17.1
Paving	0.27	0.27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.82	2.82	< 0.005	< 0.005	—	2.83
Paving	0.05	0.05	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.06	1.08	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	207	207	0.01	0.01	0.70	210
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.64	2.64	< 0.005	< 0.005	< 0.005	2.67
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.44	0.44	< 0.005	< 0.005	< 0.005	0.44
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.19. Architectural Coating (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.03	0.03	1.43	1.28	< 0.005	0.04	—	0.04	0.04	—	0.04	—	178	178	0.01	< 0.005	—	179
Architectural Coatings	1.06	1.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.02	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	2.44	2.44	< 0.005	< 0.005	—	2.45
Architectural Coatings	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	0.40	0.40	< 0.005	< 0.005	—	0.41
Architectural Coatings	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	< 0.005	< 0.005	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Consumer Product	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	< 0.005	< 0.005	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	< 0.005	< 0.005	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipm ent Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emerge ncy Generat or	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Total	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emerge ncy Generat or	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Total	0.63	0.57	1.61	1.46	< 0.005	0.08	0.00	0.08	0.08	0.00	0.08	0.00	294	294	0.01	< 0.005	0.00	295
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Emerge ncy Generat or	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69
Total	0.02	0.01	0.04	0.04	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	6.66	6.66	< 0.005	< 0.005	0.00	6.69

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipm Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Linear, Grubbing & Land Clearing	Linear, Grubbing & Land Clearing	7/20/2026	8/17/2026	5.00	21.0	21
Linear, Grading & Excavation	Linear, Grading & Excavation	8/18/2026	12/9/2026	5.00	82.0	82
Linear, Drainage, Utilities, & Sub-Grade	Linear, Drainage, Utilities, & Sub-Grade	12/10/2026	3/19/2027	5.00	72.0	72
Linear, Paving	Linear, Paving	3/22/2027	5/3/2027	5.00	31.0	31

Grading	Grading	9/1/2025	9/2/2025	5.00	2.00	—
Building Construction	Building Construction	9/3/2025	7/3/2026	5.00	218	—
Paving	Paving	7/6/2026	7/10/2026	5.00	5.00	—
Architectural Coating	Architectural Coating	7/13/2026	7/17/2026	5.00	5.00	—

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Linear, Grubbing & Land Clearing	Signal Boards	Electric	Average	2.00	8.00	6.00	0.82
Linear, Grubbing & Land Clearing	Crawler Tractors	Diesel	Tier 4 Interim	1.00	8.00	87.0	0.43
Linear, Grubbing & Land Clearing	Excavators	Diesel	Tier 4 Interim	1.00	8.00	36.0	0.38
Linear, Grading & Excavation	Excavators	Diesel	Tier 4 Interim	3.00	8.00	36.0	0.38
Linear, Grading & Excavation	Crawler Tractors	Diesel	Tier 4 Interim	1.00	8.00	87.0	0.43
Linear, Grading & Excavation	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Linear, Grading & Excavation	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Linear, Grading & Excavation	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Linear, Grading & Excavation	Rubber Tired Loaders	Diesel	Tier 4 Interim	1.00	8.00	150	0.36
Linear, Grading & Excavation	Signal Boards	Electric	Average	2.00	8.00	6.00	0.82
Linear, Grading & Excavation	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Linear, Drainage, Utilities, & Sub-Grade	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37

Linear, Drainage, Utilities, & Sub-Grade	Signal Boards	Electric	Average	2.00	8.00	6.00	0.82
Linear, Drainage, Utilities, & Sub-Grade	Scrapers	Diesel	Tier 4 Interim	2.00	8.00	423	0.48
Linear, Drainage, Utilities, & Sub-Grade	Rough Terrain Forklifts	Diesel	Tier 4 Interim	1.00	8.00	96.0	0.40
Linear, Drainage, Utilities, & Sub-Grade	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Linear, Drainage, Utilities, & Sub-Grade	Plate Compactors	Diesel	Tier 4 Interim	1.00	8.00	8.00	0.43
Linear, Drainage, Utilities, & Sub-Grade	Pumps	Diesel	Tier 4 Interim	1.00	8.00	11.0	0.74
Linear, Drainage, Utilities, & Sub-Grade	Air Compressors	Diesel	Tier 4 Interim	1.00	8.00	37.0	0.48
Linear, Drainage, Utilities, & Sub-Grade	Generator Sets	Diesel	Tier 4 Interim	1.00	8.00	14.0	0.74
Linear, Paving	Rollers	Diesel	Tier 4 Interim	3.00	8.00	36.0	0.38
Linear, Paving	Paving Equipment	Diesel	Tier 4 Interim	1.00	8.00	89.0	0.36
Linear, Paving	Pavers	Diesel	Tier 4 Interim	1.00	8.00	81.0	0.42
Linear, Paving	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Linear, Paving	Signal Boards	Electric	Average	7.00	8.00	6.00	0.82
Grading	Graders	Diesel	Tier 4 Interim	1.00	8.00	148	0.41
Grading	Rubber Tired Dozers	Diesel	Tier 4 Interim	1.00	8.00	367	0.40
Grading	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	2.00	8.00	84.0	0.37
Grading	Excavators	Diesel	Average	2.00	8.00	36.0	0.38
Grading	Scrapers	Diesel	Average	2.00	8.00	423	0.48
Building Construction	Cranes	Diesel	Tier 4 Interim	1.00	8.00	367	0.29
Building Construction	Forklifts	Diesel	Tier 4 Interim	2.00	8.00	82.0	0.20
Building Construction	Generator Sets	Diesel	Tier 4 Interim	1.00	8.00	14.0	0.74

Building Construction	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	1.00	8.00	84.0	0.37
Building Construction	Welders	Diesel	Tier 4 Interim	3.00	8.00	46.0	0.45
Paving	Tractors/Loaders/Back hoes	Diesel	Tier 4 Interim	1.00	8.00	84.0	0.37
Paving	Pavers	Diesel	Tier 4 Interim	1.00	8.00	81.0	0.42
Paving	Paving Equipment	Diesel	Tier 4 Interim	1.00	8.00	89.0	0.36
Paving	Rollers	Diesel	Tier 4 Interim	2.00	8.00	36.0	0.38
Paving	Cement and Mortar Mixers	Diesel	Tier 4 Interim	1.00	8.00	10.0	0.56
Architectural Coating	Air Compressors	Diesel	Tier 4 Interim	1.00	8.00	37.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Linear, Grubbing & Land Clearing	—	—	—	—
Linear, Grubbing & Land Clearing	Worker	10.0	18.5	LDA,LDT1,LDT2
Linear, Grubbing & Land Clearing	Vendor	0.00	10.2	HHDT,MHDT
Linear, Grubbing & Land Clearing	Hauling	0.00	20.0	HHDT
Linear, Grubbing & Land Clearing	Onsite truck	—	—	HHDT
Linear, Grading & Excavation	—	—	—	—
Linear, Grading & Excavation	Worker	35.0	18.5	LDA,LDT1,LDT2
Linear, Grading & Excavation	Vendor	1.00	10.2	HHDT,MHDT
Linear, Grading & Excavation	Hauling	0.00	20.0	HHDT
Linear, Grading & Excavation	Onsite truck	—	—	HHDT
Linear, Drainage, Utilities, & Sub-Grade	—	—	—	—
Linear, Drainage, Utilities, & Sub-Grade	Worker	30.0	18.5	LDA,LDT1,LDT2

Linear, Drainage, Utilities, & Sub-Grade	Vendor	0.00	10.2	HHDT,MHDT
Linear, Drainage, Utilities, & Sub-Grade	Hauling	0.00	20.0	HHDT
Linear, Drainage, Utilities, & Sub-Grade	Onsite truck	—	—	HHDT
Linear, Paving	—	—	—	—
Linear, Paving	Worker	35.0	18.5	LDA,LDT1,LDT2
Linear, Paving	Vendor	0.00	10.2	HHDT,MHDT
Linear, Paving	Hauling	0.00	20.0	HHDT
Linear, Paving	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	0.00	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	0.00	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Grading	—	—	—	—
Grading	Worker	20.0	18.5	LDA,LDT1,LDT2
Grading	Vendor	—	10.2	HHDT,MHDT
Grading	Hauling	0.00	20.0	HHDT
Grading	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	—	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	0.00	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	—	10.2	HHDT,MHDT

Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	0.00	0.00	1,140

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Linear, Grubbing & Land Clearing	—	—	37.9	0.00	—
Linear, Grading & Excavation	—	—	37.9	0.00	—
Linear, Drainage, Utilities, & Sub-Grade	—	—	37.9	0.00	—
Grading	—	—	6.00	0.00	—
Paving	0.00	0.00	0.00	0.00	38.3

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Other Asphalt Surfaces	0.44	100%
Road Construction	37.9	100%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O
2025	0.00	349	0.03	< 0.005
2026	176	346	0.03	< 0.005
2027	264	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)

0	0.00	0.00	0.00	1,140

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Other Asphalt Surfaces	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Other Asphalt Surfaces	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Emergency Generator	Diesel	1.00	1.00	50.0	350	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	29.4	annual days of extreme heat
Extreme Precipitation	3.75	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	30.4	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	4	1	1	4
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt. The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	82.6
AQ-PM	53.0
AQ-DPM	45.6
Drinking Water	31.7
Lead Risk Housing	29.7
Pesticides	0.00
Toxic Releases	38.0
Traffic	94.1
Effect Indicators	—
CleanUp Sites	0.00
Groundwater	0.00
Haz Waste Facilities/Generators	54.6
Impaired Water Bodies	51.2
Solid Waste	70.4
Sensitive Population	—
Asthma	63.2
Cardio-vascular	99.0
Low Birth Weights	58.8

Socioeconomic Factor Indicators	—
Education	75.0
Housing	57.9
Linguistic	50.0
Poverty	74.3
Unemployment	79.7

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	26.30565892
Employed	24.97112794
Median HI	28.34595149
Education	—
Bachelor's or higher	13.35814192
High school enrollment	13.19132555
Preschool enrollment	14.19222379
Transportation	—
Auto Access	39.18901578
Active commuting	20.32593353
Social	—
2-parent households	14.24355191
Voting	17.66970358
Neighborhood	—
Alcohol availability	33.09380213
Park access	28.48710381
Retail density	33.95354806

Supermarket access	45.33555755
Tree canopy	4.876170923
Housing	—
Homeownership	48.33825228
Housing habitability	48.68471705
Low-inc homeowner severe housing cost burden	60.13088669
Low-inc renter severe housing cost burden	42.02489414
Uncrowded housing	32.59335301
Health Outcomes	—
Insured adults	27.4990376
Arthritis	0.0
Asthma ER Admissions	56.2
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	36.2
Cognitively Disabled	22.1
Physically Disabled	33.4
Heart Attack ER Admissions	6.3
Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	70.8
Physical Health Not Good	0.0
Stroke	0.0

Health Risk Behaviors	—
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	—
Wildfire Risk	21.2
SLR Inundation Area	0.0
Children	10.0
Elderly	77.3
English Speaking	28.1
Foreign-born	49.8
Outdoor Workers	10.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	83.6
Traffic Density	81.8
Traffic Access	23.0
Other Indices	—
Hardship	73.3
Other Decision Support	—
2016 Voting	42.4

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	73.0
Healthy Places Index Score for Project Location (b)	16.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	Yes
Project Located in a Low-Income Community (Assembly Bill 1550)	Yes
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Construction: Construction Phases	Q3 2025 start and Q2 2027 End
Construction: Off-Road Equipment	standard 8-hour work day Per the City of Lake Elsinore's Good Neighbor Policy, construction equipment will meet or exceed CARB Tier 4 standards.
Construction: Architectural Coatings	SCAQMD Rule 1113

Emissions	Phase	Lb/Day	# Days	Emissions	Avg/Lb Day	Avg/Hourly
On-Site	Demolition	0.20	18	3.620029024	0.201112724	0.02513909
Exhaust PM-10	Site Preparation	0.10	11	1.144717641	0.10406524	0.013008155
	Grading	0.18	30	5.524219752	0.184140658	0.023017582
	Building Construction	0.09	290	26.49273759	0.091354268	0.011419283
	Paving	0.09	30	2.580995709	0.08603319	0.010754149
	Architectural Coating	0.04	90	3.664823413	0.04072026	0.005090033
		0.71	349	43.02752313	0.123288032	0.015411004
	Linear, Grubbing & Land Clearing	0.04	21	0.797235605	0.0379636	0.00474545
	Linear, Grading & Excavation	0.27	82	21.83131186	0.26623551	0.033279439
	Linear, Drainage, Utilities, & Sub-Grade	0.14	72	10.13604324	0.140778378	0.017597297
	Linear, Paving	0.12	31	3.618039569	0.116710954	0.014588869
	Grading	0.63	2	1.25759923	0.628799615	0.078599952
	Building Construction	0.17	218	37.58775264	0.172420884	0.02155261
	Paving	0.08	5	0.399318872	0.079863774	0.009982972
	Architectural Coating	0.04	5	0.203601301	0.04072026	0.005090033
		1.48	436	75.83090231	0.173924088	0.021740511
Off-Site	Demolition	5.58E-03	18	0.100477881	0.005582104	0.000697763
Exhaust PM-10	Site Preparation	2.25E-03	11	0.024735866	0.002248715	0.000281089
	Grading	2.82E-01	30	8.456226891	0.28187423	0.035234279
	Building Construction	6.12E-02	290	17.73786449	0.06116505	0.007645631
	Paving	0.00E+00	30	0	0	0
	Architectural Coating	0.00E+00	90	0	0	0
	Linear, Grubbing & Land Clearing	0.00E+00	21	0	0	0
	Linear, Grading & Excavation	4.50E-04	82	0.036878927	0.000449743	5.62179E-05
	Linear, Drainage, Utilities, & Sub-Grade	0.00E+00	72	0	0	0
	Linear, Paving	0.00E+00	31	0	0	0
	Grading	0.00E+00	2	0	0	0
	Building Construction	0.00E+00	218	0	0	0
	Paving	0.00E+00	5	0	0	0
	Architectural Coating	0.00E+00	5	0	0	0
		3.51E-01	436	26.35618406	0.060449963	0.007556245

	Phase	Start Date	End Date	No. Days
Proposed Project	Demolition	4/1/2026	4/24/2026	18
	Site Preparation	4/27/2026	5/11/2026	11
	Grading	5/12/2026	6/22/2026	30
	Building Construction	6/23/2026	8/2/2027	290
	Paving	6/22/2027	8/2/2027	30
	Architectural Coating	3/30/2027	8/2/2027	90
	Total Days of Construction			349
Off-Site Construction	Linear, Grubbing & Land Clearing	7/20/2026	8/17/2026	21
	Linear, Grading & Excavation	8/18/2026	12/9/2026	82
	Linear, Drainage, Utilities, & Sub-Grade	12/10/2026	3/19/2027	72
	Linear, Paving	3/22/2027	5/3/2027	31
	Grading	9/1/2025	9/2/2025	2
	Building Construction	9/3/2025	7/3/2026	218
	Paving	7/6/2026	7/10/2026	5
	Architectural Coating	7/13/2026	7/17/2026	5
Total Days of Construction				436

This page intentionally left blank

APPENDIX 2.2:

EMFAC EMISSIONS SUMMARY

**AVERAGE EMISSION FACTOR
RIVERSIDE COUNTY 2027**

Speed	LHD1	LHD2	MHD	HHD
0	0.361914	0.585047	0.035313	0.01154
5	0.040744	0.060852	0.021792	0.01152
25	0.019137	0.029672	0.00591	0.00569

Speed	Weighted Average Emissions
0	0.14359
5	0.02366
25	0.01082

Truck Emission Rates							
Source	Trucks Per Day	VMT ^a (miles/day)	Truck Emission Rate ^b (grams/mile)	Truck Emission Rate ^b (grams/idle-hour)	Daily Truck Emissions ^c (grams/day)	TRU Emissions (grams/day) ^d	Modeled Emission Rates (g/second)
On-Site Dock Door Idling - Building 1	104			0.1436	3.75	24.46	3.264E-04
On-Site Trailer Parking Idling - Building 1	104			0.1436	1.25	0.00	1.445E-05
On-Site Dock Door Idling - Building 2	388			0.1436	13.93	0.00	1.613E-04
On-Site Trailer Parking (N) Idling - Building 2	388			0.1436	4.64	0.00	5.375E-05
On-Site Trailer Parking (N) Idling - NorthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (S) Idling - NorthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (N) Idling - SouthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (S) Idling - SouthEastern Lot	97			0.1436	1.16	0.00	1.344E-05
On-Site Trailer Parking (W) Idling - SCE Easement	194			0.1436	2.32	0.00	2.688E-05
On-Site Trailer Parking (E) Idling - SCE Easement	194			0.1436	2.32	0.00	2.688E-05
On-Site Travel - Building 1	209	57.55	0.0237		1.36	1.31	3.090E-05
On-Site Travel - Building 2 (Rear)	388	188.43	0.0237		4.46	0.00	5.160E-05
On-Site Travel - Building 2	388	173.95	0.0237		4.12	0.00	4.764E-05
On-Site Travel - Eastern Lot	149	54.22	0.0237		1.28	0.00	1.485E-05
On-Site Travel - SCE Easement	81	6.30	0.0237		0.15	0.00	1.724E-06
Off-Site Travel - Baker St 100%	985	607.46	0.0108		6.57	0.59	8.282E-05
Off-Site Travel - Nichols Road 100% (E)	985	376.96	0.0108		4.08	0.36	5.139E-05
Off-Site Travel - Nichols Road 50% (E)	493	63.29	0.0108		0.68	0.06	8.628E-06
Off-Site Travel - I-15 Off-Ramp SB 30%	246	50.04	0.0108		0.54	0.05	6.822E-06
Off-Site Travel - I-15 On-Ramp SB 30%	246	63.10	0.0108		0.68	0.06	8.603E-06
Off-Site Travel - I-15 Off-Ramp NB 30%	246	48.46	0.0108		0.52	0.05	6.607E-06
Off-Site Travel - I-15 On-Ramp NB 30%	246	56.55	0.0108		0.61	0.05	7.710E-06

^a Vehicle miles traveled are for modeled truck route only.

^b Emission rates determined using EMFAC 2021. Idle emission rates are expressed in grams per idle hour rather than grams per mile.

^c This column includes the total truck travel and truck idle emissions. For idle emissions this column includes emissions based on the assumption that each truck idles for 15 minutes at loading docks and 5 minutes at parking spaces.

^d It is assumed that each TRU operates for 2.1 hours while parked at building loading docks.

calendar_y	season_m	sub_area	vehicle_class	fuel	temperature	relative_humidity	process	speed_time	pollutant	emission_rate
2027	Annual	Riverside	(HHDT	Dsl	60	70	RUNEX	5	PM10	0.012147
2027	Annual	Riverside	(HHDT	Dsl	60	70	RUNEX	25	PM10	0.006001
2027	Annual	Riverside	(HHDT	Dsl			IDLEX		PM10	0.01216
2027	Annual	Riverside	(LHDT1	Dsl	60	70	RUNEX	5	PM10	0.088669
2027	Annual	Riverside	(LHDT1	Dsl	60	70	RUNEX	25	PM10	0.041647
2027	Annual	Riverside	(LHDT1	Dsl			IDLEX		PM10	0.787613
2027	Annual	Riverside	(LHDT2	Dsl	60	70	RUNEX	5	PM10	0.082516
2027	Annual	Riverside	(LHDT2	Dsl	60	70	RUNEX	25	PM10	0.040236
2027	Annual	Riverside	(LHDT2	Dsl			IDLEX		PM10	0.79333
2027	Annual	Riverside	(MHDT	Dsl	60	70	RUNEX	5	PM10	0.023664
2027	Annual	Riverside	(MHDT	Dsl	60	70	RUNEX	25	PM10	0.006417
2027	Annual	Riverside	(MHDT	Dsl			IDLEX		PM10	0.038346

Source: EMFAC2021 (v1.0.2) Emissions Inventory
Region Type: Sub-Area
Region: Riverside (SC)
Calendar Year: 2027
Season: Annual
Vehicle Classification: EMFAC2007 Categories
Units: miles/day for CVMT and EVMT, trips/day for Trips, kWh/day for Energy Consumption, tons/day for Emissions, 1000 gallons/day for Fuel Consumption

Region	Calendar	Vehicle C	Model Yea	Speed	Fuel	Population
Riverside	2027	HHDT	Aggregate	Aggregate	Gasoline	4.41759
Riverside	2027	HHDT	Aggregate	Aggregate	Diesel	16021.1
Riverside	2027	HHDT	Aggregate	Aggregate	Natural G	859.737
Riverside	2027	LHDT1	Aggregate	Aggregate	Gasoline	17212.1
Riverside	2027	LHDT1	Aggregate	Aggregate	Diesel	14633.1
Riverside	2027	LHDT2	Aggregate	Aggregate	Gasoline	2393.26
Riverside	2027	LHDT2	Aggregate	Aggregate	Diesel	6722.42
Riverside	2027	MHDT	Aggregate	Aggregate	Gasoline	1187.04
Riverside	2027	MHDT	Aggregate	Aggregate	Diesel	13823.9
Riverside	2027	MHDT	Aggregate	Aggregate	Natural G	191.186
			HHDT% GAS/NG	0.05118		
			HHDT% DSL	0.94882		
			LHDT1% GAS	0.54049		
			LHDT1% DSL	0.45951		
			LHDT2% GAS	0.26254		
			LHDT2% DSL	0.73746		
			MHDT% GAS	0.07908		
			MHDT% DSL	0.92092		

Emergency Generators

0.14 PM10 Emissions (lb/day)

0.14 PM10 Emissions (lb/hr)

2 No. of Point Sources (Generators)

0.072422 PM10 Emissions per Volume Source (lb/hr)

This page intentionally left blank

APPENDIX 2.3:

AERMOD MODEL INPUT/OUTPUT

** Lakes Environmental AERMOD MPI

**

**

** AERMOD Input Produced by:

** AERMOD View Ver. 13.0.0

** Lakes Environmental Software Inc.

** Date: 5/13/2025

** File: C:\Users\adadabhoy\Desktop\AERMOD\15852 Baker
Industrial\Construction-05\Construction-05.ADI

**

**

**

** AERMOD Control Pathway

**

**

CO STARTING

TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\15852 Baker Industrial\15852 Baker

MODELOPT CONC FLAT ELEV

AVERTIME PERIOD

URBANOPT 2189641 County_of_Riverside

POLLUTID DPM

RUNORNOT RUN

ERRORFIL Construction-05.err

CO FINISHED

**

** AERMOD Source Pathway

**

**

SO STARTING

** Source Location **

** Source ID - Type - X Coord. - Y Coord. **

LOCATION VOL1	VOLUME	466054.865	3729318.431	390.160
LOCATION VOL2	VOLUME	466115.133	3729178.529	390.300
LOCATION VOL3	VOLUME	466139.885	3729409.370	388.320
LOCATION VOL4	VOLUME	466279.789	3729398.609	384.750
LOCATION VOL5	VOLUME	466194.233	3729270.005	387.290
LOCATION VOL6	VOLUME	466255.037	3729130.101	394.170
LOCATION VOL7	VOLUME	466333.599	3729270.005	385.000
LOCATION VOL8	VOLUME	466394.941	3729130.101	390.320
LOCATION VOL9	VOLUME	466312.075	3728990.197	407.410
LOCATION VOL10	VOLUME	466535.383	3729128.486	389.000
LOCATION VOL11	VOLUME	466451.979	3728990.197	399.070
LOCATION VOL12	VOLUME	466591.345	3728989.658	389.950
LOCATION VOL13	VOLUME	466396.017	3729198.976	386.900

LOCATION VOL14	VOLUME	466730.172	3728916.478	389.760
LOCATION VOL15	VOLUME	466728.020	3728656.041	395.000
LOCATION VOL16	VOLUME	466809.810	3728687.251	391.970
LOCATION VOL17	VOLUME	466457.898	3728851.907	399.150
LOCATION VOL18	VOLUME	466597.264	3728850.293	410.100
LOCATION VOL19	VOLUME	466728.558	3728795.407	390.450
LOCATION VOL20	VOLUME	466589.192	3728710.927	399.980
LOCATION VOL21	VOLUME	466912.586	3728607.075	410.590
LOCATION VOL22	VOLUME	466814.653	3728551.651	417.960

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE1

** DESCRSRC

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.0009520709

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 31

** 466147.590, 3729479.555, 387.89, 3.49, 4.00

** 466190.638, 3729530.834, 386.12, 3.49, 4.00

** 466234.953, 3729578.314, 383.33, 3.49, 4.00

** 466253.945, 3729595.407, 382.87, 3.49, 4.00

** 466253.945, 3729616.931, 383.18, 3.49, 4.00

** 466254.747, 3729622.435, 383.10, 3.49, 4.00

** 466269.410, 3729631.405, 382.17, 3.49, 4.00

** 466281.831, 3729640.548, 382.33, 3.49, 4.00

** 466300.634, 3729657.971, 382.84, 3.49, 4.00

** 466316.332, 3729681.950, 382.95, 3.49, 4.00

** 466330.823, 3729701.616, 383.95, 3.49, 4.00

** 466344.279, 3729715.417, 384.21, 3.49, 4.00

** 466361.185, 3729728.700, 384.04, 3.49, 4.00

** 466371.750, 3729736.603, 384.03, 3.49, 4.00

** 466393.662, 3729747.278, 384.06, 3.49, 4.00

** 466411.641, 3729753.178, 382.59, 3.49, 4.00

** 466430.182, 3729756.549, 382.39, 3.49, 4.00

** 466451.813, 3729758.234, 382.10, 3.49, 4.00

** 466473.444, 3729755.706, 382.20, 3.49, 4.00

** 466509.121, 3729747.840, 383.86, 3.49, 4.00

** 466555.474, 3729734.075, 386.66, 3.49, 4.00

** 466604.354, 3729719.186, 389.74, 3.49, 4.00

** 466630.170, 3729711.407, 390.06, 3.49, 4.00

** 466653.306, 3729706.119, 392.06, 3.49, 4.00

** 466662.890, 3729705.458, 392.08, 3.49, 4.00

** 466690.323, 3729706.780, 398.99, 3.49, 4.00

** 466731.637, 3729715.043, 402.66, 3.49, 4.00

** 466751.468, 3729723.305, 402.89, 3.49, 4.00

** 466802.697, 3729736.195, 399.91, 3.49, 4.00

** 466887.308, 3729756.026, 398.76, 3.49, 4.00

** 466940.521, 3729764.619, 401.91, 3.49, 4.00

**

LOCATION	L0000001	VOLUME	466150.351	3729482.845	387.43
LOCATION	L0000002	VOLUME	466155.874	3729489.424	387.17
LOCATION	L0000003	VOLUME	466161.398	3729496.003	387.00
LOCATION	L0000004	VOLUME	466166.921	3729502.582	386.87
LOCATION	L0000005	VOLUME	466172.444	3729509.161	386.67
LOCATION	L0000006	VOLUME	466177.967	3729515.740	386.38
LOCATION	L0000007	VOLUME	466183.490	3729522.319	386.11
LOCATION	L0000008	VOLUME	466189.013	3729528.898	386.00
LOCATION	L0000009	VOLUME	466194.775	3729535.266	386.00
LOCATION	L0000010	VOLUME	466200.636	3729541.545	386.00
LOCATION	L0000011	VOLUME	466206.497	3729547.825	386.00
LOCATION	L0000012	VOLUME	466212.358	3729554.105	385.82
LOCATION	L0000013	VOLUME	466218.219	3729560.385	385.38
LOCATION	L0000014	VOLUME	466224.080	3729566.664	384.86
LOCATION	L0000015	VOLUME	466229.941	3729572.944	384.26
LOCATION	L0000016	VOLUME	466235.879	3729579.147	383.57
LOCATION	L0000017	VOLUME	466242.263	3729584.893	382.95
LOCATION	L0000018	VOLUME	466248.648	3729590.639	382.81
LOCATION	L0000019	VOLUME	466253.945	3729596.870	382.71
LOCATION	L0000020	VOLUME	466253.945	3729605.460	382.86
LOCATION	L0000021	VOLUME	466253.945	3729614.050	383.01
LOCATION	L0000022	VOLUME	466254.873	3729622.512	382.88
LOCATION	L0000023	VOLUME	466262.200	3729626.995	382.40
LOCATION	L0000024	VOLUME	466269.521	3729631.487	382.00
LOCATION	L0000025	VOLUME	466276.439	3729636.579	382.16
LOCATION	L0000026	VOLUME	466283.221	3729641.836	382.39
LOCATION	L0000027	VOLUME	466289.522	3729647.675	382.66
LOCATION	L0000028	VOLUME	466295.823	3729653.513	382.87
LOCATION	L0000029	VOLUME	466301.746	3729659.670	383.00
LOCATION	L0000030	VOLUME	466306.451	3729666.857	383.00
LOCATION	L0000031	VOLUME	466311.156	3729674.044	383.00
LOCATION	L0000032	VOLUME	466315.861	3729681.231	383.01
LOCATION	L0000033	VOLUME	466320.918	3729688.173	383.17
LOCATION	L0000034	VOLUME	466326.013	3729695.089	383.48
LOCATION	L0000035	VOLUME	466331.160	3729701.961	383.92
LOCATION	L0000036	VOLUME	466337.156	3729708.112	384.18
LOCATION	L0000037	VOLUME	466343.153	3729714.262	384.18
LOCATION	L0000038	VOLUME	466349.765	3729719.728	384.22
LOCATION	L0000039	VOLUME	466356.520	3729725.035	384.26
LOCATION	L0000040	VOLUME	466363.313	3729730.292	384.19
LOCATION	L0000041	VOLUME	466370.191	3729735.437	384.02
LOCATION	L0000042	VOLUME	466377.722	3729739.513	383.77
LOCATION	L0000043	VOLUME	466385.444	3729743.275	383.52
LOCATION	L0000044	VOLUME	466393.167	3729747.037	383.27
LOCATION	L0000045	VOLUME	466401.300	3729749.785	383.08
LOCATION	L0000046	VOLUME	466409.462	3729752.463	382.90
LOCATION	L0000047	VOLUME	466417.836	3729754.304	382.78
LOCATION	L0000048	VOLUME	466426.288	3729755.841	382.60

LOCATION	L0000049	VOLUME	466434.800	3729756.908	382.45
LOCATION	L0000050	VOLUME	466443.364	3729757.576	382.34
LOCATION	L0000051	VOLUME	466451.928	3729758.221	382.26
LOCATION	L0000052	VOLUME	466460.460	3729757.223	382.29
LOCATION	L0000053	VOLUME	466468.992	3729756.226	382.33
LOCATION	L0000054	VOLUME	466477.455	3729754.822	382.37
LOCATION	L0000055	VOLUME	466485.843	3729752.972	382.53
LOCATION	L0000056	VOLUME	466494.232	3729751.123	382.74
LOCATION	L0000057	VOLUME	466502.621	3729749.273	382.99
LOCATION	L0000058	VOLUME	466510.974	3729747.290	383.22
LOCATION	L0000059	VOLUME	466519.209	3729744.844	383.19
LOCATION	L0000060	VOLUME	466527.444	3729742.399	383.11
LOCATION	L0000061	VOLUME	466535.678	3729739.953	382.98
LOCATION	L0000062	VOLUME	466543.913	3729737.508	383.94
LOCATION	L0000063	VOLUME	466552.147	3729735.063	385.95
LOCATION	L0000064	VOLUME	466560.371	3729732.583	387.79
LOCATION	L0000065	VOLUME	466568.589	3729730.080	389.40
LOCATION	L0000066	VOLUME	466576.806	3729727.577	389.57
LOCATION	L0000067	VOLUME	466585.023	3729725.074	389.64
LOCATION	L0000068	VOLUME	466593.241	3729722.571	389.81
LOCATION	L0000069	VOLUME	466601.458	3729720.068	390.06
LOCATION	L0000070	VOLUME	466609.680	3729717.581	390.26
LOCATION	L0000071	VOLUME	466617.905	3729715.103	390.37
LOCATION	L0000072	VOLUME	466626.129	3729712.624	390.39
LOCATION	L0000073	VOLUME	466634.430	3729710.433	390.69
LOCATION	L0000074	VOLUME	466642.804	3729708.519	391.15
LOCATION	L0000075	VOLUME	466651.178	3729706.605	391.52
LOCATION	L0000076	VOLUME	466659.698	3729705.678	392.02
LOCATION	L0000077	VOLUME	466668.274	3729705.717	394.01
LOCATION	L0000078	VOLUME	466676.854	3729706.131	396.04
LOCATION	L0000079	VOLUME	466685.434	3729706.544	398.08
LOCATION	L0000080	VOLUME	466693.947	3729707.505	399.71
LOCATION	L0000081	VOLUME	466702.370	3729709.189	400.93
LOCATION	L0000082	VOLUME	466710.793	3729710.874	402.08
LOCATION	L0000083	VOLUME	466719.216	3729712.558	403.17
LOCATION	L0000084	VOLUME	466727.640	3729714.243	403.20
LOCATION	L0000085	VOLUME	466735.803	3729716.779	403.16
LOCATION	L0000086	VOLUME	466743.732	3729720.082	403.09
LOCATION	L0000087	VOLUME	466751.671	3729723.357	402.86
LOCATION	L0000088	VOLUME	466760.002	3729725.453	402.31
LOCATION	L0000089	VOLUME	466768.332	3729727.549	401.75
LOCATION	L0000090	VOLUME	466776.663	3729729.645	401.20
LOCATION	L0000091	VOLUME	466784.993	3729731.741	400.80
LOCATION	L0000092	VOLUME	466793.323	3729733.837	400.51
LOCATION	L0000093	VOLUME	466801.654	3729735.933	400.26
LOCATION	L0000094	VOLUME	466810.013	3729737.910	399.89
LOCATION	L0000095	VOLUME	466818.376	3729739.870	398.78
LOCATION	L0000096	VOLUME	466826.740	3729741.830	397.74
LOCATION	L0000097	VOLUME	466835.103	3729743.790	396.78
LOCATION	L0000098	VOLUME	466843.466	3729745.751	396.32

LOCATION	L0000099	VOLUME	466851.830	3729747.711	396.39
LOCATION	L0000100	VOLUME	466860.193	3729749.671	396.45
LOCATION	L0000101	VOLUME	466868.556	3729751.631	396.52
LOCATION	L0000102	VOLUME	466876.920	3729753.591	397.36
LOCATION	L0000103	VOLUME	466885.283	3729755.551	398.37
LOCATION	L0000104	VOLUME	466893.735	3729757.064	399.44
LOCATION	L0000105	VOLUME	466902.215	3729758.433	400.33
LOCATION	L0000106	VOLUME	466910.695	3729759.803	400.75
LOCATION	L0000107	VOLUME	466919.175	3729761.172	401.17
LOCATION	L0000108	VOLUME	466927.655	3729762.542	401.59
LOCATION	L0000109	VOLUME	466936.136	3729763.911	402.01
**	End of LINE	VOLUME	Source ID = SLINE1		
LOCATION	VOL23	VOLUME	466211.193	3729593.211	385.630
**	DESCRSRC	Off-site			
LOCATION	VOL24	VOLUME	466204.416	3729574.387	386.000
LOCATION	VOL25	VOLUME	466231.470	3729594.083	383.940
LOCATION	VOL26	VOLUME	466252.453	3729618.258	383.100
LOCATION	VOL27	VOLUME	466274.532	3729638.312	382.120
LOCATION	VOL28	VOLUME	466296.794	3729659.286	382.910
LOCATION	VOL29	VOLUME	466318.320	3729680.997	383.040
LOCATION	VOL30	VOLUME	466333.958	3729703.811	384.080
LOCATION	VOL31	VOLUME	466354.933	3729725.521	384.190
LOCATION	VOL32	VOLUME	466377.195	3729734.720	384.040
LOCATION	VOL33	VOLUME	466399.457	3729747.231	383.250
LOCATION	VOL34	VOLUME	466421.535	3729750.911	382.980
LOCATION	VOL35	VOLUME	466443.245	3729757.718	382.340
LOCATION	VOL36	VOLUME	466465.875	3729756.798	382.310
LOCATION	VOL37	VOLUME	466488.321	3729752.015	382.600
LOCATION	VOL38	VOLUME	466510.768	3729748.703	383.130
LOCATION	VOL39	VOLUME	466532.846	3729736.928	383.190
LOCATION	VOL40	VOLUME	466555.108	3729732.696	386.660
LOCATION	VOL41	VOLUME	466577.738	3729726.441	389.530
LOCATION	VOL42	VOLUME	466600.184	3729717.977	390.020
LOCATION	VOL43	VOLUME	466617.478	3729696.267	389.870
LOCATION	VOL44	VOLUME	466622.998	3729674.373	389.720
LOCATION	VOL45	VOLUME	466629.805	3729651.927	389.180
LOCATION	VOL46	VOLUME	466638.085	3729629.665	385.890
LOCATION	VOL47	VOLUME	466648.940	3729607.587	384.000
LOCATION	VOL48	VOLUME	466667.338	3729585.877	384.770
LOCATION	VOL49	VOLUME	466680.585	3729569.870	385.880
LOCATION	VOL50	VOLUME	466693.764	3729555.588	386.120
LOCATION	VOL51	VOLUME	466715.724	3729534.007	384.860
LOCATION	VOL52	VOLUME	466734.624	3729516.287	383.680
LOCATION	VOL53	VOLUME	466752.547	3729500.327	383.160
LOCATION	VOL54	VOLUME	466768.802	3729485.837	382.660
LOCATION	VOL55	VOLUME	466781.376	3729472.770	382.220
LOCATION	VOL56	VOLUME	466796.632	3729458.452	382.000
LOCATION	VOL57	VOLUME	466811.787	3729443.874	382.000
LOCATION	VOL58	VOLUME	466833.747	3729422.294	382.460
LOCATION	VOL59	VOLUME	466852.647	3729404.574	383.080

LOCATION VOL60	VOLUME	466870.570	3729388.614	383.530
LOCATION VOL61	VOLUME	466886.825	3729374.123	382.890
LOCATION VOL62	VOLUME	466899.399	3729361.057	382.510
LOCATION VOL63	VOLUME	466914.655	3729346.739	382.490
LOCATION VOL64	VOLUME	466927.737	3729333.317	382.060
LOCATION VOL65	VOLUME	466949.697	3729311.736	382.050
LOCATION VOL66	VOLUME	466968.598	3729294.016	382.080
LOCATION VOL67	VOLUME	466986.520	3729278.056	382.000
LOCATION VOL68	VOLUME	467002.776	3729263.566	382.110
LOCATION VOL69	VOLUME	467015.350	3729250.499	382.000
LOCATION VOL70	VOLUME	467030.606	3729236.181	382.120
LOCATION VOL71	VOLUME	467046.684	3729222.759	382.000
LOCATION VOL72	VOLUME	467068.644	3729201.179	382.110
LOCATION VOL73	VOLUME	467087.544	3729183.459	382.000
LOCATION VOL74	VOLUME	467105.467	3729167.499	382.000
LOCATION VOL75	VOLUME	467121.722	3729153.008	382.430
LOCATION VOL76	VOLUME	467134.296	3729139.941	382.870
LOCATION VOL77	VOLUME	467149.553	3729125.624	383.130
LOCATION VOL78	VOLUME	467163.533	3729111.602	383.670
LOCATION VOL79	VOLUME	467185.493	3729090.022	383.760
LOCATION VOL80	VOLUME	467204.394	3729072.302	383.970
LOCATION VOL81	VOLUME	467222.317	3729056.342	383.900
LOCATION VOL82	VOLUME	467238.572	3729041.851	383.840
LOCATION VOL83	VOLUME	467251.146	3729028.785	383.860
LOCATION VOL84	VOLUME	467266.402	3729014.467	383.830
LOCATION VOL85	VOLUME	467282.480	3728998.048	383.840
LOCATION VOL86	VOLUME	467304.440	3728976.468	383.820
LOCATION VOL87	VOLUME	467323.340	3728958.748	383.790
LOCATION VOL88	VOLUME	467341.263	3728942.788	383.720
LOCATION VOL89	VOLUME	467357.518	3728928.298	383.660
LOCATION VOL90	VOLUME	467370.093	3728915.231	383.920
LOCATION VOL91	VOLUME	467385.349	3728900.913	384.480
LOCATION VOL92	VOLUME	467402.625	3728885.993	384.490
LOCATION VOL93	VOLUME	467424.585	3728864.412	384.530
LOCATION VOL94	VOLUME	467443.486	3728846.693	384.520
LOCATION VOL95	VOLUME	467461.409	3728830.733	384.400
LOCATION VOL96	VOLUME	467477.664	3728816.242	384.390
LOCATION VOL97	VOLUME	467490.238	3728803.175	384.380
LOCATION VOL98	VOLUME	467505.494	3728788.857	384.490
LOCATION VOL99	VOLUME	467520.374	3728773.338	385.000
LOCATION VOL100	VOLUME	467542.334	3728751.758	384.840
LOCATION VOL101	VOLUME	467561.234	3728734.038	384.970
LOCATION VOL102	VOLUME	467579.157	3728718.078	384.960
LOCATION VOL103	VOLUME	467595.412	3728703.587	384.700
LOCATION VOL104	VOLUME	467607.986	3728690.521	384.300
LOCATION VOL105	VOLUME	467623.242	3728676.203	384.170
LOCATION VOL106	VOLUME	467634.681	3728663.778	383.870
LOCATION VOL107	VOLUME	467656.641	3728642.197	383.230
LOCATION VOL108	VOLUME	467675.541	3728624.478	383.140
LOCATION VOL109	VOLUME	467693.464	3728608.518	382.540

LOCATION	VOL110	VOLUME	467709.719	3728594.027	382.000
LOCATION	VOL111	VOLUME	467722.293	3728580.960	382.000
LOCATION	VOL112	VOLUME	467737.549	3728566.642	382.000
LOCATION	VOL113	VOLUME	467753.123	3728552.033	382.450
LOCATION	VOL114	VOLUME	467775.083	3728530.453	383.180
LOCATION	VOL115	VOLUME	467793.983	3728512.733	383.810
LOCATION	VOL116	VOLUME	467811.906	3728496.773	384.410
LOCATION	VOL117	VOLUME	467828.161	3728482.283	384.950
LOCATION	VOL118	VOLUME	467840.735	3728469.216	385.370
LOCATION	VOL119	VOLUME	467855.992	3728454.898	385.880
LOCATION	VOL120	VOLUME	467871.172	3728441.254	386.000
LOCATION	VOL121	VOLUME	467887.740	3728425.038	386.000
LOCATION	VOL122	VOLUME	467900.783	3728413.053	386.370
LOCATION	VOL123	VOLUME	466208.455	3729551.602	386.000
LOCATION	VOL124	VOLUME	466190.986	3729534.817	386.000
LOCATION	VOL125	VOLUME	466174.975	3729516.256	386.430
LOCATION	VOL126	VOLUME	466137.954	3729472.713	387.860
LOCATION	VOL127	VOLUME	466173.629	3729457.752	387.200
LOCATION	VOL128	VOLUME	466197.271	3729436.737	386.410
LOCATION	VOL129	VOLUME	466218.943	3729416.379	386.000
LOCATION	VOL130	VOLUME	466241.271	3729394.707	385.570
LOCATION	VOL131	VOLUME	466262.942	3729372.379	384.220
LOCATION	VOL132	VOLUME	466285.271	3729350.050	384.000
LOCATION	VOL133	VOLUME	466306.861	3729329.028	384.140
LOCATION	VOL134	VOLUME	466329.636	3729308.151	385.000
LOCATION	VOL135	VOLUME	466349.090	3729291.544	385.000
LOCATION	VOL141	VOLUME	466371.461	3729271.395	385.000
LOCATION	VOL142	VOLUME	466393.133	3729251.037	385.170
LOCATION	VOL143	VOLUME	466415.461	3729229.365	385.890
LOCATION	VOL144	VOLUME	466437.133	3729207.037	386.630
LOCATION	VOL145	VOLUME	466459.461	3729184.708	387.880
LOCATION	VOL146	VOLUME	466481.051	3729163.686	388.150
LOCATION	VOL147	VOLUME	466503.826	3729142.809	388.920
LOCATION	VOL148	VOLUME	466526.127	3729122.881	389.000
LOCATION	VOL149	VOLUME	466548.427	3729102.004	389.090
LOCATION	VOL153	VOLUME	466591.940	3729059.760	389.540
LOCATION	VOL154	VOLUME	466614.672	3729038.716	389.380
LOCATION	VOL155	VOLUME	466636.344	3729018.358	388.780
LOCATION	VOL156	VOLUME	466658.672	3728996.686	388.660
LOCATION	VOL157	VOLUME	466680.343	3728974.358	389.000
LOCATION	VOL158	VOLUME	466702.672	3728952.030	389.130
LOCATION	VOL159	VOLUME	466724.262	3728931.007	389.700
LOCATION	VOL160	VOLUME	466747.037	3728910.130	389.570
LOCATION	VOL161	VOLUME	466769.337	3728890.202	389.340
LOCATION	VOL162	VOLUME	466791.638	3728869.325	389.000
LOCATION	VOL163	VOLUME	466813.464	3728849.397	389.610
LOCATION	VOL164	VOLUME	466859.199	3728827.531	391.500
LOCATION	VOL165	VOLUME	466836.314	3728837.136	390.000
LOCATION	VOL166	VOLUME	466881.534	3728806.393	393.570
LOCATION	VOL167	VOLUME	466897.306	3728784.792	393.400

LOCATION	VOL168	VOLUME	466907.249	3728762.163	393.730
LOCATION	VOL169	VOLUME	466920.620	3728739.534	394.860
LOCATION	VOL170	VOLUME	466942.907	3728721.705	397.160
LOCATION	VOL171	VOLUME	466965.535	3728704.562	399.060
LOCATION	VOL172	VOLUME	466988.507	3728685.362	399.200
LOCATION	VOL173	VOLUME	467003.936	3728663.419	402.600
LOCATION	VOL174	VOLUME	467025.879	3728645.933	403.860
LOCATION	VOL175	VOLUME	467047.480	3728626.047	402.360
LOCATION	VOL176	VOLUME	467061.537	3728604.446	399.040
LOCATION	VOL177	VOLUME	466570.140	3729081.052	389.000
LOCATION	VOL178	VOLUME	466231.011	3729572.515	384.180
LOCATION	VOL179	VOLUME	466254.310	3729595.497	382.670
LOCATION	VOL180	VOLUME	466230.310	3729616.632	384.300
LOCATION	VOL181	VOLUME	466207.204	3729615.557	385.170
LOCATION	VOL182	VOLUME	466184.457	3729599.795	386.310
LOCATION	VOL183	VOLUME	466162.068	3729594.780	386.880
LOCATION	VOL184	VOLUME	466139.899	3729585.211	387.320
LOCATION	VOL185	VOLUME	466117.697	3729579.964	388.000
LOCATION	VOL186	VOLUME	466095.495	3729573.505	388.000
LOCATION	VOL187	VOLUME	466072.889	3729570.679	388.000
LOCATION	VOL188	VOLUME	466049.836	3729567.276	388.330
LOCATION	VOL189	VOLUME	466027.447	3729562.261	389.000
LOCATION	VOL190	VOLUME	466004.694	3729553.567	389.000
LOCATION	VOL191	VOLUME	465982.492	3729552.986	389.000
LOCATION	VOL192	VOLUME	465959.998	3729550.611	389.000
LOCATION	VOL193	VOLUME	465937.975	3729550.119	389.050
LOCATION	VOL194	VOLUME	465915.898	3729550.501	389.790
LOCATION	VOL195	VOLUME	465893.696	3729549.920	390.000
LOCATION	VOL196	VOLUME	465871.202	3729547.545	390.000
LOCATION	VOL197	VOLUME	465849.180	3729547.052	390.000
LOCATION	VOL198	VOLUME	465827.696	3729547.755	390.000
LOCATION	VOL199	VOLUME	465805.493	3729547.174	390.800
LOCATION	VOL200	VOLUME	465783.000	3729544.799	392.420
LOCATION	VOL201	VOLUME	465760.977	3729544.307	395.050
LOCATION	VOL202	VOLUME	465738.807	3729543.980	398.800
LOCATION	VOL203	VOLUME	465716.604	3729543.399	400.930
LOCATION	VOL204	VOLUME	465694.111	3729541.024	401.680
LOCATION	VOL205	VOLUME	465672.088	3729540.532	402.400
LOCATION	VOL206	VOLUME	465650.261	3729540.891	403.460
LOCATION	VOL207	VOLUME	465628.059	3729540.310	404.520
LOCATION	VOL208	VOLUME	465605.565	3729537.935	405.320
LOCATION	VOL209	VOLUME	465583.542	3729537.443	406.010
LOCATION	VOL210	VOLUME	465561.028	3729538.146	406.580
LOCATION	VOL211	VOLUME	465538.826	3729537.565	406.770
LOCATION	VOL212	VOLUME	465516.332	3729535.190	406.540
LOCATION	VOL213	VOLUME	465494.310	3729534.697	405.980
LOCATION	VOL214	VOLUME	465472.266	3729535.466	404.970
LOCATION	VOL215	VOLUME	465450.063	3729534.885	403.860
LOCATION	VOL216	VOLUME	465427.570	3729534.569	403.140
LOCATION	VOL217	VOLUME	465405.890	3729539.225	403.760

LOCATION VOL218	VOLUME	465384.109	3729544.718	404.880
LOCATION VOL219	VOLUME	465362.730	3729550.736	405.380
LOCATION VOL220	VOLUME	465340.541	3729555.127	404.940
LOCATION VOL221	VOLUME	465319.360	3729561.176	404.840
LOCATION VOL222	VOLUME	465299.630	3729538.996	402.580
LOCATION VOL223	VOLUME	465293.526	3729517.641	402.000
LOCATION VOL224	VOLUME	465289.047	3729495.471	402.000
LOCATION VOL225	VOLUME	465282.913	3729474.314	402.000
LOCATION VOL226	VOLUME	465277.321	3729452.849	403.070
LOCATION VOL227	VOLUME	465260.604	3729388.167	408.340
LOCATION VOL228	VOLUME	465266.738	3729409.324	406.510
LOCATION VOL229	VOLUME	465271.217	3729431.495	404.790
LOCATION VOL230	VOLUME	465258.363	3729365.329	409.830
LOCATION VOL231	VOLUME	465255.517	3729298.582	411.140
LOCATION VOL232	VOLUME	465257.099	3729320.554	411.460
LOCATION VOL233	VOLUME	465256.851	3729343.171	411.300
LOCATION VOL234	VOLUME	465253.086	3729276.807	410.850
LOCATION VOL235	VOLUME	465253.924	3729210.004	410.180
LOCATION VOL236	VOLUME	465254.293	3729232.029	410.690
LOCATION VOL237	VOLUME	465252.799	3729254.599	410.790
LOCATION VOL242	VOLUME	466160.565	3729494.296	387.040
LOCATION VOL243	VOLUME	466070.529	3729406.984	389.990
LOCATION VOL244	VOLUME	466053.059	3729390.198	390.630
LOCATION VOL245	VOLUME	466037.048	3729371.638	390.960
LOCATION VOL246	VOLUME	466000.027	3729328.094	391.990
LOCATION VOL247	VOLUME	466093.084	3729427.896	389.240
LOCATION VOL248	VOLUME	466116.384	3729450.878	388.560
LOCATION VOL249	VOLUME	466022.638	3729349.677	391.230
LOCATION VOL250	VOLUME	465932.208	3729284.049	393.250
LOCATION VOL251	VOLUME	465914.738	3729267.264	393.830
LOCATION VOL252	VOLUME	465898.727	3729248.703	394.640
LOCATION VOL253	VOLUME	465861.706	3729205.160	395.910
LOCATION VOL254	VOLUME	465954.764	3729304.962	392.680
LOCATION VOL255	VOLUME	465978.063	3729327.944	392.000
LOCATION VOL256	VOLUME	465884.318	3729226.743	394.860
LOCATION VOL257	VOLUME	465793.854	3729148.202	398.860
LOCATION VOL258	VOLUME	465776.385	3729131.416	399.440
LOCATION VOL259	VOLUME	465760.374	3729112.856	399.970
LOCATION VOL260	VOLUME	465723.353	3729069.312	401.000
LOCATION VOL261	VOLUME	465816.410	3729169.114	398.120
LOCATION VOL262	VOLUME	465839.709	3729192.096	397.240
LOCATION VOL263	VOLUME	465745.964	3729090.895	400.230

** Source Parameters **

SRCPARAM VOL1	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL2	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL3	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL4	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL5	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL6	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL7	0.0000882615	5.000	32.286	1.400

SRCPARAM VOL8	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL9	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL10	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL11	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL12	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL13	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL14	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL15	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL16	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL17	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL18	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL19	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL20	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL21	0.0000882615	5.000	32.286	1.400
SRCPARAM VOL22	0.0000882615	5.000	32.286	1.400

** LINE VOLUME Source ID = SLINE1

SRCPARAM L0000001	0.000008735	3.49	4.00	3.25
SRCPARAM L0000002	0.000008735	3.49	4.00	3.25
SRCPARAM L0000003	0.000008735	3.49	4.00	3.25
SRCPARAM L0000004	0.000008735	3.49	4.00	3.25
SRCPARAM L0000005	0.000008735	3.49	4.00	3.25
SRCPARAM L0000006	0.000008735	3.49	4.00	3.25
SRCPARAM L0000007	0.000008735	3.49	4.00	3.25
SRCPARAM L0000008	0.000008735	3.49	4.00	3.25
SRCPARAM L0000009	0.000008735	3.49	4.00	3.25
SRCPARAM L0000010	0.000008735	3.49	4.00	3.25
SRCPARAM L0000011	0.000008735	3.49	4.00	3.25
SRCPARAM L0000012	0.000008735	3.49	4.00	3.25
SRCPARAM L0000013	0.000008735	3.49	4.00	3.25
SRCPARAM L0000014	0.000008735	3.49	4.00	3.25
SRCPARAM L0000015	0.000008735	3.49	4.00	3.25
SRCPARAM L0000016	0.000008735	3.49	4.00	3.25
SRCPARAM L0000017	0.000008735	3.49	4.00	3.25
SRCPARAM L0000018	0.000008735	3.49	4.00	3.25
SRCPARAM L0000019	0.000008735	3.49	4.00	3.25
SRCPARAM L0000020	0.000008735	3.49	4.00	3.25
SRCPARAM L0000021	0.000008735	3.49	4.00	3.25
SRCPARAM L0000022	0.000008735	3.49	4.00	3.25
SRCPARAM L0000023	0.000008735	3.49	4.00	3.25
SRCPARAM L0000024	0.000008735	3.49	4.00	3.25
SRCPARAM L0000025	0.000008735	3.49	4.00	3.25
SRCPARAM L0000026	0.000008735	3.49	4.00	3.25
SRCPARAM L0000027	0.000008735	3.49	4.00	3.25
SRCPARAM L0000028	0.000008735	3.49	4.00	3.25
SRCPARAM L0000029	0.000008735	3.49	4.00	3.25
SRCPARAM L0000030	0.000008735	3.49	4.00	3.25
SRCPARAM L0000031	0.000008735	3.49	4.00	3.25
SRCPARAM L0000032	0.000008735	3.49	4.00	3.25
SRCPARAM L0000033	0.000008735	3.49	4.00	3.25
SRCPARAM L0000034	0.000008735	3.49	4.00	3.25

[illegible]

SRCPARAM L0000085	0.000008735	3.49	4.00	3.25
SRCPARAM L0000086	0.000008735	3.49	4.00	3.25
SRCPARAM L0000087	0.000008735	3.49	4.00	3.25
SRCPARAM L0000088	0.000008735	3.49	4.00	3.25
SRCPARAM L0000089	0.000008735	3.49	4.00	3.25
SRCPARAM L0000090	0.000008735	3.49	4.00	3.25
SRCPARAM L0000091	0.000008735	3.49	4.00	3.25
SRCPARAM L0000092	0.000008735	3.49	4.00	3.25
SRCPARAM L0000093	0.000008735	3.49	4.00	3.25
SRCPARAM L0000094	0.000008735	3.49	4.00	3.25
SRCPARAM L0000095	0.000008735	3.49	4.00	3.25
SRCPARAM L0000096	0.000008735	3.49	4.00	3.25
SRCPARAM L0000097	0.000008735	3.49	4.00	3.25
SRCPARAM L0000098	0.000008735	3.49	4.00	3.25
SRCPARAM L0000099	0.000008735	3.49	4.00	3.25
SRCPARAM L0000100	0.000008735	3.49	4.00	3.25
SRCPARAM L0000101	0.000008735	3.49	4.00	3.25
SRCPARAM L0000102	0.000008735	3.49	4.00	3.25
SRCPARAM L0000103	0.000008735	3.49	4.00	3.25
SRCPARAM L0000104	0.000008735	3.49	4.00	3.25
SRCPARAM L0000105	0.000008735	3.49	4.00	3.25
SRCPARAM L0000106	0.000008735	3.49	4.00	3.25
SRCPARAM L0000107	0.000008735	3.49	4.00	3.25
SRCPARAM L0000108	0.000008735	3.49	4.00	3.25
SRCPARAM L0000109	0.000008735	3.49	4.00	3.25

**

SRCPARAM VOL23	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL24	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL25	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL26	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL27	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL28	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL29	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL30	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL31	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL32	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL33	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL34	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL35	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL36	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL37	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL38	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL39	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL40	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL41	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL42	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL43	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL44	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL45	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL46	0.0000119572	5.000	5.023	1.400

[illegible]

[illegible]

[illegible]

[illegible]

SRCPARAM VOL259	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL260	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL261	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL262	0.0000119572	5.000	5.023	1.400
SRCPARAM VOL263	0.0000119572	5.000	5.023	1.400
URBANSRC ALL				

** Variable Emissions Type: "By Hour / Day (HRDOW)"

** Variable Emission Scenario: "Scenario 1"

** WeekDays:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL1	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL1	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL2	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL2	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** WeekDays:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT VOL3	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Saturday:

EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT VOL3	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

** Sunday:

[illegible]

EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL7	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL7	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL8	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL8	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL9	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL9	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL10	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL10	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	

[illegible]

[illegible]

[illegible]

EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL20	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL21	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL21	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT VOL22	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:	
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:	
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT VOL22	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:	
EMISFACT L0000001	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000001	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000001	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000001	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000002	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000002	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
EMISFACT L0000002	HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
EMISFACT L0000002	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000003	HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
EMISFACT L0000003	HRDOW 0.0 0.0 1.0 1.0 1.0 1.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

EMISFACT	L0000103	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000103	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000104	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000104	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000104	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000104	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000105	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000105	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000105	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000105	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000106	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000106	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000106	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000106	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000107	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000108	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	1.0	1.0	1.0	1.0
EMISFACT	L0000109	HRDOW	1.0	1.0	1.0	1.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

EMISFACT	L0000106	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000107	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000108	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0
EMISFACT	L0000109	HRDOW	0.0	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

**	WeekDays:							
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL83	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL83	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL84	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL84	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL85	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL85	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL86	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL86	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL86	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL86	HRDOW	0.0	0.0	0.0	0.0	0.0

[illegible]

[illegible]

**	WeekDays:							
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL93	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL93	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL94	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL94	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL95	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Saturday:							
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
**	Sunday:							
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL95	HRDOW	0.0	0.0	0.0	0.0	0.0
**	WeekDays:							
	EMISFACT	VOL96	HRDOW	0.0	0.0	0.0	0.0	0.0
	EMISFACT	VOL96	HRDOW	0.0	0.0	1.0	1.0	1.0
	EMISFACT	VOL96	HRDOW	1.0	1.0	1.0	1.0	0.0
	EMISFACT	VOL96	HRDOW	0.0	0.0	0.0	0.0	0.0

[illegible]

```

** Sunday:
  EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL99      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
  EMISFACT VOL100     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL100     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
  EMISFACT VOL101     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL101     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
  EMISFACT VOL102     HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL102     HRDOW 0.0 0.0 0.0 0.0 0.0 0.0

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

** Sunday:
  EMISFACT VOL261      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL261      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL261      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL261      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
  EMISFACT VOL262      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL262      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
  EMISFACT VOL263      HRDOW 1.0 1.0 1.0 1.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  EMISFACT VOL263      HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
  SRCGROUP ALL

```

SO FINISHED

**

** AERMOD Receptor Pathway

**

**

RE STARTING

INCLUDED Construction-05.rou

RE FINISHED

**

** AERMOD Meteorology Pathway

**
**

ME STARTING

SURFFILE ELSI_V9_ADJU\ELSI_v9.SFC
PROFFILE ELSI_V9_ADJU\ELSI_v9.PFL
SURFDATA 3171 2012
UAIRDATA 3190 2012
SITEDATA 99999 2012
PROFBASE 406.0 METERS

ME FINISHED

**

** AERMOD Output Pathway

**

**

OU STARTING

** Auto-Generated Plotfiles

PLOTFILE PERIOD ALL CONSTRUCTION-05.AD\PE00GALL.PLT 31
SUMMFILE Construction-05.sum

OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
ME W186 5908 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
0.50
ME W187 5908 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY

** Model Options Selected:

- * Model Allows User-Specified Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Allow FLAT/ELEV Terrain Option by Source,
with 0 FLAT and 360 ELEV Source(s).
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 360 Source(s),
for Total of 1 Urban Area(s):
- Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * CCVR_Sub - Meteorological data includes CCVR substitutions
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Assumes No FLAGPOLE Receptor Heights.
- * The User Specified a Pollutant Type of: DPM

**Model Calculates PERIOD Averages Only

**This Run Includes: 360 Source(s); 1 Source Group(s); and 46 Receptor(s)

with: 0 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 360 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)
and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of PERIOD Averages by Receptor

Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing
Hours
b for Both Calm
and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 406.00 ; Decay
Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ;
Emission Rate Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 3.9 MB of RAM.

**Input Runstream File: aermod.inp

**Output Print File: aermod.out

**Detailed Error/Message File: Construction-05.err

**File for Summary of Results: Construction-05.sum

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 2

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

- - - - -

- - - - -

VOL1		0	0.88262E-04	466054.9	3729318.4	390.2	5.00	32.29
1.40	YES	HRDOW	NO					
VOL2		0	0.88262E-04	466115.1	3729178.5	390.3	5.00	32.29
1.40	YES	HRDOW	NO					
VOL3		0	0.88262E-04	466139.9	3729409.4	388.3	5.00	32.29
1.40	YES	HRDOW	NO					
VOL4		0	0.88262E-04	466279.8	3729398.6	384.8	5.00	32.29
1.40	YES	HRDOW	NO					
VOL5		0	0.88262E-04	466194.2	3729270.0	387.3	5.00	32.29
1.40	YES	HRDOW	NO					
VOL6		0	0.88262E-04	466255.0	3729130.1	394.2	5.00	32.29
1.40	YES	HRDOW	NO					
VOL7		0	0.88262E-04	466333.6	3729270.0	385.0	5.00	32.29
1.40	YES	HRDOW	NO					
VOL8		0	0.88262E-04	466394.9	3729130.1	390.3	5.00	32.29
1.40	YES	HRDOW	NO					
VOL9		0	0.88262E-04	466312.1	3728990.2	407.4	5.00	32.29
1.40	YES	HRDOW	NO					
VOL10		0	0.88262E-04	466535.4	3729128.5	389.0	5.00	32.29
1.40	YES	HRDOW	NO					
VOL11		0	0.88262E-04	466452.0	3728990.2	399.1	5.00	32.29
1.40	YES	HRDOW	NO					
VOL12		0	0.88262E-04	466591.3	3728989.7	389.9	5.00	32.29
1.40	YES	HRDOW	NO					
VOL13		0	0.88262E-04	466396.0	3729199.0	386.9	5.00	32.29
1.40	YES	HRDOW	NO					
VOL14		0	0.88262E-04	466730.2	3728916.5	389.8	5.00	32.29
1.40	YES	HRDOW	NO					
VOL15		0	0.88262E-04	466728.0	3728656.0	395.0	5.00	32.29
1.40	YES	HRDOW	NO					
VOL16		0	0.88262E-04	466809.8	3728687.3	392.0	5.00	32.29
1.40	YES	HRDOW	NO					
VOL17		0	0.88262E-04	466457.9	3728851.9	399.2	5.00	32.29
1.40	YES	HRDOW	NO					
VOL18		0	0.88262E-04	466597.3	3728850.3	410.1	5.00	32.29
1.40	YES	HRDOW	NO					
VOL19		0	0.88262E-04	466728.6	3728795.4	390.4	5.00	32.29
1.40	YES	HRDOW	NO					
VOL20		0	0.88262E-04	466589.2	3728710.9	400.0	5.00	32.29
1.40	YES	HRDOW	NO					
VOL21		0	0.88262E-04	466912.6	3728607.1	410.6	5.00	32.29
1.40	YES	HRDOW	NO					
VOL22		0	0.88262E-04	466814.7	3728551.7	418.0	5.00	32.29
1.40	YES	HRDOW	NO					
L0000001		0	0.87350E-05	466150.4	3729482.8	387.4	3.49	4.00
3.25	YES	HRDOW	NO					
L0000002		0	0.87350E-05	466155.9	3729489.4	387.2	3.49	4.00
3.25	YES	HRDOW	NO					

L0000003	0	0.87350E-05	466161.4	3729496.0	387.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000004	0	0.87350E-05	466166.9	3729502.6	386.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000005	0	0.87350E-05	466172.4	3729509.2	386.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000006	0	0.87350E-05	466178.0	3729515.7	386.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000007	0	0.87350E-05	466183.5	3729522.3	386.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000008	0	0.87350E-05	466189.0	3729528.9	386.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000009	0	0.87350E-05	466194.8	3729535.3	386.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000010	0	0.87350E-05	466200.6	3729541.5	386.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000011	0	0.87350E-05	466206.5	3729547.8	386.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000012	0	0.87350E-05	466212.4	3729554.1	385.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000013	0	0.87350E-05	466218.2	3729560.4	385.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000014	0	0.87350E-05	466224.1	3729566.7	384.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000015	0	0.87350E-05	466229.9	3729572.9	384.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000016	0	0.87350E-05	466235.9	3729579.1	383.6	3.49	4.00
3.25	YES	HRDOW	NO				
L0000017	0	0.87350E-05	466242.3	3729584.9	382.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000018	0	0.87350E-05	466248.6	3729590.6	382.8	3.49	4.00
3.25	YES	HRDOW	NO				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 3

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT				
SZ	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY
ID		SCALAR	VARY			(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY			(METERS)	(METERS)	(METERS)

- - - - -

L0000019	0	0.87350E-05	466253.9	3729596.9	382.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000020	0	0.87350E-05	466253.9	3729605.5	382.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000021	0	0.87350E-05	466253.9	3729614.0	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000022	0	0.87350E-05	466254.9	3729622.5	382.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000023	0	0.87350E-05	466262.2	3729627.0	382.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000024	0	0.87350E-05	466269.5	3729631.5	382.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000025	0	0.87350E-05	466276.4	3729636.6	382.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000026	0	0.87350E-05	466283.2	3729641.8	382.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000027	0	0.87350E-05	466289.5	3729647.7	382.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000028	0	0.87350E-05	466295.8	3729653.5	382.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000029	0	0.87350E-05	466301.7	3729659.7	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000030	0	0.87350E-05	466306.5	3729666.9	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000031	0	0.87350E-05	466311.2	3729674.0	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000032	0	0.87350E-05	466315.9	3729681.2	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000033	0	0.87350E-05	466320.9	3729688.2	383.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000034	0	0.87350E-05	466326.0	3729695.1	383.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000035	0	0.87350E-05	466331.2	3729702.0	383.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000036	0	0.87350E-05	466337.2	3729708.1	384.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000037	0	0.87350E-05	466343.2	3729714.3	384.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000038	0	0.87350E-05	466349.8	3729719.7	384.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000039	0	0.87350E-05	466356.5	3729725.0	384.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000040	0	0.87350E-05	466363.3	3729730.3	384.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000041	0	0.87350E-05	466370.2	3729735.4	384.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000042	0	0.87350E-05	466377.7	3729739.5	383.8	3.49	4.00
3.25	YES	HRDOW	NO				

L0000043	0	0.87350E-05	466385.4	3729743.3	383.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000044	0	0.87350E-05	466393.2	3729747.0	383.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000045	0	0.87350E-05	466401.3	3729749.8	383.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000046	0	0.87350E-05	466409.5	3729752.5	382.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000047	0	0.87350E-05	466417.8	3729754.3	382.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000048	0	0.87350E-05	466426.3	3729755.8	382.6	3.49	4.00
3.25	YES	HRDOW	NO				
L0000049	0	0.87350E-05	466434.8	3729756.9	382.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000050	0	0.87350E-05	466443.4	3729757.6	382.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000051	0	0.87350E-05	466451.9	3729758.2	382.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000052	0	0.87350E-05	466460.5	3729757.2	382.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000053	0	0.87350E-05	466469.0	3729756.2	382.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000054	0	0.87350E-05	466477.5	3729754.8	382.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000055	0	0.87350E-05	466485.8	3729753.0	382.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000056	0	0.87350E-05	466494.2	3729751.1	382.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000057	0	0.87350E-05	466502.6	3729749.3	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000058	0	0.87350E-05	466511.0	3729747.3	383.2	3.49	4.00
3.25	YES	HRDOW	NO				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 4

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT			
SZ	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT
ID	CATS.	SCALAR	VARY	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY						

- - - - -

L0000059	0	0.87350E-05	466519.2	3729744.8	383.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000060	0	0.87350E-05	466527.4	3729742.4	383.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000061	0	0.87350E-05	466535.7	3729740.0	383.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000062	0	0.87350E-05	466543.9	3729737.5	383.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000063	0	0.87350E-05	466552.1	3729735.1	385.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000064	0	0.87350E-05	466560.4	3729732.6	387.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000065	0	0.87350E-05	466568.6	3729730.1	389.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000066	0	0.87350E-05	466576.8	3729727.6	389.6	3.49	4.00
3.25	YES	HRDOW	NO				
L0000067	0	0.87350E-05	466585.0	3729725.1	389.6	3.49	4.00
3.25	YES	HRDOW	NO				
L0000068	0	0.87350E-05	466593.2	3729722.6	389.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000069	0	0.87350E-05	466601.5	3729720.1	390.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000070	0	0.87350E-05	466609.7	3729717.6	390.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000071	0	0.87350E-05	466617.9	3729715.1	390.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000072	0	0.87350E-05	466626.1	3729712.6	390.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000073	0	0.87350E-05	466634.4	3729710.4	390.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000074	0	0.87350E-05	466642.8	3729708.5	391.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000075	0	0.87350E-05	466651.2	3729706.6	391.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000076	0	0.87350E-05	466659.7	3729705.7	392.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000077	0	0.87350E-05	466668.3	3729705.7	394.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000078	0	0.87350E-05	466676.9	3729706.1	396.0	3.49	4.00
3.25	YES	HRDOW	NO				
L0000079	0	0.87350E-05	466685.4	3729706.5	398.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000080	0	0.87350E-05	466693.9	3729707.5	399.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000081	0	0.87350E-05	466702.4	3729709.2	400.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000082	0	0.87350E-05	466710.8	3729710.9	402.1	3.49	4.00
3.25	YES	HRDOW	NO				

L0000083	0	0.87350E-05	466719.2	3729712.6	403.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000084	0	0.87350E-05	466727.6	3729714.2	403.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000085	0	0.87350E-05	466735.8	3729716.8	403.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000086	0	0.87350E-05	466743.7	3729720.1	403.1	3.49	4.00
3.25	YES	HRDOW	NO				
L0000087	0	0.87350E-05	466751.7	3729723.4	402.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000088	0	0.87350E-05	466760.0	3729725.5	402.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000089	0	0.87350E-05	466768.3	3729727.5	401.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000090	0	0.87350E-05	466776.7	3729729.6	401.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000091	0	0.87350E-05	466785.0	3729731.7	400.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000092	0	0.87350E-05	466793.3	3729733.8	400.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000093	0	0.87350E-05	466801.7	3729735.9	400.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000094	0	0.87350E-05	466810.0	3729737.9	399.9	3.49	4.00
3.25	YES	HRDOW	NO				
L0000095	0	0.87350E-05	466818.4	3729739.9	398.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000096	0	0.87350E-05	466826.7	3729741.8	397.7	3.49	4.00
3.25	YES	HRDOW	NO				
L0000097	0	0.87350E-05	466835.1	3729743.8	396.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000098	0	0.87350E-05	466843.5	3729745.8	396.3	3.49	4.00
3.25	YES	HRDOW	NO				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 5

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE	BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT			
SZ	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT
ID	CATS.	SCALAR	VARY	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)	BY						

- - - - -

L0000099	0	0.87350E-05	466851.8	3729747.7	396.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000100	0	0.87350E-05	466860.2	3729749.7	396.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000101	0	0.87350E-05	466868.6	3729751.6	396.5	3.49	4.00
3.25	YES	HRDOW	NO				
L0000102	0	0.87350E-05	466876.9	3729753.6	397.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000103	0	0.87350E-05	466885.3	3729755.6	398.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000104	0	0.87350E-05	466893.7	3729757.1	399.4	3.49	4.00
3.25	YES	HRDOW	NO				
L0000105	0	0.87350E-05	466902.2	3729758.4	400.3	3.49	4.00
3.25	YES	HRDOW	NO				
L0000106	0	0.87350E-05	466910.7	3729759.8	400.8	3.49	4.00
3.25	YES	HRDOW	NO				
L0000107	0	0.87350E-05	466919.2	3729761.2	401.2	3.49	4.00
3.25	YES	HRDOW	NO				
L0000108	0	0.87350E-05	466927.7	3729762.5	401.6	3.49	4.00
3.25	YES	HRDOW	NO				
L0000109	0	0.87350E-05	466936.1	3729763.9	402.0	3.49	4.00
3.25	YES	HRDOW	NO				
VOL23	0	0.11957E-04	466211.2	3729593.2	385.6	5.00	5.02
1.40	YES	HRDOW	NO				
VOL24	0	0.11957E-04	466204.4	3729574.4	386.0	5.00	5.02
1.40	YES	HRDOW	NO				
VOL25	0	0.11957E-04	466231.5	3729594.1	383.9	5.00	5.02
1.40	YES	HRDOW	NO				
VOL26	0	0.11957E-04	466252.5	3729618.3	383.1	5.00	5.02
1.40	YES	HRDOW	NO				
VOL27	0	0.11957E-04	466274.5	3729638.3	382.1	5.00	5.02
1.40	YES	HRDOW	NO				
VOL28	0	0.11957E-04	466296.8	3729659.3	382.9	5.00	5.02
1.40	YES	HRDOW	NO				
VOL29	0	0.11957E-04	466318.3	3729681.0	383.0	5.00	5.02
1.40	YES	HRDOW	NO				
VOL30	0	0.11957E-04	466334.0	3729703.8	384.1	5.00	5.02
1.40	YES	HRDOW	NO				
VOL31	0	0.11957E-04	466354.9	3729725.5	384.2	5.00	5.02
1.40	YES	HRDOW	NO				
VOL32	0	0.11957E-04	466377.2	3729734.7	384.0	5.00	5.02
1.40	YES	HRDOW	NO				
VOL33	0	0.11957E-04	466399.5	3729747.2	383.2	5.00	5.02
1.40	YES	HRDOW	NO				
VOL34	0	0.11957E-04	466421.5	3729750.9	383.0	5.00	5.02
1.40	YES	HRDOW	NO				
VOL35	0	0.11957E-04	466443.2	3729757.7	382.3	5.00	5.02
1.40	YES	HRDOW	NO				

VOL36		0	0.11957E-04	466465.9	3729756.8	382.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL37		0	0.11957E-04	466488.3	3729752.0	382.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL38		0	0.11957E-04	466510.8	3729748.7	383.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL39		0	0.11957E-04	466532.8	3729736.9	383.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL40		0	0.11957E-04	466555.1	3729732.7	386.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL41		0	0.11957E-04	466577.7	3729726.4	389.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL42		0	0.11957E-04	466600.2	3729718.0	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL43		0	0.11957E-04	466617.5	3729696.3	389.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL44		0	0.11957E-04	466623.0	3729674.4	389.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL45		0	0.11957E-04	466629.8	3729651.9	389.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL46		0	0.11957E-04	466638.1	3729629.7	385.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL47		0	0.11957E-04	466648.9	3729607.6	384.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL48		0	0.11957E-04	466667.3	3729585.9	384.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL49		0	0.11957E-04	466680.6	3729569.9	385.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL50		0	0.11957E-04	466693.8	3729555.6	386.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL51		0	0.11957E-04	466715.7	3729534.0	384.9	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 6

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER EMISSION RATE	BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION RATE AIRCRAFT	ELEV.	HEIGHT	SY
SZ	SOURCE	PART. (GRAMS/SEC)	(METERS)	(METERS)	(METERS)
ID	CATS.	SCALAR VARY	(METERS)	(METERS)	(METERS)
(METERS)		BY			

- - - - -

VOL52		0	0.11957E-04	466734.6	3729516.3	383.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL53		0	0.11957E-04	466752.5	3729500.3	383.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL54		0	0.11957E-04	466768.8	3729485.8	382.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL55		0	0.11957E-04	466781.4	3729472.8	382.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL56		0	0.11957E-04	466796.6	3729458.5	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL57		0	0.11957E-04	466811.8	3729443.9	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL58		0	0.11957E-04	466833.7	3729422.3	382.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL59		0	0.11957E-04	466852.6	3729404.6	383.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL60		0	0.11957E-04	466870.6	3729388.6	383.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL61		0	0.11957E-04	466886.8	3729374.1	382.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL62		0	0.11957E-04	466899.4	3729361.1	382.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL63		0	0.11957E-04	466914.7	3729346.7	382.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL64		0	0.11957E-04	466927.7	3729333.3	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL65		0	0.11957E-04	466949.7	3729311.7	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL66		0	0.11957E-04	466968.6	3729294.0	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL67		0	0.11957E-04	466986.5	3729278.1	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL68		0	0.11957E-04	467002.8	3729263.6	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL69		0	0.11957E-04	467015.3	3729250.5	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL70		0	0.11957E-04	467030.6	3729236.2	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL71		0	0.11957E-04	467046.7	3729222.8	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL72		0	0.11957E-04	467068.6	3729201.2	382.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL73		0	0.11957E-04	467087.5	3729183.5	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL74		0	0.11957E-04	467105.5	3729167.5	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL75		0	0.11957E-04	467121.7	3729153.0	382.4	5.00	5.02
1.40	YES	HRDOW	NO					

VOL76		0	0.11957E-04	467134.3	3729139.9	382.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL77		0	0.11957E-04	467149.6	3729125.6	383.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL78		0	0.11957E-04	467163.5	3729111.6	383.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL79		0	0.11957E-04	467185.5	3729090.0	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL80		0	0.11957E-04	467204.4	3729072.3	384.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL81		0	0.11957E-04	467222.3	3729056.3	383.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL82		0	0.11957E-04	467238.6	3729041.9	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL83		0	0.11957E-04	467251.1	3729028.8	383.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL84		0	0.11957E-04	467266.4	3729014.5	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL85		0	0.11957E-04	467282.5	3728998.0	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL86		0	0.11957E-04	467304.4	3728976.5	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL87		0	0.11957E-04	467323.3	3728958.7	383.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL88		0	0.11957E-04	467341.3	3728942.8	383.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL89		0	0.11957E-04	467357.5	3728928.3	383.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL90		0	0.11957E-04	467370.1	3728915.2	383.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL91		0	0.11957E-04	467385.3	3728900.9	384.5	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 7

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER EMISSION RATE	BASE	RELEASE	INIT.
SOURCE	EMISSION RATE	AIRCRAFT			
SZ	SCALAR VARY	(GRAMS/SEC)	X	Y	SY
ID	CATS.		(METERS)	(METERS)	(METERS)
(METERS)	BY				

- - - - -

VOL92		0	0.11957E-04	467402.6	3728886.0	384.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL93		0	0.11957E-04	467424.6	3728864.4	384.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL94		0	0.11957E-04	467443.5	3728846.7	384.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL95		0	0.11957E-04	467461.4	3728830.7	384.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL96		0	0.11957E-04	467477.7	3728816.2	384.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL97		0	0.11957E-04	467490.2	3728803.2	384.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL98		0	0.11957E-04	467505.5	3728788.9	384.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL99		0	0.11957E-04	467520.4	3728773.3	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL100		0	0.11957E-04	467542.3	3728751.8	384.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL101		0	0.11957E-04	467561.2	3728734.0	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL102		0	0.11957E-04	467579.2	3728718.1	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL103		0	0.11957E-04	467595.4	3728703.6	384.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL104		0	0.11957E-04	467608.0	3728690.5	384.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL105		0	0.11957E-04	467623.2	3728676.2	384.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL106		0	0.11957E-04	467634.7	3728663.8	383.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL107		0	0.11957E-04	467656.6	3728642.2	383.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL108		0	0.11957E-04	467675.5	3728624.5	383.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL109		0	0.11957E-04	467693.5	3728608.5	382.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL110		0	0.11957E-04	467709.7	3728594.0	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL111		0	0.11957E-04	467722.3	3728581.0	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL112		0	0.11957E-04	467737.5	3728566.6	382.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL113		0	0.11957E-04	467753.1	3728552.0	382.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL114		0	0.11957E-04	467775.1	3728530.5	383.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL115		0	0.11957E-04	467794.0	3728512.7	383.8	5.00	5.02
1.40	YES	HRDOW	NO					

VOL116		0	0.11957E-04	467811.9	3728496.8	384.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL117		0	0.11957E-04	467828.2	3728482.3	384.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL118		0	0.11957E-04	467840.7	3728469.2	385.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL119		0	0.11957E-04	467856.0	3728454.9	385.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL120		0	0.11957E-04	467871.2	3728441.3	386.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL121		0	0.11957E-04	467887.7	3728425.0	386.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL122		0	0.11957E-04	467900.8	3728413.1	386.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL123		0	0.11957E-04	466208.5	3729551.6	386.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL124		0	0.11957E-04	466191.0	3729534.8	386.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL125		0	0.11957E-04	466175.0	3729516.3	386.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL126		0	0.11957E-04	466138.0	3729472.7	387.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL127		0	0.11957E-04	466173.6	3729457.8	387.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL128		0	0.11957E-04	466197.3	3729436.7	386.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL129		0	0.11957E-04	466218.9	3729416.4	386.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL130		0	0.11957E-04	466241.3	3729394.7	385.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL131		0	0.11957E-04	466262.9	3729372.4	384.2	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 8

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT				
SZ	SOURCE	PART.	(GRAMS/SEC)	X	Y	ELEV.	HEIGHT	SY
ID		SCALAR	VARY			(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY			(METERS)	(METERS)	(METERS)

- - - - -

VOL132		0	0.11957E-04	466285.3	3729350.0	384.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL133		0	0.11957E-04	466306.9	3729329.0	384.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL134		0	0.11957E-04	466329.6	3729308.2	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL135		0	0.11957E-04	466349.1	3729291.5	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL141		0	0.11957E-04	466371.5	3729271.4	385.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL142		0	0.11957E-04	466393.1	3729251.0	385.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL143		0	0.11957E-04	466415.5	3729229.4	385.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL144		0	0.11957E-04	466437.1	3729207.0	386.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL145		0	0.11957E-04	466459.5	3729184.7	387.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL146		0	0.11957E-04	466481.1	3729163.7	388.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL147		0	0.11957E-04	466503.8	3729142.8	388.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL148		0	0.11957E-04	466526.1	3729122.9	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL149		0	0.11957E-04	466548.4	3729102.0	389.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL153		0	0.11957E-04	466591.9	3729059.8	389.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL154		0	0.11957E-04	466614.7	3729038.7	389.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL155		0	0.11957E-04	466636.3	3729018.4	388.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL156		0	0.11957E-04	466658.7	3728996.7	388.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL157		0	0.11957E-04	466680.3	3728974.4	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL158		0	0.11957E-04	466702.7	3728952.0	389.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL159		0	0.11957E-04	466724.3	3728931.0	389.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL160		0	0.11957E-04	466747.0	3728910.1	389.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL161		0	0.11957E-04	466769.3	3728890.2	389.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL162		0	0.11957E-04	466791.6	3728869.3	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL163		0	0.11957E-04	466813.5	3728849.4	389.6	5.00	5.02
1.40	YES	HRDOW	NO					

VOL164		0	0.11957E-04	466859.2	3728827.5	391.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL165		0	0.11957E-04	466836.3	3728837.1	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL166		0	0.11957E-04	466881.5	3728806.4	393.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL167		0	0.11957E-04	466897.3	3728784.8	393.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL168		0	0.11957E-04	466907.2	3728762.2	393.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL169		0	0.11957E-04	466920.6	3728739.5	394.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL170		0	0.11957E-04	466942.9	3728721.7	397.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL171		0	0.11957E-04	466965.5	3728704.6	399.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL172		0	0.11957E-04	466988.5	3728685.4	399.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL173		0	0.11957E-04	467003.9	3728663.4	402.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL174		0	0.11957E-04	467025.9	3728645.9	403.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL175		0	0.11957E-04	467047.5	3728626.0	402.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL176		0	0.11957E-04	467061.5	3728604.4	399.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL177		0	0.11957E-04	466570.1	3729081.1	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL178		0	0.11957E-04	466231.0	3729572.5	384.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL179		0	0.11957E-04	466254.3	3729595.5	382.7	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 9

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

- - - - -

VOL180		0	0.11957E-04	466230.3	3729616.6	384.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL181		0	0.11957E-04	466207.2	3729615.6	385.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL182		0	0.11957E-04	466184.5	3729599.8	386.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL183		0	0.11957E-04	466162.1	3729594.8	386.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL184		0	0.11957E-04	466139.9	3729585.2	387.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL185		0	0.11957E-04	466117.7	3729580.0	388.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL186		0	0.11957E-04	466095.5	3729573.5	388.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL187		0	0.11957E-04	466072.9	3729570.7	388.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL188		0	0.11957E-04	466049.8	3729567.3	388.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL189		0	0.11957E-04	466027.4	3729562.3	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL190		0	0.11957E-04	466004.7	3729553.6	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL191		0	0.11957E-04	465982.5	3729553.0	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL192		0	0.11957E-04	465960.0	3729550.6	389.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL193		0	0.11957E-04	465938.0	3729550.1	389.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL194		0	0.11957E-04	465915.9	3729550.5	389.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL195		0	0.11957E-04	465893.7	3729549.9	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL196		0	0.11957E-04	465871.2	3729547.5	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL197		0	0.11957E-04	465849.2	3729547.1	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL198		0	0.11957E-04	465827.7	3729547.8	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL199		0	0.11957E-04	465805.5	3729547.2	390.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL200		0	0.11957E-04	465783.0	3729544.8	392.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL201		0	0.11957E-04	465761.0	3729544.3	395.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL202		0	0.11957E-04	465738.8	3729544.0	398.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL203		0	0.11957E-04	465716.6	3729543.4	400.9	5.00	5.02
1.40	YES	HRDOW	NO					

VOL204		0	0.11957E-04	465694.1	3729541.0	401.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL205		0	0.11957E-04	465672.1	3729540.5	402.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL206		0	0.11957E-04	465650.3	3729540.9	403.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL207		0	0.11957E-04	465628.1	3729540.3	404.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL208		0	0.11957E-04	465605.6	3729537.9	405.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL209		0	0.11957E-04	465583.5	3729537.4	406.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL210		0	0.11957E-04	465561.0	3729538.1	406.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL211		0	0.11957E-04	465538.8	3729537.6	406.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL212		0	0.11957E-04	465516.3	3729535.2	406.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL213		0	0.11957E-04	465494.3	3729534.7	406.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL214		0	0.11957E-04	465472.3	3729535.5	405.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL215		0	0.11957E-04	465450.1	3729534.9	403.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL216		0	0.11957E-04	465427.6	3729534.6	403.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL217		0	0.11957E-04	465405.9	3729539.2	403.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL218		0	0.11957E-04	465384.1	3729544.7	404.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL219		0	0.11957E-04	465362.7	3729550.7	405.4	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 10

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
INIT.	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

- - - - -

VOL220		0	0.11957E-04	465340.5	3729555.1	404.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL221		0	0.11957E-04	465319.4	3729561.2	404.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL222		0	0.11957E-04	465299.6	3729539.0	402.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL223		0	0.11957E-04	465293.5	3729517.6	402.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL224		0	0.11957E-04	465289.0	3729495.5	402.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL225		0	0.11957E-04	465282.9	3729474.3	402.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL226		0	0.11957E-04	465277.3	3729452.8	403.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL227		0	0.11957E-04	465260.6	3729388.2	408.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL228		0	0.11957E-04	465266.7	3729409.3	406.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL229		0	0.11957E-04	465271.2	3729431.5	404.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL230		0	0.11957E-04	465258.4	3729365.3	409.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL231		0	0.11957E-04	465255.5	3729298.6	411.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL232		0	0.11957E-04	465257.1	3729320.6	411.5	5.00	5.02
1.40	YES	HRDOW	NO					
VOL233		0	0.11957E-04	465256.9	3729343.2	411.3	5.00	5.02
1.40	YES	HRDOW	NO					
VOL234		0	0.11957E-04	465253.1	3729276.8	410.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL235		0	0.11957E-04	465253.9	3729210.0	410.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL236		0	0.11957E-04	465254.3	3729232.0	410.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL237		0	0.11957E-04	465252.8	3729254.6	410.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL242		0	0.11957E-04	466160.6	3729494.3	387.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL243		0	0.11957E-04	466070.5	3729407.0	390.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL244		0	0.11957E-04	466053.1	3729390.2	390.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL245		0	0.11957E-04	466037.0	3729371.6	391.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL246		0	0.11957E-04	466000.0	3729328.1	392.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL247		0	0.11957E-04	466093.1	3729427.9	389.2	5.00	5.02
1.40	YES	HRDOW	NO					

VOL248		0	0.11957E-04	466116.4	3729450.9	388.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL249		0	0.11957E-04	466022.6	3729349.7	391.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL250		0	0.11957E-04	465932.2	3729284.0	393.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL251		0	0.11957E-04	465914.7	3729267.3	393.8	5.00	5.02
1.40	YES	HRDOW	NO					
VOL252		0	0.11957E-04	465898.7	3729248.7	394.6	5.00	5.02
1.40	YES	HRDOW	NO					
VOL253		0	0.11957E-04	465861.7	3729205.2	395.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL254		0	0.11957E-04	465954.8	3729305.0	392.7	5.00	5.02
1.40	YES	HRDOW	NO					
VOL255		0	0.11957E-04	465978.1	3729327.9	392.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL256		0	0.11957E-04	465884.3	3729226.7	394.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL257		0	0.11957E-04	465793.9	3729148.2	398.9	5.00	5.02
1.40	YES	HRDOW	NO					
VOL258		0	0.11957E-04	465776.4	3729131.4	399.4	5.00	5.02
1.40	YES	HRDOW	NO					
VOL259		0	0.11957E-04	465760.4	3729112.9	400.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL260		0	0.11957E-04	465723.4	3729069.3	401.0	5.00	5.02
1.40	YES	HRDOW	NO					
VOL261		0	0.11957E-04	465816.4	3729169.1	398.1	5.00	5.02
1.40	YES	HRDOW	NO					
VOL262		0	0.11957E-04	465839.7	3729192.1	397.2	5.00	5.02
1.40	YES	HRDOW	NO					
VOL263		0	0.11957E-04	465746.0	3729090.9	400.2	5.00	5.02
1.40	YES	HRDOW	NO					

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 11

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID

SOURCE IDs

ALL	VOL1	, VOL2	, VOL3	, VOL4	, VOL5	,
VOL6	, VOL7	, VOL8	,			

VOL14	VOL9 , VOL15	, VOL10 , VOL16	, VOL11 ,	, VOL12	, VOL13	,
VOL22	VOL17 , L0000001	, VOL18 , L0000002	, VOL19 ,	, VOL20	, VOL21	,
L0000008	L0000003 , L0000009	, L0000004 , L0000010	, L0000005 ,	, L0000006	, L0000007	,
L0000016	L0000011 , L0000017	, L0000012 , L0000018	, L0000013 ,	, L0000014	, L0000015	,
L0000024	L0000019 , L0000025	, L0000020 , L0000026	, L0000021 ,	, L0000022	, L0000023	,
L0000032	L0000027 , L0000033	, L0000028 , L0000034	, L0000029 ,	, L0000030	, L0000031	,
L0000040	L0000035 , L0000041	, L0000036 , L0000042	, L0000037 ,	, L0000038	, L0000039	,
L0000048	L0000043 , L0000049	, L0000044 , L0000050	, L0000045 ,	, L0000046	, L0000047	,
L0000056	L0000051 , L0000057	, L0000052 , L0000058	, L0000053 ,	, L0000054	, L0000055	,
L0000064	L0000059 , L0000065	, L0000060 , L0000066	, L0000061 ,	, L0000062	, L0000063	,
L0000072	L0000067 , L0000073	, L0000068 , L0000074	, L0000069 ,	, L0000070	, L0000071	,
L0000080	L0000075 , L0000081	, L0000076 , L0000082	, L0000077 ,	, L0000078	, L0000079	,
L0000088	L0000083 , L0000089	, L0000084 , L0000090	, L0000085 ,	, L0000086	, L0000087	,
L0000096	L0000091 , L0000097	, L0000092 , L0000098	, L0000093 ,	, L0000094	, L0000095	,
L0000104	L0000099 , L0000105	, L0000100 , L0000106	, L0000101 ,	, L0000102	, L0000103	,
VOL25	L0000107 , VOL26	, L0000108 , VOL27	, L0000109 ,	, VOL23	, VOL24	,
	VOL28	, VOL29	, VOL30	, VOL31	, VOL32	,

VOL33 , VOL34 , VOL35 ,
VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,
VOL41 , VOL42 , VOL43 ,
VOL44 , VOL45 , VOL46 , VOL47 , VOL48 ,
VOL49 , VOL50 , VOL51 ,
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 12

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
VOL57	VOL52 , VOL53 , VOL54 , VOL55 , VOL56 , , VOL58 , VOL59 ,
VOL65	VOL60 , VOL61 , VOL62 , VOL63 , VOL64 , , VOL66 , VOL67 ,
VOL73	VOL68 , VOL69 , VOL70 , VOL71 , VOL72 , , VOL74 , VOL75 ,
VOL81	VOL76 , VOL77 , VOL78 , VOL79 , VOL80 , , VOL82 , VOL83 ,
VOL89	VOL84 , VOL85 , VOL86 , VOL87 , VOL88 , , VOL90 , VOL91 ,
VOL97	VOL92 , VOL93 , VOL94 , VOL95 , VOL96 , , VOL98 , VOL99 ,
VOL105	VOL100 , VOL101 , VOL102 , VOL103 , VOL104 , , VOL106 , VOL107 ,
VOL113	VOL108 , VOL109 , VOL110 , VOL111 , VOL112 , , VOL114 , VOL115 ,
VOL121	VOL116 , VOL117 , VOL118 , VOL119 , VOL120 , , VOL122 , VOL123 ,

VOL129	VOL124 , VOL130	, VOL125 , VOL131	, VOL126 ,	, VOL127	, VOL128	,
VOL142	VOL132 , VOL143	, VOL133 , VOL144	, VOL134 ,	, VOL135	, VOL141	,
VOL153	VOL145 , VOL154	, VOL146 , VOL155	, VOL147 ,	, VOL148	, VOL149	,
VOL161	VOL156 , VOL162	, VOL157 , VOL163	, VOL158 ,	, VOL159	, VOL160	,
VOL169	VOL164 , VOL170	, VOL165 , VOL171	, VOL166 ,	, VOL167	, VOL168	,
VOL177	VOL172 , VOL178	, VOL173 , VOL179	, VOL174 ,	, VOL175	, VOL176	,
VOL185	VOL180 , VOL186	, VOL181 , VOL187	, VOL182 ,	, VOL183	, VOL184	,
VOL193	VOL188 , VOL194	, VOL189 , VOL195	, VOL190 ,	, VOL191	, VOL192	,
VOL201	VOL196 , VOL202	, VOL197 , VOL203	, VOL198 ,	, VOL199	, VOL200	,
VOL209	VOL204 , VOL210	, VOL205 , VOL211	, VOL206 ,	, VOL207	, VOL208	,
VOL217	VOL212 , VOL218	, VOL213 , VOL219	, VOL214 ,	, VOL215	, VOL216	,

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 13

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID

SOURCE IDs

VOL225	VOL220 , VOL226	, VOL221 , VOL227	, VOL222 ,	, VOL223	, VOL224	,

VOL233	VOL228 , VOL234	, VOL229 , VOL235	, VOL230 ,	, VOL231	, VOL232	,
VOL245	VOL236 , VOL246	, VOL237 , VOL247	, VOL242 ,	, VOL243	, VOL244	,
VOL253	VOL248 , VOL254	, VOL249 , VOL255	, VOL250 ,	, VOL251	, VOL252	,
VOL261	VOL256 , VOL262	, VOL257 , VOL263	, VOL258 ,	, VOL259	, VOL260	,

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 14

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID	URBAN POP	SOURCE IDs				
-----	-----	-----				
VOL5 VOL8	2189641. , VOL6 ,	VOL1 , VOL7	, VOL2 ,	, VOL3	, VOL4	,
VOL14	VOL9 , VOL15	, VOL10 , VOL16	, VOL11 ,	, VOL12	, VOL13	,
VOL22	VOL17 , L0000001	, VOL18 , L0000002	, VOL19 ,	, VOL20	, VOL21	,
L0000008	L0000003 , L0000009	, L0000004 , L0000010	, L0000005 ,	, L0000006	, L0000007	,
L0000016	L0000011 , L0000017	, L0000012 , L0000018	, L0000013 ,	, L0000014	, L0000015	,
L0000024	L0000019 , L0000025	, L0000020 , L0000026	, L0000021 ,	, L0000022	, L0000023	,
L0000032	L0000027 , L0000033	, L0000028 , L0000034	, L0000029 ,	, L0000030	, L0000031	,

L0000040	L0000035 , L0000041	, L0000036 , L0000042	, L0000037 ,	, L0000038	, L0000039	,
L0000048	L0000043 , L0000049	, L0000044 , L0000050	, L0000045 ,	, L0000046	, L0000047	,
L0000056	L0000051 , L0000057	, L0000052 , L0000058	, L0000053 ,	, L0000054	, L0000055	,
L0000064	L0000059 , L0000065	, L0000060 , L0000066	, L0000061 ,	, L0000062	, L0000063	,
L0000072	L0000067 , L0000073	, L0000068 , L0000074	, L0000069 ,	, L0000070	, L0000071	,
L0000080	L0000075 , L0000081	, L0000076 , L0000082	, L0000077 ,	, L0000078	, L0000079	,
L0000088	L0000083 , L0000089	, L0000084 , L0000090	, L0000085 ,	, L0000086	, L0000087	,
L0000096	L0000091 , L0000097	, L0000092 , L0000098	, L0000093 ,	, L0000094	, L0000095	,
L0000104	L0000099 , L0000105	, L0000100 , L0000106	, L0000101 ,	, L0000102	, L0000103	,
VOL25	L0000107 , VOL26	, L0000108 , VOL27	, L0000109 ,	, VOL23	, VOL24	,
VOL33	VOL28 , VOL34	, VOL29 , VOL35	, VOL30 ,	, VOL31	, VOL32	,
VOL41	VOL36 , VOL42	, VOL37 , VOL43	, VOL38 ,	, VOL39	, VOL40	,
VOL49	VOL44 , VOL50	, VOL45 , VOL51	, VOL46 ,	, VOL47	, VOL48	,

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 15

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID -----	URBAN POP -----	SOURCE IDs -----					
VOL57	VOL52 , VOL58	, VOL53 , VOL59	, VOL54 ,	, VOL55	, VOL56	,	
VOL65	VOL60 , VOL66	, VOL61 , VOL67	, VOL62 ,	, VOL63	, VOL64	,	
VOL73	VOL68 , VOL74	, VOL69 , VOL75	, VOL70 ,	, VOL71	, VOL72	,	
VOL81	VOL76 , VOL82	, VOL77 , VOL83	, VOL78 ,	, VOL79	, VOL80	,	
VOL89	VOL84 , VOL90	, VOL85 , VOL91	, VOL86 ,	, VOL87	, VOL88	,	
VOL97	VOL92 , VOL98	, VOL93 , VOL99	, VOL94 ,	, VOL95	, VOL96	,	
VOL105	VOL100 , VOL106	, VOL101 , VOL107	, VOL102 ,	, VOL103	, VOL104	,	
VOL113	VOL108 , VOL114	, VOL109 , VOL115	, VOL110 ,	, VOL111	, VOL112	,	
VOL121	VOL116 , VOL122	, VOL117 , VOL123	, VOL118 ,	, VOL119	, VOL120	,	
VOL129	VOL124 , VOL130	, VOL125 , VOL131	, VOL126 ,	, VOL127	, VOL128	,	
VOL142	VOL132 , VOL143	, VOL133 , VOL144	, VOL134 ,	, VOL135	, VOL141	,	
VOL153	VOL145 , VOL154	, VOL146 , VOL155	, VOL147 ,	, VOL148	, VOL149	,	
VOL161	VOL156 , VOL162	, VOL157 , VOL163	, VOL158 ,	, VOL159	, VOL160	,	
VOL169	VOL164 , VOL170	, VOL165 , VOL171	, VOL166 ,	, VOL167	, VOL168	,	
VOL177	VOL172 , VOL178	, VOL173 , VOL179	, VOL174 ,	, VOL175	, VOL176	,	
	VOL180	, VOL181	, VOL182	, VOL183	, VOL184	,	

VOL185 , VOL186 , VOL187 ,
VOL193 VOL188 , VOL189 , VOL190 , VOL191 , VOL192 ,
, VOL194 , VOL195 ,
VOL201 VOL196 , VOL197 , VOL198 , VOL199 , VOL200 ,
, VOL202 , VOL203 ,
VOL209 VOL204 , VOL205 , VOL206 , VOL207 , VOL208 ,
, VOL210 , VOL211 ,
VOL217 VOL212 , VOL213 , VOL214 , VOL215 , VOL216 ,
, VOL218 , VOL219 ,
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 16

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----
VOL225	VOL220 , VOL221 , VOL222 , VOL223 , VOL224 , , VOL226 , VOL227 ,	
VOL233	VOL228 , VOL229 , VOL230 , VOL231 , VOL232 , , VOL234 , VOL235 ,	
VOL245	VOL236 , VOL237 , VOL242 , VOL243 , VOL244 , , VOL246 , VOL247 ,	
VOL253	VOL248 , VOL249 , VOL250 , VOL251 , VOL252 , , VOL254 , VOL255 ,	
VOL261	VOL256 , VOL257 , VOL258 , VOL259 , VOL260 , , VOL262 , VOL263 ,	
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852 Baker Industrial\15852 Baker *** 05/13/25 *** AERMET - VERSION 16216 *** *** *** 17:29:22		

PAGE 17

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL1          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     ***
                                     17:29:22

```

PAGE 18

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL2          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```

14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 19

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL3 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 20

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 21

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = VOL5          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22
```

PAGE 22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL6          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```


22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 23

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL7 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 24

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 25

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 26

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 27

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL11		; SOURCE TYPE = VOLUME		:					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 28

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL12 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 29

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL13 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 30

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 31

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 32

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 33

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 34

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = VOL18      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 35

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL21 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 38

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL22				; SOURCE TYPE = VOLUME					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 39

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000001 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 40

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000002 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 41

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000003 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 42

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000004 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 43

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000005 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .1000E+01  10  .1000E+01  11  .1000E+01  12  .1000E+01  13  .1000E+01
14  .1000E+01  15  .1000E+01  16  .1000E+01
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
- - - - - DAY OF WEEK = SATURDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00
14  .0000E+00  15  .0000E+00  16  .0000E+00
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
- - - - - DAY OF WEEK = SUNDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00
14  .0000E+00  15  .0000E+00  16  .0000E+00
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 44

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000006      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 45

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000007      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 46

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000008 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 47

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000009 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 48

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000010 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 49

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000011 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 50

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000012 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 51

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000013 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 52

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000014 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852 05/13/25 ***
 17:29:22

PAGE 53

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000015 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

		DAY OF WEEK = SUNDAY							
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
*** AERMOD - VERSION 24142 ***				*** C:\Users\adadabhoy\Desktop\AERMOD\15852					
Baker Industrial\15852 Baker ***				05/13/25					
*** AERMET - VERSION 16216 ***				***					
				17:29:22					

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

[illegible]

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 55

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000017 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 56

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000018 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 57

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000019 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 58

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000020 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 59

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000021 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 60

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000022 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 61

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L000023 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 62

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000024 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000025 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000026 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = L0000027 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 66

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000028 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 67

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000029      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22

```

PAGE 68

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000030      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```

14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 69

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000031 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 70

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000032 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 71

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = L0000033      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22
```

PAGE 72

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = L0000034      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 73

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000035 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 74

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000036 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 75

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000037 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 76

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000038 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 77

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000039 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 78

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000040 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 79

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000041 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 80

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L000042 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 81

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000043 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 82

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000044 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 83

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000045 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 84

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = L0000046 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 85

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000047 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000048 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000049 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 88

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000050 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 89

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000051 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 90

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```
SOURCE ID = L0000052 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22
```

PAGE 91

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```
SOURCE ID = L0000053 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
```

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 92

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000054 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 93

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000055 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01
14  .1000E+01 15  .1000E+01 16  .1000E+01
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 94

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000056      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 95

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000057      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 96

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000058 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 97

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000059 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 98

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000060 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 99

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000061 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 100

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000062 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 101

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000063 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 102

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000064 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 103

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000065 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      ***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000066 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

		DAY OF WEEK = WEEKDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 105

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000067 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 106

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000068 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 107

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000069 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 108

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000070 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 109

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000071 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 110

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000072 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 111

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000073 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22

```

PAGE 112

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000074 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000075 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000076 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = L0000077 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 116

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000078 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 117

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000079      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     17:29:22

```

PAGE 118

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000080      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```

14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 119

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000081 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00


```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 120

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000082 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

- - - - - DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

- - - - - DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 121

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = L0000083      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      *** 05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     *** 17:29:22
```

PAGE 122

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = L0000084      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```

22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 123

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000085 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 124

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000086 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 125

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000087 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 126

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000088 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 127

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000089 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 128

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000090 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 129

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000091 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 130

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000092 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 131

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000093 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 132

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000094 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 133

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000095 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 134

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000096 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 135

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000097 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000098 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000099 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 138

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000100 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 139

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000101 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 140

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000102 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 141

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000103 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 142

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = L0000104 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 143

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = L0000105 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
   1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01
14  .1000E+01 15  .1000E+01 16  .1000E+01
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
- - - - - DAY OF WEEK = SATURDAY
   1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
- - - - - DAY OF WEEK = SUNDAY
   1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 144

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000106 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 145

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000107 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 146

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = L0000108 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 147

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = L0000109 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 148

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL23 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 149

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL24 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 150

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL25 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 151

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL26 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 152

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 153

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL29 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 155

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 156

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 157

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

```

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 158

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 159

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 160

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 161

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 162

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL37 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```


*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL39 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL40				; SOURCE TYPE = VOLUME		:			
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

```

PAGE 166

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
-----
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

```

PAGE 167

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL42          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     17:29:22
```

PAGE 168

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL43          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
```

14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 169

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 170

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 171

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = VOL46          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
- - - - - DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22
```

PAGE 172

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL47          ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```

22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 173

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00


```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 174

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 175

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 176

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 177

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 178

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL53 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 179

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 180

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 181

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL56 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 182

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL57 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 183

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL58 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 184

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL59          ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```


17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 185

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL62 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 188

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL63				; SOURCE TYPE = VOLUME					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

*** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 189

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

*** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 190

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 191

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 192

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 193

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .1000E+01  10  .1000E+01  11  .1000E+01  12  .1000E+01  13  .1000E+01
14  .1000E+01  15  .1000E+01  16  .1000E+01
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
DAY OF WEEK = SATURDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00
14  .0000E+00  15  .0000E+00  16  .0000E+00
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
DAY OF WEEK = SUNDAY
   1  .0000E+00   2  .0000E+00   3  .0000E+00   4  .0000E+00   5  .0000E+00
6  .0000E+00   7  .0000E+00   8  .0000E+00
   9  .0000E+00  10  .0000E+00  11  .0000E+00  12  .0000E+00  13  .0000E+00
14  .0000E+00  15  .0000E+00  16  .0000E+00
   17  .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 194

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 195

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 196

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL71 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 197

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 198

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL73 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 199

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL74 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 200

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL75 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 201

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL76 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 202

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 203

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.1000E+01	10	.1000E+01
11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01
16	.1000E+01	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00	9	.0000E+00	10	.0000E+00
11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00
21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00		

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY									
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				
*** AERMOD - VERSION 24142 ***				*** C:\Users\adadabhoy\Desktop\AERMOD\15852					
Baker Industrial\15852 Baker ***				05/13/25					
*** AERMET - VERSION 16216 ***				***					
				17:29:22					

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

[illegible]

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 205

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL80 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 206

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR


```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 207

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 *** ***

17:29:22

PAGE 208

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL83 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 *** ***

*** 17:29:22

PAGE 209

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL84 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 210

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL85 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 211

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL86 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 212

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL87 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL88 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL89 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL90				; SOURCE TYPE = VOLUME		:			
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 216

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL91 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 217

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL92          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     17:29:22

```

PAGE 218

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL93          ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```

14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 219

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL94 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 220

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL95 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 221

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

SOURCE ID = VOL96 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 222

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL97 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 223

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL98 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 224

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL99 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 225

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL100 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 226

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL101 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 227

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL102		; SOURCE TYPE = VOLUME		:					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 228

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL103 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 229

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL104 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 230

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL105 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 231

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL106 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 232

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL107 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 233

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL108 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 234

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL109      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 235

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL110 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL111 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL112 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 238

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL113 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 239

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL114 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 240

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL115 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 241

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL116 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 242

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL117 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 243

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL118 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 244

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL119 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 245

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL120 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 246

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL121 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 247

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL122 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 248

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL123 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 249

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL124 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 250

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL125 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 251

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL126 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 252

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL127 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 253

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL128 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      ***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL129 ; SOURCE TYPE = VOLUME :											
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

		DAY OF WEEK = WEEKDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 255

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL130 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 256

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL131 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 257

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL132 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 258

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL133 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 259

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL134 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 260

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL135 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 261

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL141 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
                                ***
                                17:29:22

```

PAGE 262

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL142 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7   .0000E+00    8   .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
    17 .0000E+00  18  .0000E+00  19  .0000E+00  20  .0000E+00  21  .0000E+00
22  .0000E+00  23  .0000E+00  24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
                                ***
                                17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL143 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL144 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL145				; SOURCE TYPE = VOLUME		:			
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 266

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL146 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 267

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL147      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22
```

PAGE 268

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL148      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
```

14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 269

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL149 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 270

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL153 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 271

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = VOL154      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22
```

PAGE 272

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL155      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```

22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 273

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL156 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 274

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL157 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 275

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL158 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 276

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL159 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 277

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL160		; SOURCE TYPE = VOLUME		:					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 278

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL161 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 279

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL162 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 280

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL163 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 281

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL164 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 282

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL165 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 283

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL166 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 284

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL167      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6  .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 285

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL168 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL169 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL170 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 288

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL171 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 289

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL172 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 290

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL173 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 291

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL174 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 292

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL175 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00


```

6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 293

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL176 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .1000E+01 10  .1000E+01 11  .1000E+01 12  .1000E+01 13  .1000E+01
14  .1000E+01 15  .1000E+01 16  .1000E+01
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SATURDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
                                DAY OF WEEK = SUNDAY
      1  .0000E+00  2  .0000E+00  3  .0000E+00  4  .0000E+00  5  .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
   9  .0000E+00 10  .0000E+00 11  .0000E+00 12  .0000E+00 13  .0000E+00
14  .0000E+00 15  .0000E+00 16  .0000E+00
   17  .0000E+00 18  .0000E+00 19  .0000E+00 20  .0000E+00 21  .0000E+00
22  .0000E+00 23  .0000E+00 24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 294

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL177 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 295

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL178 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 296

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL179 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 297

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL180 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 298

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL181 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 299

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL182 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 300

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL183 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 301

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL184 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 302

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL185 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852 05/13/25 ***
 17:29:22

PAGE 303

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL186 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      ***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE	ID = VOL187			; SOURCE TYPE = VOLUME	:					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR					

		DAY OF WEEK = WEEKDAY				
	1 .0000E+00	2 .0000E+00	3 .0000E+00	4 .0000E+00	5 .0000E+00	
6	.0000E+00	7 .0000E+00	8 .0000E+00			
	9 .1000E+01	10 .1000E+01	11 .1000E+01	12 .1000E+01	13 .1000E+01	
14	.1000E+01	15 .1000E+01	16 .1000E+01			
	17 .0000E+00	18 .0000E+00	19 .0000E+00	20 .0000E+00	21 .0000E+00	
22	.0000E+00	23 .0000E+00	24 .0000E+00			

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 305

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL188 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 306

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL189 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 307

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL190 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
  1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
  9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

```

14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 308

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL191 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 309

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL192 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabho\y\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 310

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL193 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 311

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL194 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 312

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL195 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6   .0000E+00  7   .0000E+00  8   .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL196 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL197 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL198				; SOURCE TYPE = VOLUME		:			
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 316

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL199 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 317

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL200      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     17:29:22

```

PAGE 318

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL201      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01

```

14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 319

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL202 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 320

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL203 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 321

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

SOURCE ID = VOL204 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 322

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL205 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 323

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL206 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6  .0000E+00  7  .0000E+00  8  .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

```

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 324

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL207 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 325

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL208 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoj\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 326

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL209 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 327

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL210		; SOURCE TYPE = VOLUME		:					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 328

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL211 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 329

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL212 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 330

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL213 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00

9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 331

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL214 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 332

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL215 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 ***
*** 17:29:22

PAGE 333

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL216 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -

```

- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 334

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL217      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -

```

```

                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14  .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22  .0000E+00  23 .0000E+00  24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6   .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14  .0000E+00   15 .0000E+00   16 .0000E+00

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 335

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL218 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL219 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL220 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 338

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL221 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

*** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 339

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL222 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

*** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 340

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL223 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 341

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL224 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				

9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 342

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL225 ; SOURCE TYPE = VOLUME :									
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
- - - - -									
- - - - -									

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```

6  .0000E+00    7  .0000E+00    8  .0000E+00
   9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 343

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL226 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
  HOUR SCALAR HOUR SCALAR HOUR SCALAR
  - - - - -
  - - - - -
                                DAY OF WEEK = WEEKDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .1000E+01
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                DAY OF WEEK = SATURDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                DAY OF WEEK = SUNDAY
      1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
      9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
      17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 344

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL227 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 345

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL228 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 346

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL229 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00

14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 347

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL230 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 348

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL231 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 349

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL232 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 350

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL233 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 351

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL234 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 352

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL235 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 353

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL236 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

```

*** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      ***      17:29:22

```

*** MODELOPTs: NonDFAULT CONC FLAT and ELEV URBAN ADJ U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL237				; SOURCE TYPE = VOLUME	:						
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

		DAY OF WEEK = WEEKDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

		DAY OF WEEK = SATURDAY								
	1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY										
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852

Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 355

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL242 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 356

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL243 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SUNDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 357

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL244 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -

```

```

DAY OF WEEK = WEEKDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
    17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
DAY OF WEEK = SATURDAY
    1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

```


14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

17:29:22

PAGE 358

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL245 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -
- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 359

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL246 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25

*** AERMET - VERSION 16216 ***

*** 17:29:22

PAGE 360

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL247 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

PAGE 361

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL248 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 362

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL249 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -
 DAY OF WEEK = WEEKDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SATURDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 DAY OF WEEK = SUNDAY
 1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL250 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL251 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

```

^ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***      ***      17:29:22

```

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ U*

SOURCE ID = VOL252		; SOURCE TYPE = VOLUME		:							
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR						

DAY OF WEEK = SATURDAY

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 366

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL253 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.1000E+01				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 367

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL254      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                                     17:29:22
```

PAGE 368

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL255      ; SOURCE TYPE = VOLUME      :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
```


14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 369

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL256 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00

```

    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 370

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL257 ; SOURCE TYPE = VOLUME :
  HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR

```

```

- - - - - DAY OF WEEK = WEEKDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .1000E+01  10 .1000E+01  11 .1000E+01  12 .1000E+01  13 .1000E+01
14 .1000E+01  15 .1000E+01  16 .1000E+01
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

- - - - - DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

- - - - - DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00  10 .0000E+00  11 .0000E+00  12 .0000E+00  13 .0000E+00
14 .0000E+00  15 .0000E+00  16 .0000E+00
    17 .0000E+00  18 .0000E+00  19 .0000E+00  20 .0000E+00  21 .0000E+00
22 .0000E+00  23 .0000E+00  24 .0000E+00

```

```

^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***
17:29:22

```

PAGE 371

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY

OF WEEK (HRDOW) *

```
SOURCE ID = VOL258      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
▲ *** AERMOD - VERSION 24142 ***      *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker ***      05/13/25
*** AERMET - VERSION 16216 ***      ***
***                               17:29:22
```

PAGE 372

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
SOURCE ID = VOL259      ; SOURCE TYPE = VOLUME      :
  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
HOUR   SCALAR  HOUR   SCALAR  HOUR   SCALAR
- - - - -
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00    2 .0000E+00    3 .0000E+00    4 .0000E+00    5 .0000E+00
6 .0000E+00    7 .0000E+00    8 .0000E+00
      9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .1000E+01
      17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
```

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00
6  .0000E+00      7  .0000E+00      8  .0000E+00
      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00
14 .0000E+00     15 .0000E+00     16 .0000E+00
      17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00
22 .0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00
6  .0000E+00      7  .0000E+00      8  .0000E+00
      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00
14 .0000E+00     15 .0000E+00     16 .0000E+00
      17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00
22 .0000E+00     23 .0000E+00     24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
***                                     17:29:22

```

PAGE 373

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL260 ; SOURCE TYPE = VOLUME :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
- - - - -
                                DAY OF WEEK = WEEKDAY
      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00
6  .0000E+00      7  .0000E+00      8  .0000E+00
      9 .1000E+01     10 .1000E+01     11 .1000E+01     12 .1000E+01     13 .1000E+01
14 .1000E+01     15 .1000E+01     16 .1000E+01
      17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00
22 .0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SATURDAY
      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00
6  .0000E+00      7  .0000E+00      8  .0000E+00
      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00
14 .0000E+00     15 .0000E+00     16 .0000E+00
      17 .0000E+00     18 .0000E+00     19 .0000E+00     20 .0000E+00     21 .0000E+00
22 .0000E+00     23 .0000E+00     24 .0000E+00
                                DAY OF WEEK = SUNDAY
      1 .0000E+00      2 .0000E+00      3 .0000E+00      4 .0000E+00      5 .0000E+00
6  .0000E+00      7  .0000E+00      8  .0000E+00
      9 .0000E+00     10 .0000E+00     11 .0000E+00     12 .0000E+00     13 .0000E+00
14 .0000E+00     15 .0000E+00     16 .0000E+00

```

```

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 374

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```

SOURCE ID = VOL261 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - - -
- - - - -
DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .1000E+01
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

```

PAGE 375

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

SOURCE ID = VOL262 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
 14 .0000E+00 15 .0000E+00 16 .0000E+00
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 376

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW) *

SOURCE ID = VOL263 ; SOURCE TYPE = VOLUME :
 HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
 HOUR SCALAR HOUR SCALAR HOUR SCALAR

- - - - -

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
 6 .0000E+00 7 .0000E+00 8 .0000E+00
 9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
 14 .1000E+01 15 .1000E+01 16 .1000E+01
 17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
 22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	
6	.0000E+00	7	.0000E+00	8	.0000E+00					
	9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00					
	17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00					

*** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 377

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
 (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
 (METERS)

(465958.2, 3729269.9, 392.7, 1408.0, 0.0);	(466852.8,
3728807.3, 394.7, 635.0, 0.0);	
(465755.9, 3729010.3, 400.1, 1408.0, 0.0);	(466029.8,
3728618.5, 465.5, 465.5, 0.0);	
(466326.2, 3728404.4, 404.1, 1313.0, 0.0);	(466651.8,
3728102.8, 416.5, 416.5, 0.0);	
(466620.5, 3728094.4, 415.9, 415.9, 0.0);	(466715.7,
3728045.5, 401.1, 453.0, 0.0);	
(466849.2, 3728002.4, 392.5, 442.0, 0.0);	(466886.3,
3728009.6, 393.1, 442.0, 0.0);	
(466784.6, 3728067.0, 400.6, 439.0, 0.0);	(467154.5,
3728238.1, 410.6, 442.0, 0.0);	
(467151.8, 3728336.1, 412.7, 442.0, 0.0);	(467095.6,
3729260.4, 388.1, 635.0, 0.0);	
(467193.6, 3729161.4, 382.0, 635.0, 0.0);	(466701.0,
3729639.0, 394.0, 674.0, 0.0);	
(466711.3, 3729684.2, 400.6, 674.0, 0.0);	(465908.6,
3729208.5, 392.9, 1408.0, 0.0);	
(467033.5, 3729844.0, 395.7, 674.0, 0.0);	(466935.5,
3729846.8, 397.7, 674.0, 0.0);	
(466031.9, 3728472.8, 477.3, 478.0, 0.0);	(467387.6,
3729299.4, 401.0, 635.0, 0.0);	
(467617.4, 3729280.2, 402.9, 635.0, 0.0);	(467474.9,
3729206.5, 398.5, 635.0, 0.0);	
(467637.4, 3729084.0, 395.7, 635.0, 0.0);	(464714.8,

WHAT IS INCLUDED IN THE DATA FILE.

CATEGORIES ***
*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
(METERS/SEC)

10.80,
1.54, 3.09, 5.14, 8.23,
10.80,
^ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 05/13/25
*** AERMET - VERSION 16216 *** ***
*** 17:29:22

PAGE 379
*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL
DATA ***

Surface file: ELSI_V9_ADJU\ELSI_v9.SFC
Met Version: 16216
Profile file: ELSI_V9_ADJU\ELSI_v9.PFL

Surface format: FREE

Profile format: FREE

Surface station no.: 3171
Name: UNKNOWN

Upper air station no.: 3190
Name: UNKNOWN

Year: 2012

Year: 2012

First 24 hours of scalar data
YR MO DY JDY HR H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN
ALBEDO REF WS WD HT REF TA HT
- - - - -
12 01 01 1 01 -1.3 0.065 -9.000 -9.000 -999. 40. 18.2 0.23 2.69
1.00 0.40 78. 9.1 284.2 5.5
12 01 01 1 02 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 69. 9.1 283.8 5.5
12 01 01 1 03 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 286. 9.1 282.5 5.5
12 01 01 1 04 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 348. 9.1 282.5 5.5
12 01 01 1 05 -1.3 0.066 -9.000 -9.000 -999. 40. 18.2 0.23 2.69
1.00 0.40 17. 9.1 282.0 5.5
12 01 01 1 06 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69

1.00	0.90	161.	9.1	282.0	5.5								
12	01	01	1	07	-1.3	0.066	-9.000	-9.000	-999.	40.	18.2	0.23	2.69
1.00	0.40	273.	9.1	282.0	5.5								
12	01	01	1	08	-3.6	0.091	-9.000	-9.000	-999.	66.	18.3	0.23	2.69
0.54	0.90	113.	9.1	283.8	5.5								
12	01	01	1	09	39.6	0.087	0.358	0.016	40.	61.	-1.4	0.23	2.69
0.33	0.40	336.	9.1	285.9	5.5								
12	01	01	1	10	110.7	0.206	0.740	0.007	127.	225.	-6.9	0.23	2.69
0.25	1.30	158.	9.1	291.4	5.5								
12	01	01	1	11	161.7	0.105	1.203	0.005	374.	87.	-1.0	0.23	2.69
0.23	0.40	33.	9.1	297.0	5.5								
12	01	01	1	12	185.5	0.271	1.535	0.005	676.	339.	-9.3	0.23	2.69
0.22	1.80	313.	9.1	298.8	5.5								
12	01	01	1	13	183.9	0.219	1.828	0.005	1154.	247.	-4.9	0.23	2.69
0.22	1.30	250.	9.1	300.4	5.5								
12	01	01	1	14	156.6	0.266	1.869	0.005	1446.	330.	-10.4	0.23	2.69
0.23	1.80	217.	9.1	301.4	5.5								
12	01	01	1	15	104.7	0.256	1.677	0.005	1562.	311.	-13.8	0.23	2.69
0.27	1.80	248.	9.1	302.0	5.5								
12	01	01	1	16	32.7	0.319	1.147	0.005	1596.	433.	-85.9	0.23	2.69
0.36	2.70	235.	9.1	302.0	5.5								
12	01	01	1	17	-15.5	0.190	-9.000	-9.000	-999.	208.	39.6	0.23	2.69
0.63	1.80	46.	9.1	299.2	5.5								
12	01	01	1	18	-4.1	0.092	-9.000	-9.000	-999.	73.	16.2	0.23	2.69
1.00	0.90	107.	9.1	294.9	5.5								
12	01	01	1	19	-999.0	-9.000	-9.000	-9.000	-999.	-999.	-99999.0	0.23	2.69
1.00	999.00	999.	-9.0	292.5	5.5								
12	01	01	1	20	-4.2	0.092	-9.000	-9.000	-999.	67.	16.1	0.23	2.69
1.00	0.90	323.	9.1	290.4	5.5								
12	01	01	1	21	-8.8	0.133	-9.000	-9.000	-999.	116.	23.2	0.23	2.69
1.00	1.30	34.	9.1	287.5	5.5								
12	01	01	1	22	-1.3	0.065	-9.000	-9.000	-999.	41.	18.1	0.23	2.69
1.00	0.40	359.	9.1	286.4	5.5								
12	01	01	1	23	-1.3	0.065	-9.000	-9.000	-999.	40.	18.1	0.23	2.69
1.00	0.40	351.	9.1	285.4	5.5								
12	01	01	1	24	-4.2	0.092	-9.000	-9.000	-999.	67.	16.0	0.23	2.69
1.00	0.90	11.	9.1	284.9	5.5								

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
12	01	01	01	5.5	0	-999.	-99.00	284.3	99.0	-99.00	-99.00
12	01	01	01	9.1	1	78.	0.40	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

*** AERMOD - VERSION 24142 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***
 C:\Users\adadabhoy\Desktop\AERMOD\15852
 05/13/25
 17:29:22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE CONCENTRATION

 VALUES FOR SOURCE GROUP: ALL INCLUDING SOURCE(S): VOL1 , VOL2
 , VOL3 , VOL4 , VOL5 ,
 , VOL6 , VOL7 , VOL8 , VOL9 , VOL10
 , VOL11 , VOL12 , VOL13 ,
 , VOL14 , VOL15 , VOL16 , VOL17 , VOL18
 , VOL19 , VOL20 , VOL21 ,
 , VOL22 , L0000001 , L0000002 , L0000003 , L0000004
 , L0000005 , L0000006 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS

** CONC OF DPM IN MICROGRAMS/M**3

**

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
465958.17	3729269.92	0.00468	466852.83
3728807.35	0.00629		
465755.92	3729010.35	0.00091	466029.84
3728618.52	0.00028		
466326.18	3728404.41	0.00033	466651.83
3728102.77	0.00023		
466620.50	3728094.43	0.00023	466715.74
3728045.55	0.00022		
466849.18	3728002.38	0.00021	466886.31
3728009.62	0.00022		
466784.58	3728066.96	0.00024	467154.51
3728238.13	0.00030		
467151.79	3728336.11	0.00038	467095.65
3729260.36	0.00207		
467193.61	3729161.45	0.00237	466700.99
3729639.01	0.00441		
466711.35	3729684.22	0.00883	465908.60
3729208.50	0.00361		
467033.50	3729843.96	0.00092	466935.45
3729846.80	0.00164		
466031.91	3728472.80	0.00023	467387.60
3729299.39	0.00051		
467617.42	3729280.17	0.00033	467474.88
3729206.50	0.00049		
467637.44	3729083.98	0.00041	464714.77
3730025.47	0.00010		

464677.74	3729887.77	0.00010	465869.93
3727325.36	0.00009		
465435.67	3727563.88	0.00009	467713.10
3728549.23	0.00395		
467727.24	3728531.67	0.00335	467767.25
3728485.80	0.00268		
467883.86	3728459.94	0.00515	467937.53
3728394.57	0.00141		
467632.38	3728834.83	0.00095	467512.74
3728910.54	0.00129		
467323.00	3729060.09	0.00178	467881.30
3728691.21	0.00052		
467806.52	3728944.51	0.00035	467789.70
3728984.70	0.00034		
467873.82	3729225.85	0.00023	467875.69
3729123.04	0.00025		
468020.59	3728487.01	0.00044	468021.34
3728204.18	0.00022		
466451.35	3728209.31	0.00025	466461.97
3728188.71	0.00025		

▲ *** AERMOD - VERSION 24142 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 *** ***
 *** 17:29:22

PAGE 381

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** THE SUMMARY OF MAXIMUM PERIOD (43848
 HRS) RESULTS ***

** CONC OF DPM IN MICROGRAMS/M**3
 **

GROUP ID	NETWORK	AVERAGE CONC	RECEPTOR (XR, YR,
ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID	
- - - - -			
- - - - -			
ALL	1ST HIGHEST VALUE IS	0.00883 AT (	466711.35, 3729684.22,
400.57,	674.00, 0.00) DC		
	2ND HIGHEST VALUE IS	0.00629 AT (	466852.83, 3728807.35,
394.66,	635.00, 0.00) DC		
	3RD HIGHEST VALUE IS	0.00515 AT (	467883.86, 3728459.94,
386.00,	635.00, 0.00) DC		
	4TH HIGHEST VALUE IS	0.00468 AT (	465958.17, 3729269.92,
392.67,	1408.00, 0.00) DC		

393.98,	5TH HIGHEST VALUE IS	0.00441 AT (	466700.99,	3729639.01,
	674.00, 0.00) DC			
382.00,	6TH HIGHEST VALUE IS	0.00395 AT (	467713.10,	3728549.23,
	635.00, 0.00) DC			
392.88,	7TH HIGHEST VALUE IS	0.00361 AT (	465908.60,	3729208.50,
	1408.00, 0.00) DC			
382.06,	8TH HIGHEST VALUE IS	0.00335 AT (	467727.24,	3728531.67,
	635.00, 0.00) DC			
382.92,	9TH HIGHEST VALUE IS	0.00268 AT (	467767.25,	3728485.80,
	635.00, 0.00) DC			
382.00,	10TH HIGHEST VALUE IS	0.00237 AT (	467193.61,	3729161.45,
	635.00, 0.00) DC			

*** RECEPTOR TYPES: GC = GRIDCART
 GP = GRIDPOLR
 DC = DISCCART
 DP = DISCPOLR

▲ *** AERMOD - VERSION 24142 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 05/13/25
 *** AERMET - VERSION 16216 ***
 *** 17:29:22

PAGE 382

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	2 Warning Message(s)
A Total of	1763 Informational Message(s)
A Total of	43848 Hours Were Processed
A Total of	884 Calm Hours Identified
A Total of	879 Missing Hours Identified (2.00 Percent)

***** FATAL ERROR MESSAGES *****
 *** NONE ***

***** WARNING MESSAGES *****
 ME W186 5908 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
 0.50
 ME W187 5908 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

```

*****
*** AERMOD Finishes Successfully ***
*****
** Lakes Environmental AERMOD MPI
**
*****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 13.0.0
** Lakes Environmental Software Inc.
** Date: 2/5/2025
** File: C:\Users\adadabhoy\Desktop\AERMOD\15852 Baker
Industrial\Operations-05\Operations-05.ADI
**
*****
**
**
*****
** AERMOD Control Pathway
*****
**
**
CO STARTING
  TITLEONE C:\Users\adadabhoy\Desktop\AERMOD\15852 Baker Industrial\15852 Baker
  MODELOPT CONC FLAT ELEV
  AVERTIME PERIOD
  URBANOPT 2189641 County_of_Riverside
  POLLUTID DPM
  RUNORNOT RUN
  ERRORFIL Operations-05.err
CO FINISHED
**
*****
** AERMOD Source Pathway
*****
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
** -----
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE2
** DESCRSRC On-Site Dock Door Idling - Building 1
** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 0.0003264
** Vertical Dimension = 6.99

```

```

** SZINIT = 3.25
** Nodes = 2
** 466126.740, 3729257.544, 389.07, 3.49, 4.00
** 466209.701, 3729342.339, 386.00, 3.49, 4.00
** -----
LOCATION L0001094      VOLUME  466129.744 3729260.614 389.10
LOCATION L0001095      VOLUME  466135.751 3729266.754 389.17
LOCATION L0001096      VOLUME  466141.758 3729272.895 389.15
LOCATION L0001097      VOLUME  466147.766 3729279.035 389.05
LOCATION L0001098      VOLUME  466153.773 3729285.175 388.86
LOCATION L0001099      VOLUME  466159.780 3729291.315 388.60
LOCATION L0001100      VOLUME  466165.788 3729297.455 388.25
LOCATION L0001101      VOLUME  466171.795 3729303.595 387.83
LOCATION L0001102      VOLUME  466177.802 3729309.735 387.32
LOCATION L0001103      VOLUME  466183.809 3729315.875 386.86
LOCATION L0001104      VOLUME  466189.817 3729322.015 386.66
LOCATION L0001105      VOLUME  466195.824 3729328.155 386.46
LOCATION L0001106      VOLUME  466201.831 3729334.295 386.26
LOCATION L0001107      VOLUME  466207.839 3729340.435 386.06
** End of LINE VOLUME Source ID = SLINE2
** -----
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE3
** DESCRSRC On-Site Trailer Parking Idling - Building 1
** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 0.00001445
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 2
** 466238.577, 3729315.296, 385.00, 3.49, 4.00
** 466154.241, 3729231.419, 389.01, 3.49, 4.00
** -----
LOCATION L0002047      VOLUME  466235.532 3729312.267 385.14
LOCATION L0002048      VOLUME  466229.441 3729306.210 385.34
LOCATION L0002049      VOLUME  466223.350 3729300.152 385.54
LOCATION L0002050      VOLUME  466217.260 3729294.095 385.74
LOCATION L0002051      VOLUME  466211.169 3729288.038 385.95
LOCATION L0002052      VOLUME  466205.079 3729281.980 386.42
LOCATION L0002053      VOLUME  466198.988 3729275.923 386.93
LOCATION L0002054      VOLUME  466192.898 3729269.865 387.35
LOCATION L0002055      VOLUME  466186.807 3729263.808 387.70
LOCATION L0002056      VOLUME  466180.716 3729257.750 387.96
LOCATION L0002057      VOLUME  466174.626 3729251.693 388.17
LOCATION L0002058      VOLUME  466168.535 3729245.635 388.37
LOCATION L0002059      VOLUME  466162.445 3729239.578 388.57
LOCATION L0002060      VOLUME  466156.354 3729233.520 388.77
** End of LINE VOLUME Source ID = SLINE3
** -----

```

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE4

** DESCRSRC On-Site Dock Door Idling - Building 2

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.0001613

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466352.409, 3729208.771, 387.35, 3.49, 4.00

** 466721.784, 3728856.112, 390.48, 3.49, 4.00

**

LOCATION	L0001122	VOLUME	466355.515	3729205.805	386.77
LOCATION	L0001123	VOLUME	466361.728	3729199.873	386.87
LOCATION	L0001124	VOLUME	466367.941	3729193.941	387.12
LOCATION	L0001125	VOLUME	466374.154	3729188.010	387.40
LOCATION	L0001126	VOLUME	466380.367	3729182.078	387.61
LOCATION	L0001127	VOLUME	466386.580	3729176.146	387.73
LOCATION	L0001128	VOLUME	466392.793	3729170.214	387.95
LOCATION	L0001129	VOLUME	466399.006	3729164.282	388.41
LOCATION	L0001130	VOLUME	466405.219	3729158.350	388.90
LOCATION	L0001131	VOLUME	466411.432	3729152.419	389.30
LOCATION	L0001132	VOLUME	466417.645	3729146.487	389.63
LOCATION	L0001133	VOLUME	466423.858	3729140.555	389.87
LOCATION	L0001134	VOLUME	466430.071	3729134.623	390.00
LOCATION	L0001135	VOLUME	466436.284	3729128.691	390.00
LOCATION	L0001136	VOLUME	466442.497	3729122.759	390.00
LOCATION	L0001137	VOLUME	466448.710	3729116.828	390.00
LOCATION	L0001138	VOLUME	466454.923	3729110.896	389.85
LOCATION	L0001139	VOLUME	466461.136	3729104.964	389.63
LOCATION	L0001140	VOLUME	466467.349	3729099.032	389.55
LOCATION	L0001141	VOLUME	466473.562	3729093.100	389.55
LOCATION	L0001142	VOLUME	466479.775	3729087.168	389.63
LOCATION	L0001143	VOLUME	466485.988	3729081.237	389.65
LOCATION	L0001144	VOLUME	466492.201	3729075.305	389.59
LOCATION	L0001145	VOLUME	466498.414	3729069.373	389.51
LOCATION	L0001146	VOLUME	466504.627	3729063.441	389.52
LOCATION	L0001147	VOLUME	466510.840	3729057.509	389.63
LOCATION	L0001148	VOLUME	466517.053	3729051.577	389.86
LOCATION	L0001149	VOLUME	466523.266	3729045.646	390.00
LOCATION	L0001150	VOLUME	466529.479	3729039.714	390.00
LOCATION	L0001151	VOLUME	466535.692	3729033.782	390.00
LOCATION	L0001152	VOLUME	466541.905	3729027.850	390.05
LOCATION	L0001153	VOLUME	466548.118	3729021.918	390.23
LOCATION	L0001154	VOLUME	466554.331	3729015.986	390.49
LOCATION	L0001155	VOLUME	466560.544	3729010.055	390.62
LOCATION	L0001156	VOLUME	466566.757	3729004.123	390.58
LOCATION	L0001157	VOLUME	466572.970	3728998.191	390.32
LOCATION	L0001158	VOLUME	466579.183	3728992.259	390.08

LOCATION L0001159	VOLUME	466585.396	3728986.327	390.00
LOCATION L0001160	VOLUME	466591.609	3728980.395	390.00
LOCATION L0001161	VOLUME	466597.822	3728974.464	390.00
LOCATION L0001162	VOLUME	466604.035	3728968.532	389.85
LOCATION L0001163	VOLUME	466610.248	3728962.600	389.65
LOCATION L0001164	VOLUME	466616.461	3728956.668	389.44
LOCATION L0001165	VOLUME	466622.674	3728950.736	389.41
LOCATION L0001166	VOLUME	466628.887	3728944.804	389.40
LOCATION L0001167	VOLUME	466635.100	3728938.873	389.57
LOCATION L0001168	VOLUME	466641.313	3728932.941	389.77
LOCATION L0001169	VOLUME	466647.526	3728927.009	389.97
LOCATION L0001170	VOLUME	466653.739	3728921.077	390.29
LOCATION L0001171	VOLUME	466659.952	3728915.145	390.36
LOCATION L0001172	VOLUME	466666.165	3728909.213	390.44
LOCATION L0001173	VOLUME	466672.378	3728903.282	390.44
LOCATION L0001174	VOLUME	466678.591	3728897.350	390.35
LOCATION L0001175	VOLUME	466684.804	3728891.418	390.52
LOCATION L0001176	VOLUME	466691.017	3728885.486	390.67
LOCATION L0001177	VOLUME	466697.230	3728879.554	390.82
LOCATION L0001178	VOLUME	466703.443	3728873.622	390.81
LOCATION L0001179	VOLUME	466709.656	3728867.691	390.63
LOCATION L0001180	VOLUME	466715.869	3728861.759	390.57

** End of LINE VOLUME Source ID = SLINE4

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE5

** DESCRSRC On-Site Trailer Parking (N) Idling - Building 2

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00005375

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466378.831, 3729236.811, 386.07, 3.49, 4.00

** 466749.824, 3728877.142, 389.91, 3.49, 4.00

**

LOCATION L0002061	VOLUME	466381.915	3729233.822	385.74
LOCATION L0002062	VOLUME	466388.082	3729227.842	385.94
LOCATION L0002063	VOLUME	466394.250	3729221.863	386.14
LOCATION L0002064	VOLUME	466400.417	3729215.884	386.34
LOCATION L0002065	VOLUME	466406.585	3729209.905	386.54
LOCATION L0002066	VOLUME	466412.752	3729203.926	386.74
LOCATION L0002067	VOLUME	466418.919	3729197.946	386.94
LOCATION L0002068	VOLUME	466425.087	3729191.967	387.30
LOCATION L0002069	VOLUME	466431.254	3729185.988	387.80
LOCATION L0002070	VOLUME	466437.422	3729180.009	388.38
LOCATION L0002071	VOLUME	466443.589	3729174.030	389.05
LOCATION L0002072	VOLUME	466449.757	3729168.050	389.79
LOCATION L0002073	VOLUME	466455.924	3729162.071	389.63

LOCATION	L0002074	VOLUME	466462.092	3729156.092	389.44
LOCATION	L0002075	VOLUME	466468.259	3729150.113	389.42
LOCATION	L0002076	VOLUME	466474.426	3729144.134	389.55
LOCATION	L0002077	VOLUME	466480.594	3729138.155	389.83
LOCATION	L0002078	VOLUME	466486.761	3729132.175	389.66
LOCATION	L0002079	VOLUME	466492.929	3729126.196	389.37
LOCATION	L0002080	VOLUME	466499.096	3729120.217	389.17
LOCATION	L0002081	VOLUME	466505.264	3729114.238	389.04
LOCATION	L0002082	VOLUME	466511.431	3729108.259	389.00
LOCATION	L0002083	VOLUME	466517.599	3729102.279	389.03
LOCATION	L0002084	VOLUME	466523.766	3729096.300	389.15
LOCATION	L0002085	VOLUME	466529.933	3729090.321	389.35
LOCATION	L0002086	VOLUME	466536.101	3729084.342	389.64
LOCATION	L0002087	VOLUME	466542.268	3729078.363	389.84
LOCATION	L0002088	VOLUME	466548.436	3729072.383	389.74
LOCATION	L0002089	VOLUME	466554.603	3729066.404	389.66
LOCATION	L0002090	VOLUME	466560.771	3729060.425	389.66
LOCATION	L0002091	VOLUME	466566.938	3729054.446	389.74
LOCATION	L0002092	VOLUME	466573.106	3729048.467	389.92
LOCATION	L0002093	VOLUME	466579.273	3729042.487	390.04
LOCATION	L0002094	VOLUME	466585.440	3729036.508	389.98
LOCATION	L0002095	VOLUME	466591.608	3729030.529	389.76
LOCATION	L0002096	VOLUME	466597.775	3729024.550	389.37
LOCATION	L0002097	VOLUME	466603.943	3729018.571	389.07
LOCATION	L0002098	VOLUME	466610.110	3729012.591	389.07
LOCATION	L0002099	VOLUME	466616.278	3729006.612	389.14
LOCATION	L0002100	VOLUME	466622.445	3729000.633	389.12
LOCATION	L0002101	VOLUME	466628.613	3728994.654	389.02
LOCATION	L0002102	VOLUME	466634.780	3728988.675	388.98
LOCATION	L0002103	VOLUME	466640.947	3728982.695	389.00
LOCATION	L0002104	VOLUME	466647.115	3728976.716	389.00
LOCATION	L0002105	VOLUME	466653.282	3728970.737	389.00
LOCATION	L0002106	VOLUME	466659.450	3728964.758	389.00
LOCATION	L0002107	VOLUME	466665.617	3728958.779	389.00
LOCATION	L0002108	VOLUME	466671.785	3728952.800	389.11
LOCATION	L0002109	VOLUME	466677.952	3728946.820	389.31
LOCATION	L0002110	VOLUME	466684.120	3728940.841	389.51
LOCATION	L0002111	VOLUME	466690.287	3728934.862	389.71
LOCATION	L0002112	VOLUME	466696.454	3728928.883	389.90
LOCATION	L0002113	VOLUME	466702.622	3728922.904	390.00
LOCATION	L0002114	VOLUME	466708.789	3728916.924	390.00
LOCATION	L0002115	VOLUME	466714.957	3728910.945	390.00
LOCATION	L0002116	VOLUME	466721.124	3728904.966	389.99
LOCATION	L0002117	VOLUME	466727.292	3728898.987	389.97
LOCATION	L0002118	VOLUME	466733.459	3728893.008	390.00
LOCATION	L0002119	VOLUME	466739.626	3728887.028	390.00
LOCATION	L0002120	VOLUME	466745.794	3728881.049	390.00

** End of LINE VOLUME Source ID = SLINE5

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE6
 ** DESCRSRC On-Site Trailer Parking (N) Idling - NorthEastern Lot
 ** PREFIX
 ** Length of Side = 8.59
 ** Configuration = Adjacent
 ** Emission Rate = 0.00001344
 ** Vertical Dimension = 6.99
 ** SZINIT = 3.25
 ** Nodes = 2
 ** 466757.373, 3728743.951, 390.12, 3.49, 4.00
 ** 466854.975, 3728650.125, 400.56, 3.49, 4.00

** -----
 LOCATION L0002121 VOLUME 466760.470 3728740.975 390.28
 LOCATION L0002122 VOLUME 466766.662 3728735.022 390.52
 LOCATION L0002123 VOLUME 466772.855 3728729.069 390.69
 LOCATION L0002124 VOLUME 466779.047 3728723.116 390.78
 LOCATION L0002125 VOLUME 466785.240 3728717.162 390.96
 LOCATION L0002126 VOLUME 466791.433 3728711.209 391.06
 LOCATION L0002127 VOLUME 466797.625 3728705.256 391.22
 LOCATION L0002128 VOLUME 466803.818 3728699.303 391.45
 LOCATION L0002129 VOLUME 466810.010 3728693.350 391.77
 LOCATION L0002130 VOLUME 466816.203 3728687.397 392.36
 LOCATION L0002131 VOLUME 466822.396 3728681.444 393.61
 LOCATION L0002132 VOLUME 466828.588 3728675.491 395.02
 LOCATION L0002133 VOLUME 466834.781 3728669.537 396.42
 LOCATION L0002134 VOLUME 466840.974 3728663.584 397.86
 LOCATION L0002135 VOLUME 466847.166 3728657.631 399.47
 LOCATION L0002136 VOLUME 466853.359 3728651.678 400.87

** End of LINE VOLUME Source ID = SLINE6
 ** -----
 ** Line Source Represented by Adjacent Volume Sources
 ** LINE VOLUME Source ID = SLINE7
 ** DESCRSRC On-Site Trailer Parking (S) Idling - NorthEastern Lot
 ** PREFIX
 ** Length of Side = 8.59
 ** Configuration = Adjacent
 ** Emission Rate = 0.00001344
 ** Vertical Dimension = 6.99
 ** SZINIT = 3.25
 ** Nodes = 2
 ** 466746.589, 3728731.010, 390.82, 3.49, 4.00
 ** 466844.190, 3728637.183, 402.76, 3.49, 4.00

** -----
 LOCATION L0002137 VOLUME 466749.685 3728728.033 391.20
 LOCATION L0002138 VOLUME 466755.877 3728722.080 391.43
 LOCATION L0002139 VOLUME 466762.070 3728716.127 391.58
 LOCATION L0002140 VOLUME 466768.263 3728710.174 391.53
 LOCATION L0002141 VOLUME 466774.455 3728704.221 391.31
 LOCATION L0002142 VOLUME 466780.648 3728698.268 391.02
 LOCATION L0002143 VOLUME 466786.841 3728692.315 391.19

LOCATION L0002144	VOLUME	466793.033	3728686.361	391.44
LOCATION L0002145	VOLUME	466799.226	3728680.408	392.52
LOCATION L0002146	VOLUME	466805.418	3728674.455	393.73
LOCATION L0002147	VOLUME	466811.611	3728668.502	395.05
LOCATION L0002148	VOLUME	466817.804	3728662.549	396.46
LOCATION L0002149	VOLUME	466823.996	3728656.596	397.86
LOCATION L0002150	VOLUME	466830.189	3728650.643	398.91
LOCATION L0002151	VOLUME	466836.381	3728644.690	399.92
LOCATION L0002152	VOLUME	466842.574	3728638.736	401.08

** End of LINE VOLUME Source ID = SLINE7

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE8

** DESCRSRC On-Site Trailer Parking (N) Idling - SouthEastern Lot

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00001344

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466720.705, 3728705.127, 391.42, 3.49, 4.00

** 466826.934, 3728602.672, 407.62, 3.49, 4.00

** -----

LOCATION L0002153	VOLUME	466723.797	3728702.145	392.06
LOCATION L0002154	VOLUME	466729.980	3728696.182	392.67
LOCATION L0002155	VOLUME	466736.163	3728690.219	393.27
LOCATION L0002156	VOLUME	466742.345	3728684.255	393.83
LOCATION L0002157	VOLUME	466748.528	3728678.292	394.23
LOCATION L0002158	VOLUME	466754.711	3728672.329	394.18
LOCATION L0002159	VOLUME	466760.894	3728666.366	394.27
LOCATION L0002160	VOLUME	466767.077	3728660.403	394.60
LOCATION L0002161	VOLUME	466773.260	3728654.439	395.26
LOCATION L0002162	VOLUME	466779.443	3728648.476	396.26
LOCATION L0002163	VOLUME	466785.626	3728642.513	397.47
LOCATION L0002164	VOLUME	466791.809	3728636.550	398.53
LOCATION L0002165	VOLUME	466797.992	3728630.587	399.42
LOCATION L0002166	VOLUME	466804.175	3728624.623	400.26
LOCATION L0002167	VOLUME	466810.357	3728618.660	401.52
LOCATION L0002168	VOLUME	466816.540	3728612.697	403.12
LOCATION L0002169	VOLUME	466822.723	3728606.734	404.73

** End of LINE VOLUME Source ID = SLINE8

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE9

** DESCRSRC On-Site Trailer Parking (S) Idling - SouthEastern Lot

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00001344

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466708.842, 3728695.420, 392.41, 3.49, 4.00

** 466779.482, 3728624.242, 400.02, 3.49, 4.00

**

LOCATION L0002170	VOLUME	466711.868	3728692.372	392.11
LOCATION L0002171	VOLUME	466717.919	3728686.275	392.87
LOCATION L0002172	VOLUME	466723.969	3728680.178	393.51
LOCATION L0002173	VOLUME	466730.020	3728674.081	394.00
LOCATION L0002174	VOLUME	466736.071	3728667.983	394.42
LOCATION L0002175	VOLUME	466742.122	3728661.886	394.76
LOCATION L0002176	VOLUME	466748.173	3728655.789	395.04
LOCATION L0002177	VOLUME	466754.224	3728649.692	396.05
LOCATION L0002178	VOLUME	466760.275	3728643.595	397.07
LOCATION L0002179	VOLUME	466766.326	3728637.498	398.09
LOCATION L0002180	VOLUME	466772.377	3728631.401	399.10
LOCATION L0002181	VOLUME	466778.428	3728625.304	400.09

** End of LINE VOLUME Source ID = SLINE9

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE10

** DESCRSRC On-Site Trailer Parking (N) Idling - SCE Easement

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00002688

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466274.759, 3729286.421, 384.02, 3.49, 4.00

** 466184.707, 3729196.369, 389.07, 3.49, 4.00

**

LOCATION L0002182	VOLUME	466271.722	3729283.384	384.00
LOCATION L0002183	VOLUME	466265.648	3729277.310	384.17
LOCATION L0002184	VOLUME	466259.574	3729271.236	384.50
LOCATION L0002185	VOLUME	466253.500	3729265.162	384.91
LOCATION L0002186	VOLUME	466247.426	3729259.087	385.40
LOCATION L0002187	VOLUME	466241.352	3729253.013	386.00
LOCATION L0002188	VOLUME	466235.278	3729246.939	386.45
LOCATION L0002189	VOLUME	466229.204	3729240.865	386.85
LOCATION L0002190	VOLUME	466223.130	3729234.791	387.26
LOCATION L0002191	VOLUME	466217.055	3729228.717	387.66
LOCATION L0002192	VOLUME	466210.981	3729222.643	388.08
LOCATION L0002193	VOLUME	466204.907	3729216.569	388.32
LOCATION L0002194	VOLUME	466198.833	3729210.495	388.52
LOCATION L0002195	VOLUME	466192.759	3729204.421	388.72
LOCATION L0002196	VOLUME	466186.685	3729198.347	388.92

** End of LINE VOLUME Source ID = SLINE10

**

```

** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE11
** DESCRSRC On-Site Trailer Parking (S) Idling - SCE Easement
** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 0.00002688
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 2
** 466213.826, 3729166.711, 391.04, 3.49, 4.00
** 466304.417, 3729259.459, 384.10, 3.49, 4.00

```

```

** -----
LOCATION L0002197    VOLUME  466216.827 3729169.783 390.57
LOCATION L0002198    VOLUME  466222.829 3729175.928 390.19
LOCATION L0002199    VOLUME  466228.831 3729182.073 389.97
LOCATION L0002200    VOLUME  466234.833 3729188.219 389.92
LOCATION L0002201    VOLUME  466240.835 3729194.364 389.96
LOCATION L0002202    VOLUME  466246.837 3729200.509 389.38
LOCATION L0002203    VOLUME  466252.840 3729206.654 388.81
LOCATION L0002204    VOLUME  466258.842 3729212.799 388.40
LOCATION L0002205    VOLUME  466264.844 3729218.944 388.15
LOCATION L0002206    VOLUME  466270.846 3729225.089 387.95
LOCATION L0002207    VOLUME  466276.848 3729231.234 386.91
LOCATION L0002208    VOLUME  466282.850 3729237.379 385.94
LOCATION L0002209    VOLUME  466288.853 3729243.524 385.13
LOCATION L0002210    VOLUME  466294.855 3729249.669 384.49
LOCATION L0002211    VOLUME  466300.857 3729255.814 384.06

```

```

** End of LINE VOLUME Source ID = SLINE11

```

```

** -----
** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE12
** DESCRSRC On-Site Travel - Building 1
** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 0.0000309
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 15
** 466264.513, 3729366.227, 384.11, 3.49, 4.00
** 466197.109, 3729299.362, 387.06, 3.49, 4.00
** 466135.637, 3729236.811, 389.53, 3.49, 4.00
** 466118.920, 3729219.556, 389.96, 3.49, 4.00
** 466122.695, 3729209.849, 390.21, 3.49, 4.00
** 466127.548, 3729201.222, 390.09, 3.49, 4.00
** 466133.480, 3729196.369, 390.10, 3.49, 4.00
** 466141.568, 3729192.055, 389.96, 3.49, 4.00
** 466153.431, 3729193.672, 389.97, 3.49, 4.00
** 466175.001, 3729215.242, 388.32, 3.49, 4.00

```

** 466225.689, 3729265.930, 386.67, 3.49, 4.00
 ** 466245.101, 3729285.342, 385.01, 3.49, 4.00
 ** 466250.493, 3729295.588, 384.87, 3.49, 4.00
 ** 466253.729, 3729313.382, 384.68, 3.49, 4.00
 ** 466254.268, 3729341.962, 384.65, 3.49, 4.00

** -----
 LOCATION L0001332 VOLUME 466261.464 3729363.203 384.27
 LOCATION L0001333 VOLUME 466255.366 3729357.153 384.47
 LOCATION L0001334 VOLUME 466249.268 3729351.103 384.68
 LOCATION L0001335 VOLUME 466243.169 3729345.054 384.88
 LOCATION L0001336 VOLUME 466237.071 3729339.004 385.08
 LOCATION L0001337 VOLUME 466230.972 3729332.954 385.29
 LOCATION L0001338 VOLUME 466224.874 3729326.905 385.49
 LOCATION L0001339 VOLUME 466218.776 3729320.855 385.69
 LOCATION L0001340 VOLUME 466212.677 3729314.806 385.90
 LOCATION L0001341 VOLUME 466206.579 3729308.756 386.13
 LOCATION L0001342 VOLUME 466200.480 3729302.706 386.44
 LOCATION L0001343 VOLUME 466194.417 3729296.622 386.83
 LOCATION L0001344 VOLUME 466188.396 3729290.496 387.31
 LOCATION L0001345 VOLUME 466182.375 3729284.369 387.82
 LOCATION L0001346 VOLUME 466176.354 3729278.243 388.11
 LOCATION L0001347 VOLUME 466170.333 3729272.116 388.31
 LOCATION L0001348 VOLUME 466164.312 3729265.989 388.51
 LOCATION L0001349 VOLUME 466158.291 3729259.863 388.71
 LOCATION L0001350 VOLUME 466152.270 3729253.736 388.91
 LOCATION L0001351 VOLUME 466146.249 3729247.609 389.03
 LOCATION L0001352 VOLUME 466140.228 3729241.483 389.15
 LOCATION L0001353 VOLUME 466134.217 3729235.346 389.35
 LOCATION L0001354 VOLUME 466128.240 3729229.176 389.64
 LOCATION L0001355 VOLUME 466122.263 3729223.006 389.92
 LOCATION L0001356 VOLUME 466120.292 3729216.028 389.98
 LOCATION L0001357 VOLUME 466123.656 3729208.140 389.95
 LOCATION L0001358 VOLUME 466128.053 3729200.809 389.96
 LOCATION L0001359 VOLUME 466134.872 3729195.626 390.00
 LOCATION L0001360 VOLUME 466142.560 3729192.190 390.00
 LOCATION L0001361 VOLUME 466151.071 3729193.351 389.96
 LOCATION L0001362 VOLUME 466157.821 3729198.062 389.66
 LOCATION L0001363 VOLUME 466163.895 3729204.136 389.25
 LOCATION L0001364 VOLUME 466169.969 3729210.210 388.85
 LOCATION L0001365 VOLUME 466176.043 3729216.285 388.44
 LOCATION L0001366 VOLUME 466182.117 3729222.359 388.12
 LOCATION L0001367 VOLUME 466188.191 3729228.433 387.98
 LOCATION L0001368 VOLUME 466194.266 3729234.507 387.86
 LOCATION L0001369 VOLUME 466200.340 3729240.581 387.66
 LOCATION L0001370 VOLUME 466206.414 3729246.655 387.39
 LOCATION L0001371 VOLUME 466212.488 3729252.729 387.01
 LOCATION L0001372 VOLUME 466218.562 3729258.803 386.61
 LOCATION L0001373 VOLUME 466224.636 3729264.877 386.20
 LOCATION L0001374 VOLUME 466230.710 3729270.951 385.80
 LOCATION L0001375 VOLUME 466236.784 3729277.025 385.39

LOCATION L0001376	VOLUME	466242.858	3729283.099	384.98
LOCATION L0001377	VOLUME	466247.624	3729290.136	384.73
LOCATION L0001378	VOLUME	466250.928	3729297.978	384.62
LOCATION L0001379	VOLUME	466252.465	3729306.430	384.57
LOCATION L0001380	VOLUME	466253.758	3729314.906	384.53
LOCATION L0001381	VOLUME	466253.920	3729323.494	384.52
LOCATION L0001382	VOLUME	466254.082	3729332.082	384.52
LOCATION L0001383	VOLUME	466254.244	3729340.671	384.51

** End of LINE VOLUME Source ID = SLINE12

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE28

** DESCRSRC On-Site Travel - Building 2 (Rear)

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.0000516

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 9

** 466169.698, 3729194.197, 389.28, 3.49, 4.00

** 466223.382, 3729144.643, 395.00, 3.49, 4.00

** 466262.317, 3729105.707, 396.32, 3.49, 4.00

** 466323.080, 3729047.894, 399.13, 3.49, 4.00

** 466368.210, 3729005.714, 401.52, 3.49, 4.00

** 466562.002, 3728817.821, 418.20, 3.49, 4.00

** 466667.305, 3728719.008, 392.74, 3.49, 4.00

** 466705.060, 3728758.828, 391.34, 3.49, 4.00

** 466731.902, 3728786.260, 390.36, 3.49, 4.00

**

LOCATION L0002327	VOLUME	466172.854	3729191.284	389.47
LOCATION L0002328	VOLUME	466179.166	3729185.457	389.71
LOCATION L0002329	VOLUME	466185.478	3729179.631	390.09
LOCATION L0002330	VOLUME	466191.790	3729173.804	390.48
LOCATION L0002331	VOLUME	466198.102	3729167.978	390.87
LOCATION L0002332	VOLUME	466204.414	3729162.151	391.52
LOCATION L0002333	VOLUME	466210.726	3729156.325	392.26
LOCATION L0002334	VOLUME	466217.038	3729150.499	392.82
LOCATION L0002335	VOLUME	466223.350	3729144.672	393.39
LOCATION L0002336	VOLUME	466229.425	3729138.599	394.00
LOCATION L0002337	VOLUME	466235.499	3729132.525	394.62
LOCATION L0002338	VOLUME	466241.573	3729126.451	395.19
LOCATION L0002339	VOLUME	466247.647	3729120.377	395.68
LOCATION L0002340	VOLUME	466253.721	3729114.303	396.08
LOCATION L0002341	VOLUME	466259.795	3729108.229	396.41
LOCATION L0002342	VOLUME	466265.957	3729102.244	396.87
LOCATION L0002343	VOLUME	466272.180	3729096.323	397.36
LOCATION L0002344	VOLUME	466278.403	3729090.402	397.72
LOCATION L0002345	VOLUME	466284.626	3729084.481	398.09
LOCATION L0002346	VOLUME	466290.850	3729078.560	398.45

LOCATION	L0002347	VOLUME	466297.073	3729072.639	398.49
LOCATION	L0002348	VOLUME	466303.296	3729066.718	398.41
LOCATION	L0002349	VOLUME	466309.519	3729060.797	398.52
LOCATION	L0002350	VOLUME	466315.742	3729054.876	398.71
LOCATION	L0002351	VOLUME	466321.966	3729048.954	398.99
LOCATION	L0002352	VOLUME	466328.232	3729043.079	399.34
LOCATION	L0002353	VOLUME	466334.508	3729037.213	399.60
LOCATION	L0002354	VOLUME	466340.783	3729031.348	399.90
LOCATION	L0002355	VOLUME	466347.059	3729025.482	400.29
LOCATION	L0002356	VOLUME	466353.335	3729019.617	400.75
LOCATION	L0002357	VOLUME	466359.610	3729013.751	401.23
LOCATION	L0002358	VOLUME	466365.886	3729007.886	401.60
LOCATION	L0002359	VOLUME	466372.093	3729001.949	401.99
LOCATION	L0002360	VOLUME	466378.261	3728995.969	402.38
LOCATION	L0002361	VOLUME	466384.428	3728989.990	402.78
LOCATION	L0002362	VOLUME	466390.595	3728984.010	403.17
LOCATION	L0002363	VOLUME	466396.762	3728978.031	403.56
LOCATION	L0002364	VOLUME	466402.929	3728972.051	403.95
LOCATION	L0002365	VOLUME	466409.096	3728966.072	404.35
LOCATION	L0002366	VOLUME	466415.264	3728960.093	404.74
LOCATION	L0002367	VOLUME	466421.431	3728954.113	404.69
LOCATION	L0002368	VOLUME	466427.598	3728948.134	403.61
LOCATION	L0002369	VOLUME	466433.765	3728942.154	402.44
LOCATION	L0002370	VOLUME	466439.932	3728936.175	401.20
LOCATION	L0002371	VOLUME	466446.100	3728930.195	399.87
LOCATION	L0002372	VOLUME	466452.267	3728924.216	398.77
LOCATION	L0002373	VOLUME	466458.434	3728918.236	398.34
LOCATION	L0002374	VOLUME	466464.601	3728912.257	397.92
LOCATION	L0002375	VOLUME	466470.768	3728906.277	397.50
LOCATION	L0002376	VOLUME	466476.936	3728900.298	397.07
LOCATION	L0002377	VOLUME	466483.103	3728894.319	397.29
LOCATION	L0002378	VOLUME	466489.270	3728888.339	398.09
LOCATION	L0002379	VOLUME	466495.437	3728882.360	398.89
LOCATION	L0002380	VOLUME	466501.604	3728876.380	399.70
LOCATION	L0002381	VOLUME	466507.772	3728870.401	400.50
LOCATION	L0002382	VOLUME	466513.939	3728864.421	402.06
LOCATION	L0002383	VOLUME	466520.106	3728858.442	404.76
LOCATION	L0002384	VOLUME	466526.273	3728852.462	407.54
LOCATION	L0002385	VOLUME	466532.440	3728846.483	410.40
LOCATION	L0002386	VOLUME	466538.607	3728840.503	413.34
LOCATION	L0002387	VOLUME	466544.775	3728834.524	415.48
LOCATION	L0002388	VOLUME	466550.942	3728828.545	416.41
LOCATION	L0002389	VOLUME	466557.109	3728822.565	417.25
LOCATION	L0002390	VOLUME	466563.296	3728816.607	418.01
LOCATION	L0002391	VOLUME	466569.560	3728810.729	418.68
LOCATION	L0002392	VOLUME	466575.824	3728804.851	418.18
LOCATION	L0002393	VOLUME	466582.088	3728798.973	416.48
LOCATION	L0002394	VOLUME	466588.352	3728793.095	414.70
LOCATION	L0002395	VOLUME	466594.616	3728787.217	412.84
LOCATION	L0002396	VOLUME	466600.880	3728781.339	410.86

LOCATION	L0002397	VOLUME	466607.144	3728775.461	408.87
LOCATION	L0002398	VOLUME	466613.408	3728769.583	406.76
LOCATION	L0002399	VOLUME	466619.672	3728763.705	404.73
LOCATION	L0002400	VOLUME	466625.936	3728757.827	402.78
LOCATION	L0002401	VOLUME	466632.200	3728751.949	400.88
LOCATION	L0002402	VOLUME	466638.464	3728746.071	399.13
LOCATION	L0002403	VOLUME	466644.728	3728740.193	397.81
LOCATION	L0002404	VOLUME	466650.992	3728734.315	396.41
LOCATION	L0002405	VOLUME	466657.256	3728728.437	394.94
LOCATION	L0002406	VOLUME	466663.520	3728722.559	393.43
LOCATION	L0002407	VOLUME	466669.644	3728721.475	392.60
LOCATION	L0002408	VOLUME	466675.554	3728727.709	392.55
LOCATION	L0002409	VOLUME	466681.465	3728733.942	392.34
LOCATION	L0002410	VOLUME	466687.375	3728740.176	391.96
LOCATION	L0002411	VOLUME	466693.285	3728746.409	391.79
LOCATION	L0002412	VOLUME	466699.195	3728752.643	391.81
LOCATION	L0002413	VOLUME	466705.107	3728758.875	391.59
LOCATION	L0002414	VOLUME	466711.114	3728765.015	391.11
LOCATION	L0002415	VOLUME	466717.122	3728771.155	390.38
LOCATION	L0002416	VOLUME	466723.130	3728777.295	390.04
LOCATION	L0002417	VOLUME	466729.137	3728783.434	390.17

** End of LINE VOLUME Source ID = SLINE28

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE13

** DESCRSRC On-Site Travel - Building 2

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00004764

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 8

** 466325.295, 3729309.538, 384.93, 3.49, 4.00

** 466303.091, 3729281.625, 384.04, 3.49, 4.00

** 466414.111, 3729175.046, 388.99, 3.49, 4.00

** 466509.905, 3729083.058, 389.12, 3.49, 4.00

** 466658.354, 3728940.953, 389.42, 3.49, 4.00

** 466739.557, 3728864.826, 390.18, 3.49, 4.00

** 466776.352, 3728831.203, 390.00, 3.49, 4.00

** 466798.556, 3728854.675, 389.23, 3.49, 4.00

**

LOCATION	L0002812	VOLUME	466322.621	3729306.177	384.77
LOCATION	L0002813	VOLUME	466317.274	3729299.455	384.59
LOCATION	L0002814	VOLUME	466311.926	3729292.732	384.41
LOCATION	L0002815	VOLUME	466306.579	3729286.010	384.23
LOCATION	L0002816	VOLUME	466305.246	3729279.556	384.19
LOCATION	L0002817	VOLUME	466311.443	3729273.607	384.39
LOCATION	L0002818	VOLUME	466317.640	3729267.658	384.60
LOCATION	L0002819	VOLUME	466323.836	3729261.710	384.81

LOCATION	L0002820	VOLUME	466330.033	3729255.761	385.01
LOCATION	L0002821	VOLUME	466336.230	3729249.812	385.21
LOCATION	L0002822	VOLUME	466342.426	3729243.863	385.41
LOCATION	L0002823	VOLUME	466348.623	3729237.914	385.60
LOCATION	L0002824	VOLUME	466354.820	3729231.965	385.80
LOCATION	L0002825	VOLUME	466361.017	3729226.016	386.00
LOCATION	L0002826	VOLUME	466367.213	3729220.068	386.20
LOCATION	L0002827	VOLUME	466373.410	3729214.119	386.40
LOCATION	L0002828	VOLUME	466379.607	3729208.170	386.60
LOCATION	L0002829	VOLUME	466385.803	3729202.221	386.79
LOCATION	L0002830	VOLUME	466392.000	3729196.272	386.99
LOCATION	L0002831	VOLUME	466398.197	3729190.323	387.24
LOCATION	L0002832	VOLUME	466404.394	3729184.375	387.58
LOCATION	L0002833	VOLUME	466410.590	3729178.426	388.00
LOCATION	L0002834	VOLUME	466416.787	3729172.476	388.50
LOCATION	L0002835	VOLUME	466422.983	3729166.527	389.08
LOCATION	L0002836	VOLUME	466429.178	3729160.577	389.44
LOCATION	L0002837	VOLUME	466435.374	3729154.627	389.71
LOCATION	L0002838	VOLUME	466441.570	3729148.678	389.89
LOCATION	L0002839	VOLUME	466447.766	3729142.728	389.99
LOCATION	L0002840	VOLUME	466453.962	3729136.778	389.99
LOCATION	L0002841	VOLUME	466460.158	3729130.829	389.94
LOCATION	L0002842	VOLUME	466466.354	3729124.879	389.79
LOCATION	L0002843	VOLUME	466472.550	3729118.929	389.56
LOCATION	L0002844	VOLUME	466478.746	3729112.979	389.25
LOCATION	L0002845	VOLUME	466484.942	3729107.030	389.03
LOCATION	L0002846	VOLUME	466491.137	3729101.080	389.10
LOCATION	L0002847	VOLUME	466497.333	3729095.130	389.15
LOCATION	L0002848	VOLUME	466503.529	3729089.181	389.11
LOCATION	L0002849	VOLUME	466509.725	3729083.231	389.00
LOCATION	L0002850	VOLUME	466515.930	3729077.291	389.20
LOCATION	L0002851	VOLUME	466522.135	3729071.351	389.51
LOCATION	L0002852	VOLUME	466528.340	3729065.411	389.76
LOCATION	L0002853	VOLUME	466534.546	3729059.471	389.92
LOCATION	L0002854	VOLUME	466540.751	3729053.531	389.99
LOCATION	L0002855	VOLUME	466546.956	3729047.591	389.99
LOCATION	L0002856	VOLUME	466553.161	3729041.651	390.07
LOCATION	L0002857	VOLUME	466559.366	3729035.711	390.23
LOCATION	L0002858	VOLUME	466565.572	3729029.771	390.47
LOCATION	L0002859	VOLUME	466571.777	3729023.831	390.63
LOCATION	L0002860	VOLUME	466577.982	3729017.891	390.41
LOCATION	L0002861	VOLUME	466584.187	3729011.951	390.02
LOCATION	L0002862	VOLUME	466590.392	3729006.011	389.74
LOCATION	L0002863	VOLUME	466596.597	3729000.071	389.63
LOCATION	L0002864	VOLUME	466602.803	3728994.130	389.65
LOCATION	L0002865	VOLUME	466609.008	3728988.190	389.64
LOCATION	L0002866	VOLUME	466615.213	3728982.250	389.48
LOCATION	L0002867	VOLUME	466621.418	3728976.310	389.27
LOCATION	L0002868	VOLUME	466627.623	3728970.370	389.07
LOCATION	L0002869	VOLUME	466633.829	3728964.430	389.00

LOCATION	L0002870	VOLUME	466640.034	3728958.490	389.00
LOCATION	L0002871	VOLUME	466646.239	3728952.550	389.12
LOCATION	L0002872	VOLUME	466652.444	3728946.610	389.31
LOCATION	L0002873	VOLUME	466658.652	3728940.673	389.51
LOCATION	L0002874	VOLUME	466664.919	3728934.798	389.71
LOCATION	L0002875	VOLUME	466671.186	3728928.923	389.90
LOCATION	L0002876	VOLUME	466677.452	3728923.048	390.04
LOCATION	L0002877	VOLUME	466683.719	3728917.173	390.06
LOCATION	L0002878	VOLUME	466689.986	3728911.298	390.00
LOCATION	L0002879	VOLUME	466696.253	3728905.423	390.00
LOCATION	L0002880	VOLUME	466702.519	3728899.548	390.00
LOCATION	L0002881	VOLUME	466708.786	3728893.673	390.06
LOCATION	L0002882	VOLUME	466715.053	3728887.798	390.08
LOCATION	L0002883	VOLUME	466721.320	3728881.923	390.00
LOCATION	L0002884	VOLUME	466727.586	3728876.048	390.00
LOCATION	L0002885	VOLUME	466733.853	3728870.173	390.00
LOCATION	L0002886	VOLUME	466740.126	3728864.305	390.04
LOCATION	L0002887	VOLUME	466746.468	3728858.510	390.05
LOCATION	L0002888	VOLUME	466752.809	3728852.716	389.94
LOCATION	L0002889	VOLUME	466759.150	3728846.921	389.88
LOCATION	L0002890	VOLUME	466765.491	3728841.127	389.91
LOCATION	L0002891	VOLUME	466771.833	3728835.332	390.00
LOCATION	L0002892	VOLUME	466778.048	3728832.996	390.00
LOCATION	L0002893	VOLUME	466783.951	3728839.236	389.89
LOCATION	L0002894	VOLUME	466789.854	3728845.476	389.68
LOCATION	L0002895	VOLUME	466795.757	3728851.717	389.48

** End of LINE VOLUME Source ID = SLINE13

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE14

** DESCRSRC On-Site Travel - Eastern Lot

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00001485

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 11

** 466767.868, 3728821.365, 390.12, 3.49, 4.00

** 466748.445, 3728801.660, 390.02, 3.49, 4.00

** 466745.630, 3728794.622, 390.11, 3.49, 4.00

** 466748.445, 3728787.022, 390.00, 3.49, 4.00

** 466770.120, 3728764.220, 390.06, 3.49, 4.00

** 466807.560, 3728721.151, 391.00, 3.49, 4.00

** 466873.712, 3728660.628, 402.08, 3.49, 4.00

** 466838.525, 3728618.403, 402.63, 3.49, 4.00

** 466726.206, 3728723.403, 391.18, 3.49, 4.00

** 466691.019, 3728684.556, 391.02, 3.49, 4.00

** 466764.209, 3728612.210, 400.67, 3.49, 4.00

**

LOCATION	L0001468	VOLUME	466764.853	3728818.306	390.00
LOCATION	L0001469	VOLUME	466758.823	3728812.188	390.00
LOCATION	L0001470	VOLUME	466752.793	3728806.071	390.00
LOCATION	L0001471	VOLUME	466747.555	3728799.435	390.05
LOCATION	L0001472	VOLUME	466746.813	3728791.428	390.05
LOCATION	L0001473	VOLUME	466751.126	3728784.201	390.00
LOCATION	L0001474	VOLUME	466757.044	3728777.975	390.00
LOCATION	L0001475	VOLUME	466762.963	3728771.750	390.00
LOCATION	L0001476	VOLUME	466768.881	3728765.524	390.00
LOCATION	L0001477	VOLUME	466774.576	3728759.095	390.00
LOCATION	L0001478	VOLUME	466780.211	3728752.612	390.00
LOCATION	L0001479	VOLUME	466785.847	3728746.129	390.00
LOCATION	L0001480	VOLUME	466791.482	3728739.646	390.21
LOCATION	L0001481	VOLUME	466797.118	3728733.163	390.43
LOCATION	L0001482	VOLUME	466802.753	3728726.680	390.64
LOCATION	L0001483	VOLUME	466808.492	3728720.298	390.86
LOCATION	L0001484	VOLUME	466814.830	3728714.499	390.90
LOCATION	L0001485	VOLUME	466821.168	3728708.701	391.14
LOCATION	L0001486	VOLUME	466827.506	3728702.902	391.62
LOCATION	L0001487	VOLUME	466833.843	3728697.104	392.35
LOCATION	L0001488	VOLUME	466840.181	3728691.306	393.34
LOCATION	L0001489	VOLUME	466846.519	3728685.507	394.55
LOCATION	L0001490	VOLUME	466852.857	3728679.709	396.03
LOCATION	L0001491	VOLUME	466859.194	3728673.911	397.58
LOCATION	L0001492	VOLUME	466865.532	3728668.112	399.23
LOCATION	L0001493	VOLUME	466871.870	3728662.314	400.86
LOCATION	L0001494	VOLUME	466869.811	3728655.948	402.01
LOCATION	L0001495	VOLUME	466864.312	3728649.349	402.32
LOCATION	L0001496	VOLUME	466858.813	3728642.750	402.53
LOCATION	L0001497	VOLUME	466853.314	3728636.151	402.66
LOCATION	L0001498	VOLUME	466847.815	3728629.552	402.71
LOCATION	L0001499	VOLUME	466842.315	3728622.953	402.95
LOCATION	L0001500	VOLUME	466836.575	3728620.226	402.95
LOCATION	L0001501	VOLUME	466830.300	3728626.092	401.37
LOCATION	L0001502	VOLUME	466824.025	3728631.958	400.37
LOCATION	L0001503	VOLUME	466817.750	3728637.824	399.36
LOCATION	L0001504	VOLUME	466811.475	3728643.690	398.36
LOCATION	L0001505	VOLUME	466805.200	3728649.557	397.41
LOCATION	L0001506	VOLUME	466798.925	3728655.423	396.36
LOCATION	L0001507	VOLUME	466792.650	3728661.289	395.09
LOCATION	L0001508	VOLUME	466786.375	3728667.155	393.88
LOCATION	L0001509	VOLUME	466780.100	3728673.021	392.75
LOCATION	L0001510	VOLUME	466773.825	3728678.887	392.39
LOCATION	L0001511	VOLUME	466767.550	3728684.753	392.32
LOCATION	L0001512	VOLUME	466761.275	3728690.620	392.65
LOCATION	L0001513	VOLUME	466755.000	3728696.486	392.89
LOCATION	L0001514	VOLUME	466748.724	3728702.352	392.88
LOCATION	L0001515	VOLUME	466742.449	3728708.218	392.28
LOCATION	L0001516	VOLUME	466736.174	3728714.084	391.68
LOCATION	L0001517	VOLUME	466729.899	3728719.950	391.17

LOCATION L0001518	VOLUME	466723.833	3728720.783	390.96
LOCATION L0001519	VOLUME	466718.067	3728714.417	391.05
LOCATION L0001520	VOLUME	466712.300	3728708.050	391.22
LOCATION L0001521	VOLUME	466706.533	3728701.684	391.31
LOCATION L0001522	VOLUME	466700.766	3728695.317	391.32
LOCATION L0001523	VOLUME	466695.000	3728688.951	391.24
LOCATION L0001524	VOLUME	466692.911	3728682.686	391.54
LOCATION L0001525	VOLUME	466699.020	3728676.647	392.47
LOCATION L0001526	VOLUME	466705.129	3728670.608	393.31
LOCATION L0001527	VOLUME	466711.238	3728664.570	394.07
LOCATION L0001528	VOLUME	466717.347	3728658.531	394.75
LOCATION L0001529	VOLUME	466723.457	3728652.492	395.28
LOCATION L0001530	VOLUME	466729.566	3728646.454	395.95
LOCATION L0001531	VOLUME	466735.675	3728640.415	396.87
LOCATION L0001532	VOLUME	466741.784	3728634.376	398.04
LOCATION L0001533	VOLUME	466747.893	3728628.337	399.45
LOCATION L0001534	VOLUME	466754.003	3728622.299	400.39
LOCATION L0001535	VOLUME	466760.112	3728616.260	401.09

** End of LINE VOLUME Source ID = SLINE14

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE15

** DESCRSRC On-Site Travel - SCE Easement

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 1.724E-06

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 2

** 466289.297, 3729271.613, 384.05, 3.49, 4.00

** 466200.870, 3729183.186, 389.65, 3.49, 4.00

** -----

LOCATION L0001536	VOLUME	466286.260	3729268.576	384.00
LOCATION L0001537	VOLUME	466280.186	3729262.502	384.00
LOCATION L0001538	VOLUME	466274.112	3729256.428	384.00
LOCATION L0001539	VOLUME	466268.038	3729250.354	384.83
LOCATION L0001540	VOLUME	466261.964	3729244.280	385.78
LOCATION L0001541	VOLUME	466255.890	3729238.206	386.48
LOCATION L0001542	VOLUME	466249.816	3729232.132	386.93
LOCATION L0001543	VOLUME	466243.742	3729226.058	387.14
LOCATION L0001544	VOLUME	466237.668	3729219.984	387.64
LOCATION L0001545	VOLUME	466231.594	3729213.910	388.26
LOCATION L0001546	VOLUME	466225.520	3729207.836	388.72
LOCATION L0001547	VOLUME	466219.446	3729201.762	389.01
LOCATION L0001548	VOLUME	466213.372	3729195.688	389.15
LOCATION L0001549	VOLUME	466207.297	3729189.614	389.43
LOCATION L0001550	VOLUME	466201.223	3729183.540	389.83

** End of LINE VOLUME Source ID = SLINE15

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE16

** DESCRSRC Off-Site Travel - Baker St 100%

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00008282

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 14

** 466807.379, 3728863.303, 389.03, 3.49, 4.00

** 466767.039, 3728899.517, 389.43, 3.49, 4.00

** 466731.742, 3728933.439, 389.70, 3.49, 4.00

** 466679.942, 3728983.406, 389.00, 3.49, 4.00

** 466600.179, 3729059.960, 389.39, 3.49, 4.00

** 466543.336, 3729114.969, 389.05, 3.49, 4.00

** 466469.074, 3729185.564, 387.48, 3.49, 4.00

** 466410.856, 3729241.031, 385.38, 3.49, 4.00

** 466292.129, 3729354.716, 384.00, 3.49, 4.00

** 466252.706, 3729392.306, 385.43, 3.49, 4.00

** 466225.201, 3729423.019, 386.06, 3.49, 4.00

** 466205.948, 3729450.982, 386.11, 3.49, 4.00

** 466193.113, 3729478.945, 386.71, 3.49, 4.00

** 466157.707, 3729593.629, 386.89, 3.49, 4.00

** -----

LOCATION	L0002434	VOLUME	466804.183	3728866.172	389.00

LOCATION	L0002435	VOLUME	466797.791	3728871.910	389.00

LOCATION	L0002436	VOLUME	466791.399	3728877.649	389.00

LOCATION	L0002437	VOLUME	466785.007	3728883.387	389.00

LOCATION	L0002438	VOLUME	466778.615	3728889.126	389.03

LOCATION	L0002439	VOLUME	466772.223	3728894.864	389.25

LOCATION	L0002440	VOLUME	466765.868	3728900.643	389.39

LOCATION	L0002441	VOLUME	466759.675	3728906.595	389.43

LOCATION	L0002442	VOLUME	466753.481	3728912.547	389.39

LOCATION	L0002443	VOLUME	466747.288	3728918.499	389.31

LOCATION	L0002444	VOLUME	466741.094	3728924.452	389.32

LOCATION	L0002445	VOLUME	466734.901	3728930.404	389.42

LOCATION	L0002446	VOLUME	466728.712	3728936.362	389.46

LOCATION	L0002447	VOLUME	466722.530	3728942.325	389.41

LOCATION	L0002448	VOLUME	466716.347	3728948.289	389.26

LOCATION	L0002449	VOLUME	466710.165	3728954.253	389.06

LOCATION	L0002450	VOLUME	466703.982	3728960.216	389.00

LOCATION	L0002451	VOLUME	466697.800	3728966.180	389.00

LOCATION	L0002452	VOLUME	466691.618	3728972.143	389.00

LOCATION	L0002453	VOLUME	466685.435	3728978.107	389.00

LOCATION	L0002454	VOLUME	466679.251	3728984.069	389.00

LOCATION	L0002455	VOLUME	466673.053	3728990.017	388.93

LOCATION	L0002456	VOLUME	466666.856	3728995.965	388.75

LOCATION	L0002457	VOLUME	466660.659	3729001.913	388.49

LOCATION	L0002458	VOLUME	466654.461	3729007.861	388.40

LOCATION	L0002459	VOLUME	466648.264	3729013.809	388.42
LOCATION	L0002460	VOLUME	466642.066	3729019.758	388.59
LOCATION	L0002461	VOLUME	466635.869	3729025.706	388.79
LOCATION	L0002462	VOLUME	466629.671	3729031.654	389.00
LOCATION	L0002463	VOLUME	466623.474	3729037.602	389.15
LOCATION	L0002464	VOLUME	466617.277	3729043.550	389.38
LOCATION	L0002465	VOLUME	466611.079	3729049.498	389.50
LOCATION	L0002466	VOLUME	466604.882	3729055.446	389.51
LOCATION	L0002467	VOLUME	466598.690	3729061.401	389.49
LOCATION	L0002468	VOLUME	466592.517	3729067.374	389.29
LOCATION	L0002469	VOLUME	466586.345	3729073.348	389.09
LOCATION	L0002470	VOLUME	466580.172	3729079.322	388.96
LOCATION	L0002471	VOLUME	466573.999	3729085.295	388.95
LOCATION	L0002472	VOLUME	466567.826	3729091.269	389.03
LOCATION	L0002473	VOLUME	466561.653	3729097.243	389.08
LOCATION	L0002474	VOLUME	466555.481	3729103.216	389.04
LOCATION	L0002475	VOLUME	466549.308	3729109.190	388.97
LOCATION	L0002476	VOLUME	466543.133	3729115.162	388.96
LOCATION	L0002477	VOLUME	466536.908	3729121.080	389.00
LOCATION	L0002478	VOLUME	466530.682	3729126.998	389.00
LOCATION	L0002479	VOLUME	466524.456	3729132.917	389.00
LOCATION	L0002480	VOLUME	466518.230	3729138.835	388.91
LOCATION	L0002481	VOLUME	466512.004	3729144.754	388.71
LOCATION	L0002482	VOLUME	466505.778	3729150.672	388.58
LOCATION	L0002483	VOLUME	466499.553	3729156.590	388.42
LOCATION	L0002484	VOLUME	466493.327	3729162.509	388.18
LOCATION	L0002485	VOLUME	466487.101	3729168.427	387.92
LOCATION	L0002486	VOLUME	466480.875	3729174.346	387.72
LOCATION	L0002487	VOLUME	466474.649	3729180.264	387.70
LOCATION	L0002488	VOLUME	466468.424	3729186.183	387.57
LOCATION	L0002489	VOLUME	466462.205	3729192.108	387.28
LOCATION	L0002490	VOLUME	466455.986	3729198.034	386.93
LOCATION	L0002491	VOLUME	466449.767	3729203.959	386.74
LOCATION	L0002492	VOLUME	466443.547	3729209.884	386.54
LOCATION	L0002493	VOLUME	466437.328	3729215.810	386.34
LOCATION	L0002494	VOLUME	466431.109	3729221.735	386.14
LOCATION	L0002495	VOLUME	466424.890	3729227.661	385.95
LOCATION	L0002496	VOLUME	466418.671	3729233.586	385.75
LOCATION	L0002497	VOLUME	466412.452	3729239.511	385.55
LOCATION	L0002498	VOLUME	466406.243	3729245.448	385.35
LOCATION	L0002499	VOLUME	466400.039	3729251.389	385.15
LOCATION	L0002500	VOLUME	466393.835	3729257.330	384.99
LOCATION	L0002501	VOLUME	466387.630	3729263.271	385.00
LOCATION	L0002502	VOLUME	466381.426	3729269.212	385.00
LOCATION	L0002503	VOLUME	466375.222	3729275.152	385.00
LOCATION	L0002504	VOLUME	466369.017	3729281.093	385.00
LOCATION	L0002505	VOLUME	466362.813	3729287.034	385.00
LOCATION	L0002506	VOLUME	466356.608	3729292.975	385.00
LOCATION	L0002507	VOLUME	466350.404	3729298.916	385.00
LOCATION	L0002508	VOLUME	466344.200	3729304.857	385.00

LOCATION	L0002509	VOLUME	466337.995	3729310.798	385.00
LOCATION	L0002510	VOLUME	466331.791	3729316.739	384.98
LOCATION	L0002511	VOLUME	466325.587	3729322.679	384.67
LOCATION	L0002512	VOLUME	466319.382	3729328.620	384.38
LOCATION	L0002513	VOLUME	466313.178	3729334.561	384.17
LOCATION	L0002514	VOLUME	466306.973	3729340.502	384.05
LOCATION	L0002515	VOLUME	466300.769	3729346.443	384.00
LOCATION	L0002516	VOLUME	466294.565	3729352.384	384.00
LOCATION	L0002517	VOLUME	466288.353	3729358.317	384.00
LOCATION	L0002518	VOLUME	466282.136	3729364.244	384.00
LOCATION	L0002519	VOLUME	466275.919	3729370.172	384.00
LOCATION	L0002520	VOLUME	466269.702	3729376.100	384.00
LOCATION	L0002521	VOLUME	466263.485	3729382.028	384.40
LOCATION	L0002522	VOLUME	466257.268	3729387.955	384.81
LOCATION	L0002523	VOLUME	466251.181	3729394.009	385.21
LOCATION	L0002524	VOLUME	466245.450	3729400.408	385.62
LOCATION	L0002525	VOLUME	466239.720	3729406.807	386.00
LOCATION	L0002526	VOLUME	466233.989	3729413.206	386.00
LOCATION	L0002527	VOLUME	466228.258	3729419.605	386.00
LOCATION	L0002528	VOLUME	466222.929	3729426.319	386.00
LOCATION	L0002529	VOLUME	466218.057	3729433.395	386.00
LOCATION	L0002530	VOLUME	466213.186	3729440.470	386.00
LOCATION	L0002531	VOLUME	466208.314	3729447.545	386.04
LOCATION	L0002532	VOLUME	466204.105	3729454.996	386.18
LOCATION	L0002533	VOLUME	466200.522	3729462.803	386.30
LOCATION	L0002534	VOLUME	466196.938	3729470.610	386.42
LOCATION	L0002535	VOLUME	466193.355	3729478.417	386.54
LOCATION	L0002536	VOLUME	466190.750	3729486.597	386.63
LOCATION	L0002537	VOLUME	466188.216	3729494.805	386.71
LOCATION	L0002538	VOLUME	466185.682	3729503.013	386.61
LOCATION	L0002539	VOLUME	466183.148	3729511.221	386.44
LOCATION	L0002540	VOLUME	466180.614	3729519.429	386.21
LOCATION	L0002541	VOLUME	466178.081	3729527.636	386.05
LOCATION	L0002542	VOLUME	466175.547	3729535.844	386.14
LOCATION	L0002543	VOLUME	466173.013	3729544.052	386.22
LOCATION	L0002544	VOLUME	466170.479	3729552.260	386.30
LOCATION	L0002545	VOLUME	466167.945	3729560.467	386.39
LOCATION	L0002546	VOLUME	466165.411	3729568.675	386.47
LOCATION	L0002547	VOLUME	466162.877	3729576.883	386.56
LOCATION	L0002548	VOLUME	466160.343	3729585.091	386.64
LOCATION	L0002549	VOLUME	466157.809	3729593.298	386.97

** End of LINE VOLUME Source ID = SLINE16

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE20

** DESCRSRC Off-Site Travel - Nichols Road 100% (E)

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 0.00005139

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 19

** 466170.708, 3729596.421, 386.22, 0.00, 4.00

** 466209.540, 3729607.715, 385.17, 0.00, 4.00

** 466237.979, 3729614.754, 383.99, 0.00, 4.00

** 466259.942, 3729624.891, 382.66, 0.00, 4.00

** 466281.060, 3729639.251, 382.30, 0.00, 4.00

** 466301.052, 3729658.117, 382.84, 0.00, 4.00

** 466318.510, 3729684.022, 382.95, 0.00, 4.00

** 466335.405, 3729705.703, 383.97, 0.00, 4.00

** 466354.833, 3729724.851, 384.12, 0.00, 4.00

** 466380.057, 3729740.934, 384.06, 0.00, 4.00

** 466406.560, 3729751.866, 382.53, 0.00, 4.00

** 466433.725, 3729757.498, 382.35, 0.00, 4.00

** 466462.215, 3729758.161, 382.16, 0.00, 4.00

** 466496.337, 3729751.204, 382.28, 0.00, 4.00

** 466533.440, 3729740.934, 383.49, 0.00, 4.00

** 466650.245, 3729706.225, 391.99, 0.00, 4.00

** 466667.287, 3729703.765, 392.63, 0.00, 4.00

** 466721.536, 3729709.849, 402.92, 0.00, 4.00

** 466722.661, 3729709.975, 402.90, 0.00, 4.00

**

LOCATION	L0002550	VOLUME	466174.832	3729597.621	386.55
LOCATION	L0002551	VOLUME	466183.080	3729600.020	386.36
LOCATION	L0002552	VOLUME	466191.329	3729602.419	386.12
LOCATION	L0002553	VOLUME	466199.577	3729604.817	385.79
LOCATION	L0002554	VOLUME	466207.825	3729607.216	385.38
LOCATION	L0002555	VOLUME	466216.145	3729609.350	384.91
LOCATION	L0002556	VOLUME	466224.483	3729611.414	384.51
LOCATION	L0002557	VOLUME	466232.822	3729613.478	384.18
LOCATION	L0002558	VOLUME	466240.954	3729616.127	383.91
LOCATION	L0002559	VOLUME	466248.754	3729619.727	383.30
LOCATION	L0002560	VOLUME	466256.553	3729623.327	382.76
LOCATION	L0002561	VOLUME	466263.959	3729627.622	382.30
LOCATION	L0002562	VOLUME	466271.062	3729632.453	382.03
LOCATION	L0002563	VOLUME	466278.165	3729637.283	382.20
LOCATION	L0002564	VOLUME	466284.762	3729642.744	382.45
LOCATION	L0002565	VOLUME	466291.009	3729648.640	382.71
LOCATION	L0002566	VOLUME	466297.257	3729654.535	382.92
LOCATION	L0002567	VOLUME	466302.936	3729660.913	383.00
LOCATION	L0002568	VOLUME	466307.737	3729668.036	383.00
LOCATION	L0002569	VOLUME	466312.537	3729675.159	383.00
LOCATION	L0002570	VOLUME	466317.338	3729682.283	383.04
LOCATION	L0002571	VOLUME	466322.501	3729689.144	383.23
LOCATION	L0002572	VOLUME	466327.781	3729695.919	383.58
LOCATION	L0002573	VOLUME	466333.060	3729702.695	384.02
LOCATION	L0002574	VOLUME	466338.806	3729709.056	384.21
LOCATION	L0002575	VOLUME	466344.925	3729715.086	384.21
LOCATION	L0002576	VOLUME	466351.043	3729721.115	384.21

LOCATION	L0002577	VOLUME	466357.589	3729726.608	384.25
LOCATION	L0002578	VOLUME	466364.832	3729731.226	384.16
LOCATION	L0002579	VOLUME	466372.075	3729735.844	384.01
LOCATION	L0002580	VOLUME	466379.318	3729740.462	383.70
LOCATION	L0002581	VOLUME	466387.187	3729743.875	383.48
LOCATION	L0002582	VOLUME	466395.128	3729747.151	383.26
LOCATION	L0002583	VOLUME	466403.069	3729750.426	383.04
LOCATION	L0002584	VOLUME	466411.274	3729752.844	382.88
LOCATION	L0002585	VOLUME	466419.685	3729754.587	382.76
LOCATION	L0002586	VOLUME	466428.096	3729756.331	382.56
LOCATION	L0002587	VOLUME	466436.566	3729757.564	382.41
LOCATION	L0002588	VOLUME	466445.153	3729757.764	382.32
LOCATION	L0002589	VOLUME	466453.741	3729757.963	382.27
LOCATION	L0002590	VOLUME	466462.326	3729758.138	382.26
LOCATION	L0002591	VOLUME	466470.743	3729756.422	382.32
LOCATION	L0002592	VOLUME	466479.160	3729754.706	382.38
LOCATION	L0002593	VOLUME	466487.577	3729752.990	382.55
LOCATION	L0002594	VOLUME	466495.994	3729751.274	382.76
LOCATION	L0002595	VOLUME	466504.278	3729749.006	383.03
LOCATION	L0002596	VOLUME	466512.557	3729746.714	383.22
LOCATION	L0002597	VOLUME	466520.836	3729744.423	383.17
LOCATION	L0002598	VOLUME	466529.114	3729742.131	383.08
LOCATION	L0002599	VOLUME	466537.372	3729739.766	382.94
LOCATION	L0002600	VOLUME	466545.606	3729737.319	384.34
LOCATION	L0002601	VOLUME	466553.840	3729734.872	386.34
LOCATION	L0002602	VOLUME	466562.074	3729732.425	388.15
LOCATION	L0002603	VOLUME	466570.308	3729729.978	389.61
LOCATION	L0002604	VOLUME	466578.543	3729727.532	389.60
LOCATION	L0002605	VOLUME	466586.777	3729725.085	389.69
LOCATION	L0002606	VOLUME	466595.011	3729722.638	389.86
LOCATION	L0002607	VOLUME	466603.245	3729720.191	390.11
LOCATION	L0002608	VOLUME	466611.479	3729717.745	390.31
LOCATION	L0002609	VOLUME	466619.713	3729715.298	390.41
LOCATION	L0002610	VOLUME	466627.947	3729712.851	390.43
LOCATION	L0002611	VOLUME	466636.182	3729710.404	390.83
LOCATION	L0002612	VOLUME	466644.416	3729707.957	391.21
LOCATION	L0002613	VOLUME	466652.728	3729705.867	391.54
LOCATION	L0002614	VOLUME	466661.230	3729704.640	392.37
LOCATION	L0002615	VOLUME	466669.742	3729704.041	394.27
LOCATION	L0002616	VOLUME	466678.278	3729704.998	396.27
LOCATION	L0002617	VOLUME	466686.815	3729705.955	398.34
LOCATION	L0002618	VOLUME	466695.351	3729706.913	399.84
LOCATION	L0002619	VOLUME	466703.888	3729707.870	401.03
LOCATION	L0002620	VOLUME	466712.424	3729708.827	402.18
LOCATION	L0002621	VOLUME	466720.961	3729709.785	403.12

** End of LINE VOLUME Source ID = SLINE20

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE22

** DESCRSRC Off-Site Travel - Nichols Road 50% (E)

```

** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 8.628E-06
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 4
** 466736.896, 3729715.909, 402.69, 0.00, 4.00
** 466775.733, 3729723.446, 401.15, 0.00, 4.00
** 466891.240, 3729755.961, 399.77, 0.00, 4.00
** 466937.586, 3729765.300, 401.90, 0.00, 4.00

```

```

** -----
LOCATION L0002622    VOLUME  466741.112 3729716.728 403.10
LOCATION L0002623    VOLUME  466749.545 3729718.364 403.00
LOCATION L0002624    VOLUME  466757.977 3729720.001 402.44
LOCATION L0002625    VOLUME  466766.410 3729721.637 401.88
LOCATION L0002626    VOLUME  466774.843 3729723.274 401.32
LOCATION L0002627    VOLUME  466783.129 3729725.528 400.84
LOCATION L0002628    VOLUME  466791.397 3729727.856 400.50
LOCATION L0002629    VOLUME  466799.666 3729730.183 400.20
LOCATION L0002630    VOLUME  466807.934 3729732.511 399.95
LOCATION L0002631    VOLUME  466816.203 3729734.839 399.08
LOCATION L0002632    VOLUME  466824.472 3729737.166 398.02
LOCATION L0002633    VOLUME  466832.740 3729739.494 396.98
LOCATION L0002634    VOLUME  466841.009 3729741.821 396.19
LOCATION L0002635    VOLUME  466849.278 3729744.149 396.27
LOCATION L0002636    VOLUME  466857.546 3729746.477 396.35
LOCATION L0002637    VOLUME  466865.815 3729748.804 396.43
LOCATION L0002638    VOLUME  466874.084 3729751.132 396.95
LOCATION L0002639    VOLUME  466882.352 3729753.459 397.92
LOCATION L0002640    VOLUME  466890.621 3729755.787 398.98
LOCATION L0002641    VOLUME  466899.030 3729757.531 400.08
LOCATION L0002642    VOLUME  466907.451 3729759.228 400.58
LOCATION L0002643    VOLUME  466915.872 3729760.924 401.03
LOCATION L0002644    VOLUME  466924.292 3729762.621 401.48
LOCATION L0002645    VOLUME  466932.713 3729764.318 401.93

```

```

** End of LINE VOLUME Source ID = SLINE22

```

```

** -----

```

```

** Line Source Represented by Adjacent Volume Sources
** LINE VOLUME Source ID = SLINE23
** DESCRSRC Off-Site Travel - I-15 Off-Ramp SB 25%

```

```

** PREFIX
** Length of Side = 8.59
** Configuration = Adjacent
** Emission Rate = 6.822E-06
** Vertical Dimension = 6.99
** SZINIT = 3.25
** Nodes = 2
** 466642.336, 3730043.166, 388.00, 3.49, 4.00
** 466731.886, 3729728.662, 403.45, 3.49, 4.00

```

```

** -----
LOCATION L0002646    VOLUME    466643.512 3730039.035 388.15
LOCATION L0002647    VOLUME    466645.864 3730030.773 388.00
LOCATION L0002648    VOLUME    466648.217 3730022.512 388.00
LOCATION L0002649    VOLUME    466650.569 3730014.250 388.00
LOCATION L0002650    VOLUME    466652.921 3730005.989 388.00
LOCATION L0002651    VOLUME    466655.274 3729997.727 387.96
LOCATION L0002652    VOLUME    466657.626 3729989.465 387.96
LOCATION L0002653    VOLUME    466659.979 3729981.204 388.01
LOCATION L0002654    VOLUME    466662.331 3729972.942 387.99
LOCATION L0002655    VOLUME    466664.683 3729964.680 387.79
LOCATION L0002656    VOLUME    466667.036 3729956.419 387.59
LOCATION L0002657    VOLUME    466669.388 3729948.157 387.40
LOCATION L0002658    VOLUME    466671.740 3729939.895 387.40
LOCATION L0002659    VOLUME    466674.093 3729931.634 387.48
LOCATION L0002660    VOLUME    466676.445 3729923.372 387.56
LOCATION L0002661    VOLUME    466678.798 3729915.111 387.65
LOCATION L0002662    VOLUME    466681.150 3729906.849 387.80
LOCATION L0002663    VOLUME    466683.502 3729898.587 387.91
LOCATION L0002664    VOLUME    466685.855 3729890.326 387.98
LOCATION L0002665    VOLUME    466688.207 3729882.064 388.01
LOCATION L0002666    VOLUME    466690.559 3729873.802 388.04
LOCATION L0002667    VOLUME    466692.912 3729865.541 388.18
LOCATION L0002668    VOLUME    466695.264 3729857.279 388.37
LOCATION L0002669    VOLUME    466697.616 3729849.018 389.47
LOCATION L0002670    VOLUME    466699.969 3729840.756 390.73
LOCATION L0002671    VOLUME    466702.321 3729832.494 391.99
LOCATION L0002672    VOLUME    466704.674 3729824.233 393.30
LOCATION L0002673    VOLUME    466707.026 3729815.971 394.78
LOCATION L0002674    VOLUME    466709.378 3729807.709 396.18
LOCATION L0002675    VOLUME    466711.731 3729799.448 397.48
LOCATION L0002676    VOLUME    466714.083 3729791.186 398.68
LOCATION L0002677    VOLUME    466716.435 3729782.925 399.79
LOCATION L0002678    VOLUME    466718.788 3729774.663 400.87
LOCATION L0002679    VOLUME    466721.140 3729766.401 401.90
LOCATION L0002680    VOLUME    466723.492 3729758.140 402.40
LOCATION L0002681    VOLUME    466725.845 3729749.878 402.87
LOCATION L0002682    VOLUME    466728.197 3729741.616 403.34
LOCATION L0002683    VOLUME    466730.550 3729733.355 403.58

```

** End of LINE VOLUME Source ID = SLINE23

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE24

** DESCRSRC Off-Site Travel - I-15 On-Ramp SB 25%

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 8.603E-06

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 4

** 466747.530, 3729704.926, 402.99, 3.49, 4.00

** 466765.872, 3729683.887, 401.11, 3.49, 4.00

** 466887.250, 3729577.613, 386.91, 3.49, 4.00

** 467057.719, 3729433.578, 389.93, 3.49, 4.00

**

LOCATION	L0002684	VOLUME	466750.353	3729701.688	402.95
LOCATION	L0002685	VOLUME	466755.997	3729695.213	402.50
LOCATION	L0002686	VOLUME	466761.642	3729688.738	401.97
LOCATION	L0002687	VOLUME	466767.492	3729682.468	401.34
LOCATION	L0002688	VOLUME	466773.955	3729676.809	400.59
LOCATION	L0002689	VOLUME	466780.418	3729671.151	399.01
LOCATION	L0002690	VOLUME	466786.881	3729665.492	396.72
LOCATION	L0002691	VOLUME	466793.343	3729659.834	394.59
LOCATION	L0002692	VOLUME	466799.806	3729654.175	392.63
LOCATION	L0002693	VOLUME	466806.269	3729648.516	390.83
LOCATION	L0002694	VOLUME	466812.732	3729642.858	389.99
LOCATION	L0002695	VOLUME	466819.195	3729637.199	389.91
LOCATION	L0002696	VOLUME	466825.658	3729631.541	389.74
LOCATION	L0002697	VOLUME	466832.121	3729625.882	389.50
LOCATION	L0002698	VOLUME	466838.583	3729620.224	389.17
LOCATION	L0002699	VOLUME	466845.046	3729614.565	388.89
LOCATION	L0002700	VOLUME	466851.509	3729608.906	388.43
LOCATION	L0002701	VOLUME	466857.972	3729603.248	387.89
LOCATION	L0002702	VOLUME	466864.435	3729597.589	387.26
LOCATION	L0002703	VOLUME	466870.898	3729591.931	386.66
LOCATION	L0002704	VOLUME	466877.361	3729586.272	386.54
LOCATION	L0002705	VOLUME	466883.823	3729580.613	386.77
LOCATION	L0002706	VOLUME	466890.333	3729575.009	387.01
LOCATION	L0002707	VOLUME	466896.894	3729569.465	387.27
LOCATION	L0002708	VOLUME	466903.455	3729563.921	387.39
LOCATION	L0002709	VOLUME	466910.017	3729558.377	387.42
LOCATION	L0002710	VOLUME	466916.578	3729552.833	387.46
LOCATION	L0002711	VOLUME	466923.140	3729547.289	387.49
LOCATION	L0002712	VOLUME	466929.701	3729541.745	387.53
LOCATION	L0002713	VOLUME	466936.263	3729536.201	387.56
LOCATION	L0002714	VOLUME	466942.824	3729530.657	387.59
LOCATION	L0002715	VOLUME	466949.385	3729525.113	387.63
LOCATION	L0002716	VOLUME	466955.947	3729519.569	387.66
LOCATION	L0002717	VOLUME	466962.508	3729514.025	387.70
LOCATION	L0002718	VOLUME	466969.070	3729508.481	387.73
LOCATION	L0002719	VOLUME	466975.631	3729502.937	387.76
LOCATION	L0002720	VOLUME	466982.193	3729497.393	387.80
LOCATION	L0002721	VOLUME	466988.754	3729491.849	387.83
LOCATION	L0002722	VOLUME	466995.315	3729486.305	387.87
LOCATION	L0002723	VOLUME	467001.877	3729480.761	387.90
LOCATION	L0002724	VOLUME	467008.438	3729475.217	387.93
LOCATION	L0002725	VOLUME	467015.000	3729469.673	387.97
LOCATION	L0002726	VOLUME	467021.561	3729464.129	388.01
LOCATION	L0002727	VOLUME	467028.123	3729458.585	388.18

LOCATION	L0002728	VOLUME	467034.684	3729453.041	388.50
LOCATION	L0002729	VOLUME	467041.245	3729447.497	388.99
LOCATION	L0002730	VOLUME	467047.807	3729441.953	389.64
LOCATION	L0002731	VOLUME	467054.368	3729436.409	390.15

** End of LINE VOLUME Source ID = SLINE24

**

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE25

** DESCRSRC Off-Site Travel - I-15 Off-Ramp NB 25%

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 6.607E-06

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 3

** 466941.196, 3729754.016, 401.40, 3.49, 4.00

** 467055.021, 3729537.154, 390.07, 3.49, 4.00

** 467099.796, 3729481.050, 391.63, 3.49, 4.00

**

LOCATION	L0002732	VOLUME	466943.192	3729750.213	400.87
LOCATION	L0002733	VOLUME	466947.184	3729742.607	400.24
LOCATION	L0002734	VOLUME	466951.176	3729735.001	399.62
LOCATION	L0002735	VOLUME	466955.168	3729727.395	398.99
LOCATION	L0002736	VOLUME	466959.161	3729719.789	398.36
LOCATION	L0002737	VOLUME	466963.153	3729712.183	397.59
LOCATION	L0002738	VOLUME	466967.145	3729704.577	396.82
LOCATION	L0002739	VOLUME	466971.137	3729696.972	395.91
LOCATION	L0002740	VOLUME	466975.129	3729689.366	395.07
LOCATION	L0002741	VOLUME	466979.121	3729681.760	394.29
LOCATION	L0002742	VOLUME	466983.114	3729674.154	393.56
LOCATION	L0002743	VOLUME	466987.106	3729666.548	392.71
LOCATION	L0002744	VOLUME	466991.098	3729658.942	391.75
LOCATION	L0002745	VOLUME	466995.090	3729651.336	390.86
LOCATION	L0002746	VOLUME	466999.082	3729643.730	390.26
LOCATION	L0002747	VOLUME	467003.075	3729636.124	390.27
LOCATION	L0002748	VOLUME	467007.067	3729628.518	390.34
LOCATION	L0002749	VOLUME	467011.059	3729620.912	390.48
LOCATION	L0002750	VOLUME	467015.051	3729613.306	390.79
LOCATION	L0002751	VOLUME	467019.043	3729605.700	391.31
LOCATION	L0002752	VOLUME	467023.035	3729598.094	391.83
LOCATION	L0002753	VOLUME	467027.028	3729590.488	392.03
LOCATION	L0002754	VOLUME	467031.020	3729582.882	391.90
LOCATION	L0002755	VOLUME	467035.012	3729575.276	391.64
LOCATION	L0002756	VOLUME	467039.004	3729567.670	391.39
LOCATION	L0002757	VOLUME	467042.996	3729560.064	391.13
LOCATION	L0002758	VOLUME	467046.989	3729552.458	390.87
LOCATION	L0002759	VOLUME	467050.981	3729544.852	390.70
LOCATION	L0002760	VOLUME	467054.973	3729537.246	390.62
LOCATION	L0002761	VOLUME	467060.315	3729530.522	390.56

LOCATION L0002762	VOLUME	467065.673	3729523.808	390.53
LOCATION L0002763	VOLUME	467071.031	3729517.094	390.71
LOCATION L0002764	VOLUME	467076.389	3729510.380	390.89
LOCATION L0002765	VOLUME	467081.748	3729503.666	391.14
LOCATION L0002766	VOLUME	467087.106	3729496.952	391.50
LOCATION L0002767	VOLUME	467092.464	3729490.238	391.66
LOCATION L0002768	VOLUME	467097.822	3729483.524	391.80

** End of LINE VOLUME Source ID = SLINE25

** -----

** Line Source Represented by Adjacent Volume Sources

** LINE VOLUME Source ID = SLINE26

** DESCRSRC Off-Site Travel - I-15 On-Ramp NB 25%

** PREFIX

** Length of Side = 8.59

** Configuration = Adjacent

** Emission Rate = 7.71E-06

** Vertical Dimension = 6.99

** SZINIT = 3.25

** Nodes = 6

** 466923.394, 3729777.213, 401.72, 3.49, 4.00

** 466869.448, 3729839.790, 396.19, 3.49, 4.00

** 466809.824, 3729903.327, 389.71, 3.49, 4.00

** 466787.957, 3729928.067, 389.84, 3.49, 4.00

** 466746.736, 3729983.799, 389.98, 3.49, 4.00

** 466701.132, 3730069.939, 389.56, 3.49, 4.00

** -----

LOCATION L0002769	VOLUME	466920.589	3729780.466	401.99
LOCATION L0002770	VOLUME	466914.980	3729786.972	402.19
LOCATION L0002771	VOLUME	466909.372	3729793.478	402.56
LOCATION L0002772	VOLUME	466903.763	3729799.984	402.73
LOCATION L0002773	VOLUME	466898.154	3729806.491	402.42
LOCATION L0002774	VOLUME	466892.545	3729812.997	401.22
LOCATION L0002775	VOLUME	466886.937	3729819.503	399.86
LOCATION L0002776	VOLUME	466881.328	3729826.009	398.34
LOCATION L0002777	VOLUME	466875.719	3729832.515	395.79
LOCATION L0002778	VOLUME	466870.110	3729839.021	393.48
LOCATION L0002779	VOLUME	466864.264	3729845.314	391.65
LOCATION L0002780	VOLUME	466858.386	3729851.578	390.24
LOCATION L0002781	VOLUME	466852.508	3729857.842	389.43
LOCATION L0002782	VOLUME	466846.630	3729864.105	389.23
LOCATION L0002783	VOLUME	466840.752	3729870.369	389.04
LOCATION L0002784	VOLUME	466834.873	3729876.633	389.00
LOCATION L0002785	VOLUME	466828.995	3729882.897	389.00
LOCATION L0002786	VOLUME	466823.117	3729889.161	389.10
LOCATION L0002787	VOLUME	466817.239	3729895.425	389.31
LOCATION L0002788	VOLUME	466811.361	3729901.688	389.52
LOCATION L0002789	VOLUME	466805.623	3729908.080	389.73
LOCATION L0002790	VOLUME	466799.934	3729914.516	389.95
LOCATION L0002791	VOLUME	466794.245	3729920.952	390.16
LOCATION L0002792	VOLUME	466788.557	3729927.389	390.38

LOCATION	L0002793	VOLUME	466783.387	3729934.245	390.61
LOCATION	L0002794	VOLUME	466778.279	3729941.152	390.79
LOCATION	L0002795	VOLUME	466773.171	3729948.058	390.79
LOCATION	L0002796	VOLUME	466768.063	3729954.964	390.61
LOCATION	L0002797	VOLUME	466762.955	3729961.870	390.44
LOCATION	L0002798	VOLUME	466757.847	3729968.776	390.27
LOCATION	L0002799	VOLUME	466752.739	3729975.683	390.10
LOCATION	L0002800	VOLUME	466747.631	3729982.589	390.15
LOCATION	L0002801	VOLUME	466743.421	3729990.060	390.26
LOCATION	L0002802	VOLUME	466739.402	3729997.652	390.38
LOCATION	L0002803	VOLUME	466735.383	3730005.244	390.50
LOCATION	L0002804	VOLUME	466731.363	3730012.836	390.57
LOCATION	L0002805	VOLUME	466727.344	3730020.427	390.50
LOCATION	L0002806	VOLUME	466723.325	3730028.019	390.30
LOCATION	L0002807	VOLUME	466719.306	3730035.611	389.99
LOCATION	L0002808	VOLUME	466715.287	3730043.203	390.06
LOCATION	L0002809	VOLUME	466711.268	3730050.794	390.08
LOCATION	L0002810	VOLUME	466707.248	3730058.386	390.03
LOCATION	L0002811	VOLUME	466703.229	3730065.978	389.91
** End of LINE VOLUME Source ID = SLINE26					
LOCATION	STCK1	POINT	466237.060	3729356.030	385.080
LOCATION	STCK2	POINT	466337.786	3729235.096	385.700
LOCATION	STCK3	POINT	466222.900	3729592.875	384.640
** Source Parameters **					
** LINE VOLUME Source ID = SLINE2					
SRCPARAM	L0001094	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001095	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001096	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001097	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001098	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001099	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001100	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001101	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001102	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001103	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001104	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001105	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001106	0.0000233143	3.49	4.00	3.25
SRCPARAM	L0001107	0.0000233143	3.49	4.00	3.25
** -----					
** LINE VOLUME Source ID = SLINE3					
SRCPARAM	L0002047	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002048	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002049	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002050	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002051	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002052	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002053	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002054	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002055	0.000001032	3.49	4.00	3.25

SRCPARAM	L0002056	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002057	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002058	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002059	0.000001032	3.49	4.00	3.25
SRCPARAM	L0002060	0.000001032	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE4

SRCPARAM	L0001122	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001123	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001124	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001125	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001126	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001127	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001128	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001129	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001130	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001131	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001132	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001133	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001134	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001135	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001136	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001137	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001138	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001139	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001140	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001141	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001142	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001143	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001144	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001145	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001146	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001147	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001148	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001149	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001150	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001151	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001152	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001153	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001154	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001155	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001156	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001157	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001158	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001159	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001160	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001161	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001162	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001163	0.000002734	3.49	4.00	3.25
SRCPARAM	L0001164	0.000002734	3.49	4.00	3.25

SRCPARAM L0001165	0.000002734	3.49	4.00	3.25
SRCPARAM L0001166	0.000002734	3.49	4.00	3.25
SRCPARAM L0001167	0.000002734	3.49	4.00	3.25
SRCPARAM L0001168	0.000002734	3.49	4.00	3.25
SRCPARAM L0001169	0.000002734	3.49	4.00	3.25
SRCPARAM L0001170	0.000002734	3.49	4.00	3.25
SRCPARAM L0001171	0.000002734	3.49	4.00	3.25
SRCPARAM L0001172	0.000002734	3.49	4.00	3.25
SRCPARAM L0001173	0.000002734	3.49	4.00	3.25
SRCPARAM L0001174	0.000002734	3.49	4.00	3.25
SRCPARAM L0001175	0.000002734	3.49	4.00	3.25
SRCPARAM L0001176	0.000002734	3.49	4.00	3.25
SRCPARAM L0001177	0.000002734	3.49	4.00	3.25
SRCPARAM L0001178	0.000002734	3.49	4.00	3.25
SRCPARAM L0001179	0.000002734	3.49	4.00	3.25
SRCPARAM L0001180	0.000002734	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE5

SRCPARAM L0002061	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002062	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002063	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002064	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002065	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002066	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002067	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002068	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002069	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002070	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002071	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002072	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002073	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002074	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002075	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002076	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002077	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002078	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002079	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002080	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002081	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002082	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002083	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002084	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002085	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002086	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002087	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002088	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002089	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002090	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002091	0.0000008958	3.49	4.00	3.25
SRCPARAM L0002092	0.0000008958	3.49	4.00	3.25

SRCPARAM	L0002093	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002094	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002095	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002096	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002097	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002098	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002099	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002100	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002101	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002102	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002103	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002104	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002105	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002106	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002107	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002108	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002109	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002110	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002111	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002112	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002113	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002114	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002115	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002116	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002117	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002118	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002119	0.0000008958	3.49	4.00	3.25
SRCPARAM	L0002120	0.0000008958	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE6

SRCPARAM	L0002121	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002122	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002123	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002124	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002125	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002126	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002127	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002128	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002129	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002130	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002131	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002132	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002133	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002134	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002135	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002136	0.00000084	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE7

SRCPARAM	L0002137	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002138	0.00000084	3.49	4.00	3.25

SRCPARAM	L0002139	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002140	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002141	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002142	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002143	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002144	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002145	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002146	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002147	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002148	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002149	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002150	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002151	0.00000084	3.49	4.00	3.25
SRCPARAM	L0002152	0.00000084	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE8

SRCPARAM	L0002153	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002154	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002155	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002156	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002157	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002158	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002159	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002160	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002161	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002162	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002163	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002164	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002165	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002166	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002167	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002168	0.0000007906	3.49	4.00	3.25
SRCPARAM	L0002169	0.0000007906	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE9

SRCPARAM	L0002170	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002171	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002172	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002173	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002174	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002175	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002176	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002177	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002178	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002179	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002180	0.00000112	3.49	4.00	3.25
SRCPARAM	L0002181	0.00000112	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE10

SRCPARAM	L0002182	0.000001792	3.49	4.00	3.25

SRCPARAM L0002183	0.000001792	3.49	4.00	3.25
SRCPARAM L0002184	0.000001792	3.49	4.00	3.25
SRCPARAM L0002185	0.000001792	3.49	4.00	3.25
SRCPARAM L0002186	0.000001792	3.49	4.00	3.25
SRCPARAM L0002187	0.000001792	3.49	4.00	3.25
SRCPARAM L0002188	0.000001792	3.49	4.00	3.25
SRCPARAM L0002189	0.000001792	3.49	4.00	3.25
SRCPARAM L0002190	0.000001792	3.49	4.00	3.25
SRCPARAM L0002191	0.000001792	3.49	4.00	3.25
SRCPARAM L0002192	0.000001792	3.49	4.00	3.25
SRCPARAM L0002193	0.000001792	3.49	4.00	3.25
SRCPARAM L0002194	0.000001792	3.49	4.00	3.25
SRCPARAM L0002195	0.000001792	3.49	4.00	3.25
SRCPARAM L0002196	0.000001792	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE11

SRCPARAM L0002197	0.000001792	3.49	4.00	3.25
SRCPARAM L0002198	0.000001792	3.49	4.00	3.25
SRCPARAM L0002199	0.000001792	3.49	4.00	3.25
SRCPARAM L0002200	0.000001792	3.49	4.00	3.25
SRCPARAM L0002201	0.000001792	3.49	4.00	3.25
SRCPARAM L0002202	0.000001792	3.49	4.00	3.25
SRCPARAM L0002203	0.000001792	3.49	4.00	3.25
SRCPARAM L0002204	0.000001792	3.49	4.00	3.25
SRCPARAM L0002205	0.000001792	3.49	4.00	3.25
SRCPARAM L0002206	0.000001792	3.49	4.00	3.25
SRCPARAM L0002207	0.000001792	3.49	4.00	3.25
SRCPARAM L0002208	0.000001792	3.49	4.00	3.25
SRCPARAM L0002209	0.000001792	3.49	4.00	3.25
SRCPARAM L0002210	0.000001792	3.49	4.00	3.25
SRCPARAM L0002211	0.000001792	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE12

SRCPARAM L0001332	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001333	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001334	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001335	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001336	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001337	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001338	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001339	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001340	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001341	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001342	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001343	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001344	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001345	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001346	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001347	0.0000005942	3.49	4.00	3.25
SRCPARAM L0001348	0.0000005942	3.49	4.00	3.25

SRCPARAM	L0001349	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001350	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001351	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001352	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001353	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001354	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001355	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001356	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001357	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001358	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001359	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001360	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001361	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001362	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001363	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001364	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001365	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001366	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001367	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001368	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001369	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001370	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001371	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001372	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001373	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001374	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001375	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001376	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001377	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001378	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001379	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001380	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001381	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001382	0.0000005942	3.49	4.00	3.25
SRCPARAM	L0001383	0.0000005942	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE28

SRCPARAM	L0002327	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002328	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002329	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002330	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002331	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002332	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002333	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002334	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002335	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002336	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002337	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002338	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002339	0.000000567	3.49	4.00	3.25

[illegible]

SRCPARAM	L0002390	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002391	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002392	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002393	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002394	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002395	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002396	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002397	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002398	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002399	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002400	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002401	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002402	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002403	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002404	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002405	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002406	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002407	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002408	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002409	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002410	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002411	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002412	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002413	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002414	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002415	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002416	0.000000567	3.49	4.00	3.25
SRCPARAM	L0002417	0.000000567	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE13

SRCPARAM	L0002812	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002813	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002814	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002815	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002816	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002817	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002818	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002819	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002820	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002821	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002822	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002823	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002824	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002825	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002826	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002827	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002828	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002829	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002830	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002831	0.0000005671	3.49	4.00	3.25

[illegible]

SRCPARAM	L0002882	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002883	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002884	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002885	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002886	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002887	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002888	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002889	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002890	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002891	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002892	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002893	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002894	0.0000005671	3.49	4.00	3.25
SRCPARAM	L0002895	0.0000005671	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE14

SRCPARAM	L0001468	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001469	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001470	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001471	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001472	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001473	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001474	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001475	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001476	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001477	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001478	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001479	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001480	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001481	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001482	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001483	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001484	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001485	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001486	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001487	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001488	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001489	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001490	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001491	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001492	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001493	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001494	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001495	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001496	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001497	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001498	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001499	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001500	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001501	0.0000002184	3.49	4.00	3.25

SRCPARAM	L0001502	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001503	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001504	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001505	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001506	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001507	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001508	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001509	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001510	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001511	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001512	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001513	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001514	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001515	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001516	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001517	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001518	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001519	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001520	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001521	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001522	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001523	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001524	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001525	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001526	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001527	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001528	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001529	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001530	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001531	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001532	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001533	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001534	0.0000002184	3.49	4.00	3.25
SRCPARAM	L0001535	0.0000002184	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE15

SRCPARAM	L0001536	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001537	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001538	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001539	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001540	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001541	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001542	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001543	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001544	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001545	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001546	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001547	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001548	0.0000001149	3.49	4.00	3.25
SRCPARAM	L0001549	0.0000001149	3.49	4.00	3.25

SRCPARAM L0001550	0.0000001149	3.49	4.00	3.25

** -----

** LINE VOLUME Source ID = SLINE16

SRCPARAM L0002434	0.000000714	3.49	4.00	3.25
SRCPARAM L0002435	0.000000714	3.49	4.00	3.25
SRCPARAM L0002436	0.000000714	3.49	4.00	3.25
SRCPARAM L0002437	0.000000714	3.49	4.00	3.25
SRCPARAM L0002438	0.000000714	3.49	4.00	3.25
SRCPARAM L0002439	0.000000714	3.49	4.00	3.25
SRCPARAM L0002440	0.000000714	3.49	4.00	3.25
SRCPARAM L0002441	0.000000714	3.49	4.00	3.25
SRCPARAM L0002442	0.000000714	3.49	4.00	3.25
SRCPARAM L0002443	0.000000714	3.49	4.00	3.25
SRCPARAM L0002444	0.000000714	3.49	4.00	3.25
SRCPARAM L0002445	0.000000714	3.49	4.00	3.25
SRCPARAM L0002446	0.000000714	3.49	4.00	3.25
SRCPARAM L0002447	0.000000714	3.49	4.00	3.25
SRCPARAM L0002448	0.000000714	3.49	4.00	3.25
SRCPARAM L0002449	0.000000714	3.49	4.00	3.25
SRCPARAM L0002450	0.000000714	3.49	4.00	3.25
SRCPARAM L0002451	0.000000714	3.49	4.00	3.25
SRCPARAM L0002452	0.000000714	3.49	4.00	3.25
SRCPARAM L0002453	0.000000714	3.49	4.00	3.25
SRCPARAM L0002454	0.000000714	3.49	4.00	3.25
SRCPARAM L0002455	0.000000714	3.49	4.00	3.25
SRCPARAM L0002456	0.000000714	3.49	4.00	3.25
SRCPARAM L0002457	0.000000714	3.49	4.00	3.25
SRCPARAM L0002458	0.000000714	3.49	4.00	3.25
SRCPARAM L0002459	0.000000714	3.49	4.00	3.25
SRCPARAM L0002460	0.000000714	3.49	4.00	3.25
SRCPARAM L0002461	0.000000714	3.49	4.00	3.25
SRCPARAM L0002462	0.000000714	3.49	4.00	3.25
SRCPARAM L0002463	0.000000714	3.49	4.00	3.25
SRCPARAM L0002464	0.000000714	3.49	4.00	3.25
SRCPARAM L0002465	0.000000714	3.49	4.00	3.25
SRCPARAM L0002466	0.000000714	3.49	4.00	3.25
SRCPARAM L0002467	0.000000714	3.49	4.00	3.25
SRCPARAM L0002468	0.000000714	3.49	4.00	3.25
SRCPARAM L0002469	0.000000714	3.49	4.00	3.25
SRCPARAM L0002470	0.000000714	3.49	4.00	3.25
SRCPARAM L0002471	0.000000714	3.49	4.00	3.25
SRCPARAM L0002472	0.000000714	3.49	4.00	3.25
SRCPARAM L0002473	0.000000714	3.49	4.00	3.25
SRCPARAM L0002474	0.000000714	3.49	4.00	3.25
SRCPARAM L0002475	0.000000714	3.49	4.00	3.25
SRCPARAM L0002476	0.000000714	3.49	4.00	3.25
SRCPARAM L0002477	0.000000714	3.49	4.00	3.25
SRCPARAM L0002478	0.000000714	3.49	4.00	3.25
SRCPARAM L0002479	0.000000714	3.49	4.00	3.25
SRCPARAM L0002480	0.000000714	3.49	4.00	3.25

[illegible]

SRCPARAM	L0002531	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002532	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002533	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002534	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002535	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002536	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002537	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002538	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002539	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002540	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002541	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002542	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002543	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002544	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002545	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002546	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002547	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002548	0.000000714	3.49	4.00	3.25
SRCPARAM	L0002549	0.000000714	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE20

SRCPARAM	L0002550	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002551	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002552	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002553	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002554	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002555	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002556	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002557	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002558	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002559	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002560	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002561	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002562	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002563	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002564	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002565	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002566	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002567	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002568	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002569	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002570	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002571	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002572	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002573	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002574	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002575	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002576	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002577	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002578	0.0000007138	0.00	4.00	3.25

SRCPARAM	L0002579	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002580	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002581	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002582	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002583	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002584	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002585	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002586	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002587	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002588	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002589	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002590	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002591	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002592	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002593	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002594	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002595	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002596	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002597	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002598	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002599	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002600	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002601	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002602	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002603	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002604	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002605	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002606	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002607	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002608	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002609	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002610	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002611	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002612	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002613	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002614	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002615	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002616	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002617	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002618	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002619	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002620	0.0000007138	0.00	4.00	3.25
SRCPARAM	L0002621	0.0000007138	0.00	4.00	3.25

**

** LINE VOLUME Source ID = SLINE22

SRCPARAM	L0002622	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002623	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002624	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002625	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002626	0.0000003595	0.00	4.00	3.25

SRCPARAM	L0002627	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002628	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002629	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002630	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002631	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002632	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002633	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002634	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002635	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002636	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002637	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002638	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002639	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002640	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002641	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002642	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002643	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002644	0.0000003595	0.00	4.00	3.25
SRCPARAM	L0002645	0.0000003595	0.00	4.00	3.25

**

** LINE VOLUME Source ID = SLINE23

SRCPARAM	L0002646	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002647	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002648	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002649	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002650	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002651	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002652	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002653	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002654	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002655	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002656	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002657	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002658	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002659	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002660	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002661	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002662	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002663	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002664	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002665	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002666	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002667	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002668	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002669	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002670	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002671	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002672	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002673	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002674	0.0000001795	3.49	4.00	3.25

SRCPARAM	L0002675	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002676	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002677	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002678	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002679	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002680	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002681	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002682	0.0000001795	3.49	4.00	3.25
SRCPARAM	L0002683	0.0000001795	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE24

SRCPARAM	L0002684	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002685	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002686	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002687	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002688	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002689	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002690	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002691	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002692	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002693	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002694	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002695	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002696	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002697	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002698	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002699	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002700	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002701	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002702	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002703	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002704	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002705	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002706	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002707	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002708	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002709	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002710	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002711	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002712	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002713	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002714	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002715	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002716	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002717	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002718	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002719	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002720	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002721	0.0000001792	3.49	4.00	3.25
SRCPARAM	L0002722	0.0000001792	3.49	4.00	3.25

SRCPARAM L0002723	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002724	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002725	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002726	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002727	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002728	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002729	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002730	0.0000001792	3.49	4.00	3.25
SRCPARAM L0002731	0.0000001792	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE25

SRCPARAM L0002732	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002733	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002734	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002735	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002736	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002737	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002738	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002739	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002740	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002741	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002742	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002743	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002744	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002745	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002746	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002747	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002748	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002749	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002750	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002751	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002752	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002753	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002754	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002755	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002756	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002757	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002758	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002759	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002760	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002761	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002762	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002763	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002764	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002765	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002766	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002767	0.0000001786	3.49	4.00	3.25
SRCPARAM L0002768	0.0000001786	3.49	4.00	3.25

**

** LINE VOLUME Source ID = SLINE26

SRCPARAM	L0002769	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002770	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002771	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002772	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002773	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002774	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002775	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002776	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002777	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002778	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002779	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002780	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002781	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002782	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002783	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002784	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002785	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002786	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002787	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002788	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002789	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002790	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002791	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002792	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002793	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002794	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002795	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002796	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002797	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002798	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002799	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002800	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002801	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002802	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002803	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002804	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002805	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002806	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002807	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002808	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002809	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002810	0.0000001793	3.49	4.00	3.25
SRCPARAM	L0002811	0.0000001793	3.49	4.00	3.25

**

SRCPARAM	STCK1	0.009125	3.550	728.550	54.78	0.13
SRCPARAM	STCK2	0.009125	3.550	728.550	54.78	0.13
SRCPARAM	STCK3	0.0100798304	2.970	799.800	52.65	0.07

** Building Downwash **

BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24

BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK1	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDHGT	STCK2	15.24	15.24	15.24	15.24	15.24	15.24
BUILDWID	STCK1	197.01	178.32	154.21	127.83	130.26	158.82
BUILDWID	STCK1	182.56	200.74	212.83	218.45	217.43	209.81
BUILDWID	STCK1	195.81	197.03	209.03	215.82	216.05	209.72
BUILDWID	STCK1	197.01	178.32	154.21	127.83	130.26	158.82
BUILDWID	STCK1	182.56	200.74	212.83	218.45	217.43	209.81
BUILDWID	STCK1	195.81	197.03	209.03	215.82	216.05	209.72
BUILDWID	STCK2	567.01	595.89	606.67	599.02	597.95	600.25
BUILDWID	STCK2	585.40	552.76	503.33	438.61	360.55	271.55
BUILDWID	STCK2	175.22	199.20	295.53	383.06	458.95	520.89
BUILDWID	STCK2	567.01	595.89	606.67	599.02	597.95	600.25
BUILDWID	STCK2	585.40	552.76	503.33	438.60	360.55	271.55
BUILDWID	STCK2	175.22	199.20	295.53	383.06	458.95	520.89
BUILDLN	STCK1	218.45	217.43	209.81	195.81	197.03	209.03
BUILDLN	STCK1	215.82	216.05	209.72	197.01	178.32	154.21
BUILDLN	STCK1	127.83	130.26	158.82	182.56	200.74	212.83
BUILDLN	STCK1	218.45	217.43	209.81	195.81	197.03	209.03
BUILDLN	STCK1	215.82	216.05	209.72	197.01	178.32	154.21
BUILDLN	STCK1	127.83	130.26	158.82	182.56	200.74	212.83
BUILDLN	STCK2	438.61	360.55	271.55	175.22	199.20	295.53
BUILDLN	STCK2	383.06	458.95	520.89	567.01	595.89	606.67
BUILDLN	STCK2	599.02	597.95	600.25	585.40	552.76	503.33
BUILDLN	STCK2	438.61	360.55	271.55	175.22	199.20	295.53
BUILDLN	STCK2	383.06	458.95	520.89	567.01	595.89	606.67
BUILDLN	STCK2	599.02	597.95	600.25	585.40	552.76	503.33
XBADJ	STCK1	-150.02	-165.89	-176.72	-182.18	-192.37	-204.94
XBADJ	STCK1	-212.42	-213.45	-207.99	-196.21	-178.47	-155.31
XBADJ	STCK1	-128.66	-113.90	-111.08	-104.89	-95.52	-83.24
XBADJ	STCK1	-68.43	-51.55	-33.09	-13.63	-4.66	-4.09
XBADJ	STCK1	-3.40	-2.60	-1.73	-0.80	0.15	1.10
XBADJ	STCK1	0.83	-16.37	-47.74	-77.66	-105.22	-129.59
XBADJ	STCK2	-437.87	-360.93	-273.03	-176.83	-139.20	-136.07
XBADJ	STCK2	-128.81	-117.64	-102.89	-85.02	-64.56	-42.14

XBADJ	STCK2	-18.44	-6.44	-4.65	-3.82	-2.87	-1.83
XBADJ	STCK2	-0.74	0.38	1.48	1.60	-60.00	-159.46
XBADJ	STCK2	-254.25	-341.31	-418.00	-481.99	-531.33	-564.53
XBADJ	STCK2	-580.58	-591.52	-595.60	-581.58	-549.89	-501.50
YBADJ	STCK1	97.70	89.31	78.20	64.75	48.77	31.67
YBADJ	STCK1	13.62	-4.85	-23.18	-40.79	-57.17	-71.81
YBADJ	STCK1	-84.27	-93.86	-100.42	-104.51	-105.42	-103.13
YBADJ	STCK1	-97.70	-89.31	-78.20	-64.75	-48.77	-31.67
YBADJ	STCK1	-13.62	4.85	23.18	40.79	57.17	71.81
YBADJ	STCK1	84.27	93.86	100.42	104.51	105.42	103.13
YBADJ	STCK2	-198.49	-233.39	-261.20	-281.07	-292.54	-295.47
YBADJ	STCK2	-288.88	-273.51	-249.83	-218.56	-180.65	-137.25
YBADJ	STCK2	-89.21	-39.60	11.70	62.72	111.84	157.56
YBADJ	STCK2	198.49	233.39	261.20	281.07	292.54	295.47
YBADJ	STCK2	288.88	273.51	249.83	218.56	180.65	137.25
YBADJ	STCK2	89.21	39.60	-11.70	-62.72	-111.84	-157.56

URBANSRC ALL

```
** Variable Emissions Type: "By Hour / Seven Days (HRDOW7)"
```

```
** Variable Emission Scenario: "Scenario 2"
```

[illegible]

[illegible]

SRCGROUP ALL

S0 FINISHED

**

** AERMOD Receptor Pathway

**

RE STARTING

INCLUDED Operations-05.rou

RE FINISHED

** AERMOD Meteorology Pathway

**

**

ME STARTING

SURFFILE ELSI_V9_ADJU\ELSI_v9.SFC

PROFFILE ELSI_V9_ADJU\ELSI_v9.PFL

SURFDATA 3171 2012

UAIRDATA 3190 2012

SITEDATA 99999 2012

PROFBASE 406.0 METERS

ME FINISHED

**

** AERMOD Output Pathway

**

**

OU STARTING

** Auto-Generated Plotfiles

PLOTFILE PERIOD ALL OPERATIONS-05.AD\PE00GALL.PLT 31

SUMMFILE Operations-05.sum

OU FINISHED

*** Message Summary For AERMOD Model Setup ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	5 Warning Message(s)
A Total of	0 Informational Message(s)

***** FATAL ERROR MESSAGES *****

*** NONE ***

***** WARNING MESSAGES *****

SO W320	2339	PPARM: Input Parameter May Be Out-of-Range for Parameter VS
SO W320	2340	PPARM: Input Parameter May Be Out-of-Range for Parameter VS
SO W320	2341	PPARM: Input Parameter May Be Out-of-Range for Parameter VS
ME W186	2505	MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used 0.50
ME W187	2505	MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

*** SETUP Finishes Successfully ***

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
*** 12:08:06

PAGE 1
*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** MODEL SETUP OPTIONS SUMMARY

-- -- -- -- --
** Model Options Selected:

- * Model Allows User-Specified Options
- * Model Is Setup For Calculation of Average CONCentration Values.
- * NO GAS DEPOSITION Data Provided.
- * NO PARTICLE DEPOSITION Data Provided.
- * Model Uses NO DRY DEPLETION. DDPLETE = F
- * Model Uses NO WET DEPLETION. WETDPLT = F
- * Stack-tip Downwash.
- * Allow FLAT/ELEV Terrain Option by Source,
with 0 FLAT and 929 ELEV Source(s).
- * Use Calms Processing Routine.
- * Use Missing Data Processing Routine.
- * No Exponential Decay.
- * Model Uses URBAN Dispersion Algorithm for the SBL for 929 Source(s),
for Total of 1 Urban Area(s):
Urban Population = 2189641.0 ; Urban Roughness Length = 1.000 m
- * Urban Roughness Length of 1.0 Meter Used.
- * ADJ_U* - Use ADJ_U* option for SBL in AERMET
- * CCVR_Sub - Meteorological data includes CCVR substitutions
- * TEMP_Sub - Meteorological data includes TEMP substitutions
- * Model Assumes No FLAGPOLE Receptor Heights.
- * The User Specified a Pollutant Type of: DPM

**Model Calculates PERIOD Averages Only

**This Run Includes: 929 Source(s); 1 Source Group(s); and 46
Receptor(s)

with: 3 POINT(s), including
0 POINTCAP(s) and 0 POINTHOR(s)
and: 926 VOLUME source(s)
and: 0 AREA type source(s)
and: 0 LINE source(s)
and: 0 RLINE/RLINEXT source(s)

and: 0 OPENPIT source(s)
and: 0 BUOYANT LINE source(s) with a total of 0 line(s)
and: 0 SWPOINT source(s)

**Model Set To Continue RUNning After the Setup Testing.

**The AERMET Input Meteorological Data Version Date: 16216

**Output Options Selected:

Model Outputs Tables of PERIOD Averages by Receptor

Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)

Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

**NOTE: The Following Flags May Appear Following CONC Values: c for Calm Hours
m for Missing
Hours
b for Both Calm
and Missing Hours

**Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) = 406.00 ; Decay
Coef. = 0.000 ; Rot. Angle = 0.0
Emission Units = GRAMS/SEC ;
Emission Rate Unit Factor = 0.10000E+07
Output Units = MICROGRAMS/M**3

**Approximate Storage Requirements of Model = 6.4 MB of RAM.

**Input Runstream File: aermod.inp

**Output Print File: aermod.out

**Detailed Error/Message File: Operations-05.err

**File for Summary of Results: Operations-05.sum

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
*** 12:08:06

PAGE 2

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** POINT SOURCE DATA ***

STACK SOURCE EXIT VEL. ID (M/SEC)	STACK DIAMETER (METERS)	BLDG PART. EXISTS CATS.	URBAN (GRAMS/SEC)	CAP/ HOR	EMISSION RATE X SCALAR (METERS) VARY BY	EMISSION RATE Y (METERS)	BASE ELEV. (METERS)	STACK HEIGHT (METERS)	STACK TEMP. (DEG.K)

STCK1		0	0.91250E-02	466237.1	3729356.0		385.1	3.55	728.55
54.78	0.13	YES	YES	NO	HRDOW7				
STCK2		0	0.91250E-02	466337.8	3729235.1		385.7	3.55	728.55
54.78	0.13	YES	YES	NO	HRDOW7				
STCK3		0	0.10080E-01	466222.9	3729592.9		384.6	2.97	799.80
52.65	0.07	NO	YES	NO	HRDOW7				

*** AERMOD - VERSION 23132 ***
 C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker ***
 02/05/25
 *** AERMET - VERSION 16216 ***
 12:08:06

PAGE 3

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT. SOURCE SZ ID (METERS)	URBAN SOURCE	NUMBER EMISSION RATE PART. (GRAMS/SEC)	AIRCRAFT X SCALAR VARY CATS. BY	EMISSION RATE Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)

L0001094		0	0.23314E-04	466129.7	3729260.6	389.1	3.49	4.00
3.25	YES		NO					
L0001095		0	0.23314E-04	466135.8	3729266.8	389.2	3.49	4.00
3.25	YES		NO					
L0001096		0	0.23314E-04	466141.8	3729272.9	389.2	3.49	4.00
3.25	YES		NO					
L0001097		0	0.23314E-04	466147.8	3729279.0	389.1	3.49	4.00
3.25	YES		NO					
L0001098		0	0.23314E-04	466153.8	3729285.2	388.9	3.49	4.00
3.25	YES		NO					
L0001099		0	0.23314E-04	466159.8	3729291.3	388.6	3.49	4.00
3.25	YES		NO					
L0001100		0	0.23314E-04	466165.8	3729297.5	388.2	3.49	4.00
3.25	YES		NO					
L0001101		0	0.23314E-04	466171.8	3729303.6	387.8	3.49	4.00

3.25	YES		NO					
L0001102		0	0.23314E-04	466177.8	3729309.7	387.3	3.49	4.00
3.25	YES		NO					
L0001103		0	0.23314E-04	466183.8	3729315.9	386.9	3.49	4.00
3.25	YES		NO					
L0001104		0	0.23314E-04	466189.8	3729322.0	386.7	3.49	4.00
3.25	YES		NO					
L0001105		0	0.23314E-04	466195.8	3729328.2	386.5	3.49	4.00
3.25	YES		NO					
L0001106		0	0.23314E-04	466201.8	3729334.3	386.3	3.49	4.00
3.25	YES		NO					
L0001107		0	0.23314E-04	466207.8	3729340.4	386.1	3.49	4.00
3.25	YES		NO					
L0002047		0	0.10320E-05	466235.5	3729312.3	385.1	3.49	4.00
3.25	YES		NO					
L0002048		0	0.10320E-05	466229.4	3729306.2	385.3	3.49	4.00
3.25	YES		NO					
L0002049		0	0.10320E-05	466223.3	3729300.2	385.5	3.49	4.00
3.25	YES		NO					
L0002050		0	0.10320E-05	466217.3	3729294.1	385.7	3.49	4.00
3.25	YES		NO					
L0002051		0	0.10320E-05	466211.2	3729288.0	385.9	3.49	4.00
3.25	YES		NO					
L0002052		0	0.10320E-05	466205.1	3729282.0	386.4	3.49	4.00
3.25	YES		NO					
L0002053		0	0.10320E-05	466199.0	3729275.9	386.9	3.49	4.00
3.25	YES		NO					
L0002054		0	0.10320E-05	466192.9	3729269.9	387.4	3.49	4.00
3.25	YES		NO					
L0002055		0	0.10320E-05	466186.8	3729263.8	387.7	3.49	4.00
3.25	YES		NO					
L0002056		0	0.10320E-05	466180.7	3729257.8	388.0	3.49	4.00
3.25	YES		NO					
L0002057		0	0.10320E-05	466174.6	3729251.7	388.2	3.49	4.00
3.25	YES		NO					
L0002058		0	0.10320E-05	466168.5	3729245.6	388.4	3.49	4.00
3.25	YES		NO					
L0002059		0	0.10320E-05	466162.4	3729239.6	388.6	3.49	4.00
3.25	YES		NO					
L0002060		0	0.10320E-05	466156.4	3729233.5	388.8	3.49	4.00
3.25	YES		NO					
L0001122		0	0.27340E-05	466355.5	3729205.8	386.8	3.49	4.00
3.25	YES		NO					
L0001123		0	0.27340E-05	466361.7	3729199.9	386.9	3.49	4.00
3.25	YES		NO					
L0001124		0	0.27340E-05	466367.9	3729193.9	387.1	3.49	4.00
3.25	YES		NO					
L0001125		0	0.27340E-05	466374.2	3729188.0	387.4	3.49	4.00
3.25	YES		NO					
L0001126		0	0.27340E-05	466380.4	3729182.1	387.6	3.49	4.00

3.25	YES			NO				
L0001127		0	0.27340E-05	466386.6	3729176.1	387.7	3.49	4.00
3.25	YES			NO				
L0001128		0	0.27340E-05	466392.8	3729170.2	387.9	3.49	4.00
3.25	YES			NO				
L0001129		0	0.27340E-05	466399.0	3729164.3	388.4	3.49	4.00
3.25	YES			NO				
L0001130		0	0.27340E-05	466405.2	3729158.3	388.9	3.49	4.00
3.25	YES			NO				
L0001131		0	0.27340E-05	466411.4	3729152.4	389.3	3.49	4.00
3.25	YES			NO				
L0001132		0	0.27340E-05	466417.6	3729146.5	389.6	3.49	4.00
3.25	YES			NO				
L0001133		0	0.27340E-05	466423.9	3729140.6	389.9	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 4

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0001134		0	0.27340E-05	466430.1	3729134.6	390.0	3.49	4.00
3.25	YES			NO				
L0001135		0	0.27340E-05	466436.3	3729128.7	390.0	3.49	4.00
3.25	YES			NO				
L0001136		0	0.27340E-05	466442.5	3729122.8	390.0	3.49	4.00
3.25	YES			NO				
L0001137		0	0.27340E-05	466448.7	3729116.8	390.0	3.49	4.00
3.25	YES			NO				
L0001138		0	0.27340E-05	466454.9	3729110.9	389.9	3.49	4.00
3.25	YES			NO				
L0001139		0	0.27340E-05	466461.1	3729105.0	389.6	3.49	4.00
3.25	YES			NO				
L0001140		0	0.27340E-05	466467.3	3729099.0	389.6	3.49	4.00
3.25	YES			NO				
L0001141		0	0.27340E-05	466473.6	3729093.1	389.6	3.49	4.00

3.25	YES		NO					
L0001142		0	0.27340E-05	466479.8	3729087.2	389.6	3.49	4.00
3.25	YES		NO					
L0001143		0	0.27340E-05	466486.0	3729081.2	389.7	3.49	4.00
3.25	YES		NO					
L0001144		0	0.27340E-05	466492.2	3729075.3	389.6	3.49	4.00
3.25	YES		NO					
L0001145		0	0.27340E-05	466498.4	3729069.4	389.5	3.49	4.00
3.25	YES		NO					
L0001146		0	0.27340E-05	466504.6	3729063.4	389.5	3.49	4.00
3.25	YES		NO					
L0001147		0	0.27340E-05	466510.8	3729057.5	389.6	3.49	4.00
3.25	YES		NO					
L0001148		0	0.27340E-05	466517.1	3729051.6	389.9	3.49	4.00
3.25	YES		NO					
L0001149		0	0.27340E-05	466523.3	3729045.6	390.0	3.49	4.00
3.25	YES		NO					
L0001150		0	0.27340E-05	466529.5	3729039.7	390.0	3.49	4.00
3.25	YES		NO					
L0001151		0	0.27340E-05	466535.7	3729033.8	390.0	3.49	4.00
3.25	YES		NO					
L0001152		0	0.27340E-05	466541.9	3729027.8	390.1	3.49	4.00
3.25	YES		NO					
L0001153		0	0.27340E-05	466548.1	3729021.9	390.2	3.49	4.00
3.25	YES		NO					
L0001154		0	0.27340E-05	466554.3	3729016.0	390.5	3.49	4.00
3.25	YES		NO					
L0001155		0	0.27340E-05	466560.5	3729010.1	390.6	3.49	4.00
3.25	YES		NO					
L0001156		0	0.27340E-05	466566.8	3729004.1	390.6	3.49	4.00
3.25	YES		NO					
L0001157		0	0.27340E-05	466573.0	3728998.2	390.3	3.49	4.00
3.25	YES		NO					
L0001158		0	0.27340E-05	466579.2	3728992.3	390.1	3.49	4.00
3.25	YES		NO					
L0001159		0	0.27340E-05	466585.4	3728986.3	390.0	3.49	4.00
3.25	YES		NO					
L0001160		0	0.27340E-05	466591.6	3728980.4	390.0	3.49	4.00
3.25	YES		NO					
L0001161		0	0.27340E-05	466597.8	3728974.5	390.0	3.49	4.00
3.25	YES		NO					
L0001162		0	0.27340E-05	466604.0	3728968.5	389.9	3.49	4.00
3.25	YES		NO					
L0001163		0	0.27340E-05	466610.2	3728962.6	389.7	3.49	4.00
3.25	YES		NO					
L0001164		0	0.27340E-05	466616.5	3728956.7	389.4	3.49	4.00
3.25	YES		NO					
L0001165		0	0.27340E-05	466622.7	3728950.7	389.4	3.49	4.00
3.25	YES		NO					
L0001166		0	0.27340E-05	466628.9	3728944.8	389.4	3.49	4.00

3.25	YES			NO				
L0001167		0	0.27340E-05	466635.1	3728938.9	389.6	3.49	4.00
3.25	YES			NO				
L0001168		0	0.27340E-05	466641.3	3728932.9	389.8	3.49	4.00
3.25	YES			NO				
L0001169		0	0.27340E-05	466647.5	3728927.0	390.0	3.49	4.00
3.25	YES			NO				
L0001170		0	0.27340E-05	466653.7	3728921.1	390.3	3.49	4.00
3.25	YES			NO				
L0001171		0	0.27340E-05	466660.0	3728915.1	390.4	3.49	4.00
3.25	YES			NO				
L0001172		0	0.27340E-05	466666.2	3728909.2	390.4	3.49	4.00
3.25	YES			NO				
L0001173		0	0.27340E-05	466672.4	3728903.3	390.4	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 5

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)

L0001174		0	0.27340E-05	466678.6	3728897.3	390.4	3.49	4.00
3.25	YES			NO				
L0001175		0	0.27340E-05	466684.8	3728891.4	390.5	3.49	4.00
3.25	YES			NO				
L0001176		0	0.27340E-05	466691.0	3728885.5	390.7	3.49	4.00
3.25	YES			NO				
L0001177		0	0.27340E-05	466697.2	3728879.6	390.8	3.49	4.00
3.25	YES			NO				
L0001178		0	0.27340E-05	466703.4	3728873.6	390.8	3.49	4.00
3.25	YES			NO				
L0001179		0	0.27340E-05	466709.7	3728867.7	390.6	3.49	4.00
3.25	YES			NO				
L0001180		0	0.27340E-05	466715.9	3728861.8	390.6	3.49	4.00
3.25	YES			NO				
L0002061		0	0.89580E-06	466381.9	3729233.8	385.7	3.49	4.00

3.25	YES		NO					
L0002062		0	0.89580E-06	466388.1	3729227.8	385.9	3.49	4.00
3.25	YES		NO					
L0002063		0	0.89580E-06	466394.2	3729221.9	386.1	3.49	4.00
3.25	YES		NO					
L0002064		0	0.89580E-06	466400.4	3729215.9	386.3	3.49	4.00
3.25	YES		NO					
L0002065		0	0.89580E-06	466406.6	3729209.9	386.5	3.49	4.00
3.25	YES		NO					
L0002066		0	0.89580E-06	466412.8	3729203.9	386.7	3.49	4.00
3.25	YES		NO					
L0002067		0	0.89580E-06	466418.9	3729197.9	386.9	3.49	4.00
3.25	YES		NO					
L0002068		0	0.89580E-06	466425.1	3729192.0	387.3	3.49	4.00
3.25	YES		NO					
L0002069		0	0.89580E-06	466431.3	3729186.0	387.8	3.49	4.00
3.25	YES		NO					
L0002070		0	0.89580E-06	466437.4	3729180.0	388.4	3.49	4.00
3.25	YES		NO					
L0002071		0	0.89580E-06	466443.6	3729174.0	389.1	3.49	4.00
3.25	YES		NO					
L0002072		0	0.89580E-06	466449.8	3729168.0	389.8	3.49	4.00
3.25	YES		NO					
L0002073		0	0.89580E-06	466455.9	3729162.1	389.6	3.49	4.00
3.25	YES		NO					
L0002074		0	0.89580E-06	466462.1	3729156.1	389.4	3.49	4.00
3.25	YES		NO					
L0002075		0	0.89580E-06	466468.3	3729150.1	389.4	3.49	4.00
3.25	YES		NO					
L0002076		0	0.89580E-06	466474.4	3729144.1	389.6	3.49	4.00
3.25	YES		NO					
L0002077		0	0.89580E-06	466480.6	3729138.2	389.8	3.49	4.00
3.25	YES		NO					
L0002078		0	0.89580E-06	466486.8	3729132.2	389.7	3.49	4.00
3.25	YES		NO					
L0002079		0	0.89580E-06	466492.9	3729126.2	389.4	3.49	4.00
3.25	YES		NO					
L0002080		0	0.89580E-06	466499.1	3729120.2	389.2	3.49	4.00
3.25	YES		NO					
L0002081		0	0.89580E-06	466505.3	3729114.2	389.0	3.49	4.00
3.25	YES		NO					
L0002082		0	0.89580E-06	466511.4	3729108.3	389.0	3.49	4.00
3.25	YES		NO					
L0002083		0	0.89580E-06	466517.6	3729102.3	389.0	3.49	4.00
3.25	YES		NO					
L0002084		0	0.89580E-06	466523.8	3729096.3	389.2	3.49	4.00
3.25	YES		NO					
L0002085		0	0.89580E-06	466529.9	3729090.3	389.4	3.49	4.00
3.25	YES		NO					
L0002086		0	0.89580E-06	466536.1	3729084.3	389.6	3.49	4.00

3.25	YES			NO				
L0002087		0	0.89580E-06	466542.3	3729078.4	389.8	3.49	4.00
3.25	YES			NO				
L0002088		0	0.89580E-06	466548.4	3729072.4	389.7	3.49	4.00
3.25	YES			NO				
L0002089		0	0.89580E-06	466554.6	3729066.4	389.7	3.49	4.00
3.25	YES			NO				
L0002090		0	0.89580E-06	466560.8	3729060.4	389.7	3.49	4.00
3.25	YES			NO				
L0002091		0	0.89580E-06	466566.9	3729054.4	389.7	3.49	4.00
3.25	YES			NO				
L0002092		0	0.89580E-06	466573.1	3729048.5	389.9	3.49	4.00
3.25	YES			NO				
L0002093		0	0.89580E-06	466579.3	3729042.5	390.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 6

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						
L0002094		0	0.89580E-06	466585.4	3729036.5	390.0	3.49	4.00
3.25	YES			NO				
L0002095		0	0.89580E-06	466591.6	3729030.5	389.8	3.49	4.00
3.25	YES			NO				
L0002096		0	0.89580E-06	466597.8	3729024.5	389.4	3.49	4.00
3.25	YES			NO				
L0002097		0	0.89580E-06	466603.9	3729018.6	389.1	3.49	4.00
3.25	YES			NO				
L0002098		0	0.89580E-06	466610.1	3729012.6	389.1	3.49	4.00
3.25	YES			NO				
L0002099		0	0.89580E-06	466616.3	3729006.6	389.1	3.49	4.00
3.25	YES			NO				
L0002100		0	0.89580E-06	466622.4	3729000.6	389.1	3.49	4.00
3.25	YES			NO				
L0002101		0	0.89580E-06	466628.6	3728994.7	389.0	3.49	4.00

3.25	YES		NO					
L0002102		0	0.89580E-06	466634.8	3728988.7	389.0	3.49	4.00
3.25	YES		NO					
L0002103		0	0.89580E-06	466640.9	3728982.7	389.0	3.49	4.00
3.25	YES		NO					
L0002104		0	0.89580E-06	466647.1	3728976.7	389.0	3.49	4.00
3.25	YES		NO					
L0002105		0	0.89580E-06	466653.3	3728970.7	389.0	3.49	4.00
3.25	YES		NO					
L0002106		0	0.89580E-06	466659.5	3728964.8	389.0	3.49	4.00
3.25	YES		NO					
L0002107		0	0.89580E-06	466665.6	3728958.8	389.0	3.49	4.00
3.25	YES		NO					
L0002108		0	0.89580E-06	466671.8	3728952.8	389.1	3.49	4.00
3.25	YES		NO					
L0002109		0	0.89580E-06	466678.0	3728946.8	389.3	3.49	4.00
3.25	YES		NO					
L0002110		0	0.89580E-06	466684.1	3728940.8	389.5	3.49	4.00
3.25	YES		NO					
L0002111		0	0.89580E-06	466690.3	3728934.9	389.7	3.49	4.00
3.25	YES		NO					
L0002112		0	0.89580E-06	466696.5	3728928.9	389.9	3.49	4.00
3.25	YES		NO					
L0002113		0	0.89580E-06	466702.6	3728922.9	390.0	3.49	4.00
3.25	YES		NO					
L0002114		0	0.89580E-06	466708.8	3728916.9	390.0	3.49	4.00
3.25	YES		NO					
L0002115		0	0.89580E-06	466715.0	3728910.9	390.0	3.49	4.00
3.25	YES		NO					
L0002116		0	0.89580E-06	466721.1	3728905.0	390.0	3.49	4.00
3.25	YES		NO					
L0002117		0	0.89580E-06	466727.3	3728899.0	390.0	3.49	4.00
3.25	YES		NO					
L0002118		0	0.89580E-06	466733.5	3728893.0	390.0	3.49	4.00
3.25	YES		NO					
L0002119		0	0.89580E-06	466739.6	3728887.0	390.0	3.49	4.00
3.25	YES		NO					
L0002120		0	0.89580E-06	466745.8	3728881.0	390.0	3.49	4.00
3.25	YES		NO					
L0002121		0	0.84000E-06	466760.5	3728741.0	390.3	3.49	4.00
3.25	YES		NO					
L0002122		0	0.84000E-06	466766.7	3728735.0	390.5	3.49	4.00
3.25	YES		NO					
L0002123		0	0.84000E-06	466772.9	3728729.1	390.7	3.49	4.00
3.25	YES		NO					
L0002124		0	0.84000E-06	466779.0	3728723.1	390.8	3.49	4.00
3.25	YES		NO					
L0002125		0	0.84000E-06	466785.2	3728717.2	391.0	3.49	4.00
3.25	YES		NO					
L0002126		0	0.84000E-06	466791.4	3728711.2	391.1	3.49	4.00

3.25	YES			NO				
L0002127		0	0.84000E-06	466797.6	3728705.3	391.2	3.49	4.00
3.25	YES			NO				
L0002128		0	0.84000E-06	466803.8	3728699.3	391.4	3.49	4.00
3.25	YES			NO				
L0002129		0	0.84000E-06	466810.0	3728693.3	391.8	3.49	4.00
3.25	YES			NO				
L0002130		0	0.84000E-06	466816.2	3728687.4	392.4	3.49	4.00
3.25	YES			NO				
L0002131		0	0.84000E-06	466822.4	3728681.4	393.6	3.49	4.00
3.25	YES			NO				
L0002132		0	0.84000E-06	466828.6	3728675.5	395.0	3.49	4.00
3.25	YES			NO				
L0002133		0	0.84000E-06	466834.8	3728669.5	396.4	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 7

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)

L0002134		0	0.84000E-06	466841.0	3728663.6	397.9	3.49	4.00
3.25	YES			NO				
L0002135		0	0.84000E-06	466847.2	3728657.6	399.5	3.49	4.00
3.25	YES			NO				
L0002136		0	0.84000E-06	466853.4	3728651.7	400.9	3.49	4.00
3.25	YES			NO				
L0002137		0	0.84000E-06	466749.7	3728728.0	391.2	3.49	4.00
3.25	YES			NO				
L0002138		0	0.84000E-06	466755.9	3728722.1	391.4	3.49	4.00
3.25	YES			NO				
L0002139		0	0.84000E-06	466762.1	3728716.1	391.6	3.49	4.00
3.25	YES			NO				
L0002140		0	0.84000E-06	466768.3	3728710.2	391.5	3.49	4.00
3.25	YES			NO				
L0002141		0	0.84000E-06	466774.5	3728704.2	391.3	3.49	4.00

3.25	YES		NO					
L0002142		0	0.84000E-06	466780.6	3728698.3	391.0	3.49	4.00
3.25	YES		NO					
L0002143		0	0.84000E-06	466786.8	3728692.3	391.2	3.49	4.00
3.25	YES		NO					
L0002144		0	0.84000E-06	466793.0	3728686.4	391.4	3.49	4.00
3.25	YES		NO					
L0002145		0	0.84000E-06	466799.2	3728680.4	392.5	3.49	4.00
3.25	YES		NO					
L0002146		0	0.84000E-06	466805.4	3728674.5	393.7	3.49	4.00
3.25	YES		NO					
L0002147		0	0.84000E-06	466811.6	3728668.5	395.1	3.49	4.00
3.25	YES		NO					
L0002148		0	0.84000E-06	466817.8	3728662.5	396.5	3.49	4.00
3.25	YES		NO					
L0002149		0	0.84000E-06	466824.0	3728656.6	397.9	3.49	4.00
3.25	YES		NO					
L0002150		0	0.84000E-06	466830.2	3728650.6	398.9	3.49	4.00
3.25	YES		NO					
L0002151		0	0.84000E-06	466836.4	3728644.7	399.9	3.49	4.00
3.25	YES		NO					
L0002152		0	0.84000E-06	466842.6	3728638.7	401.1	3.49	4.00
3.25	YES		NO					
L0002153		0	0.79060E-06	466723.8	3728702.1	392.1	3.49	4.00
3.25	YES		NO					
L0002154		0	0.79060E-06	466730.0	3728696.2	392.7	3.49	4.00
3.25	YES		NO					
L0002155		0	0.79060E-06	466736.2	3728690.2	393.3	3.49	4.00
3.25	YES		NO					
L0002156		0	0.79060E-06	466742.3	3728684.3	393.8	3.49	4.00
3.25	YES		NO					
L0002157		0	0.79060E-06	466748.5	3728678.3	394.2	3.49	4.00
3.25	YES		NO					
L0002158		0	0.79060E-06	466754.7	3728672.3	394.2	3.49	4.00
3.25	YES		NO					
L0002159		0	0.79060E-06	466760.9	3728666.4	394.3	3.49	4.00
3.25	YES		NO					
L0002160		0	0.79060E-06	466767.1	3728660.4	394.6	3.49	4.00
3.25	YES		NO					
L0002161		0	0.79060E-06	466773.3	3728654.4	395.3	3.49	4.00
3.25	YES		NO					
L0002162		0	0.79060E-06	466779.4	3728648.5	396.3	3.49	4.00
3.25	YES		NO					
L0002163		0	0.79060E-06	466785.6	3728642.5	397.5	3.49	4.00
3.25	YES		NO					
L0002164		0	0.79060E-06	466791.8	3728636.5	398.5	3.49	4.00
3.25	YES		NO					
L0002165		0	0.79060E-06	466798.0	3728630.6	399.4	3.49	4.00
3.25	YES		NO					
L0002166		0	0.79060E-06	466804.2	3728624.6	400.3	3.49	4.00

3.25	YES			NO				
L0002167		0	0.79060E-06	466810.4	3728618.7	401.5	3.49	4.00
3.25	YES			NO				
L0002168		0	0.79060E-06	466816.5	3728612.7	403.1	3.49	4.00
3.25	YES			NO				
L0002169		0	0.79060E-06	466822.7	3728606.7	404.7	3.49	4.00
3.25	YES			NO				
L0002170		0	0.11200E-05	466711.9	3728692.4	392.1	3.49	4.00
3.25	YES			NO				
L0002171		0	0.11200E-05	466717.9	3728686.3	392.9	3.49	4.00
3.25	YES			NO				
L0002172		0	0.11200E-05	466724.0	3728680.2	393.5	3.49	4.00
3.25	YES			NO				
L0002173		0	0.11200E-05	466730.0	3728674.1	394.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 8

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SZ	SOURCE	EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
ID	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
(METERS)		CATS.	BY					

L0002174		0	0.11200E-05	466736.1	3728668.0	394.4	3.49	4.00
3.25	YES			NO				
L0002175		0	0.11200E-05	466742.1	3728661.9	394.8	3.49	4.00
3.25	YES			NO				
L0002176		0	0.11200E-05	466748.2	3728655.8	395.0	3.49	4.00
3.25	YES			NO				
L0002177		0	0.11200E-05	466754.2	3728649.7	396.1	3.49	4.00
3.25	YES			NO				
L0002178		0	0.11200E-05	466760.3	3728643.6	397.1	3.49	4.00
3.25	YES			NO				
L0002179		0	0.11200E-05	466766.3	3728637.5	398.1	3.49	4.00
3.25	YES			NO				
L0002180		0	0.11200E-05	466772.4	3728631.4	399.1	3.49	4.00
3.25	YES			NO				
L0002181		0	0.11200E-05	466778.4	3728625.3	400.1	3.49	4.00

3.25	YES		NO					
L0002182		0	0.17920E-05	466271.7	3729283.4	384.0	3.49	4.00
3.25	YES		NO					
L0002183		0	0.17920E-05	466265.6	3729277.3	384.2	3.49	4.00
3.25	YES		NO					
L0002184		0	0.17920E-05	466259.6	3729271.2	384.5	3.49	4.00
3.25	YES		NO					
L0002185		0	0.17920E-05	466253.5	3729265.2	384.9	3.49	4.00
3.25	YES		NO					
L0002186		0	0.17920E-05	466247.4	3729259.1	385.4	3.49	4.00
3.25	YES		NO					
L0002187		0	0.17920E-05	466241.4	3729253.0	386.0	3.49	4.00
3.25	YES		NO					
L0002188		0	0.17920E-05	466235.3	3729246.9	386.4	3.49	4.00
3.25	YES		NO					
L0002189		0	0.17920E-05	466229.2	3729240.9	386.9	3.49	4.00
3.25	YES		NO					
L0002190		0	0.17920E-05	466223.1	3729234.8	387.3	3.49	4.00
3.25	YES		NO					
L0002191		0	0.17920E-05	466217.1	3729228.7	387.7	3.49	4.00
3.25	YES		NO					
L0002192		0	0.17920E-05	466211.0	3729222.6	388.1	3.49	4.00
3.25	YES		NO					
L0002193		0	0.17920E-05	466204.9	3729216.6	388.3	3.49	4.00
3.25	YES		NO					
L0002194		0	0.17920E-05	466198.8	3729210.5	388.5	3.49	4.00
3.25	YES		NO					
L0002195		0	0.17920E-05	466192.8	3729204.4	388.7	3.49	4.00
3.25	YES		NO					
L0002196		0	0.17920E-05	466186.7	3729198.3	388.9	3.49	4.00
3.25	YES		NO					
L0002197		0	0.17920E-05	466216.8	3729169.8	390.6	3.49	4.00
3.25	YES		NO					
L0002198		0	0.17920E-05	466222.8	3729175.9	390.2	3.49	4.00
3.25	YES		NO					
L0002199		0	0.17920E-05	466228.8	3729182.1	390.0	3.49	4.00
3.25	YES		NO					
L0002200		0	0.17920E-05	466234.8	3729188.2	389.9	3.49	4.00
3.25	YES		NO					
L0002201		0	0.17920E-05	466240.8	3729194.4	390.0	3.49	4.00
3.25	YES		NO					
L0002202		0	0.17920E-05	466246.8	3729200.5	389.4	3.49	4.00
3.25	YES		NO					
L0002203		0	0.17920E-05	466252.8	3729206.7	388.8	3.49	4.00
3.25	YES		NO					
L0002204		0	0.17920E-05	466258.8	3729212.8	388.4	3.49	4.00
3.25	YES		NO					
L0002205		0	0.17920E-05	466264.8	3729218.9	388.2	3.49	4.00
3.25	YES		NO					
L0002206		0	0.17920E-05	466270.8	3729225.1	387.9	3.49	4.00

3.25	YES			NO				
L0002207		0	0.17920E-05	466276.8	3729231.2	386.9	3.49	4.00
3.25	YES			NO				
L0002208		0	0.17920E-05	466282.8	3729237.4	385.9	3.49	4.00
3.25	YES			NO				
L0002209		0	0.17920E-05	466288.9	3729243.5	385.1	3.49	4.00
3.25	YES			NO				
L0002210		0	0.17920E-05	466294.9	3729249.7	384.5	3.49	4.00
3.25	YES			NO				
L0002211		0	0.17920E-05	466300.9	3729255.8	384.1	3.49	4.00
3.25	YES			NO				
L0001332		0	0.59420E-06	466261.5	3729363.2	384.3	3.49	4.00
3.25	YES			NO				
L0001333		0	0.59420E-06	466255.4	3729357.2	384.5	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 9

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0001334		0	0.59420E-06	466249.3	3729351.1	384.7	3.49	4.00
3.25	YES			NO				
L0001335		0	0.59420E-06	466243.2	3729345.1	384.9	3.49	4.00
3.25	YES			NO				
L0001336		0	0.59420E-06	466237.1	3729339.0	385.1	3.49	4.00
3.25	YES			NO				
L0001337		0	0.59420E-06	466231.0	3729333.0	385.3	3.49	4.00
3.25	YES			NO				
L0001338		0	0.59420E-06	466224.9	3729326.9	385.5	3.49	4.00
3.25	YES			NO				
L0001339		0	0.59420E-06	466218.8	3729320.9	385.7	3.49	4.00
3.25	YES			NO				
L0001340		0	0.59420E-06	466212.7	3729314.8	385.9	3.49	4.00
3.25	YES			NO				
L0001341		0	0.59420E-06	466206.6	3729308.8	386.1	3.49	4.00

3.25	YES		NO					
L0001342		0	0.59420E-06	466200.5	3729302.7	386.4	3.49	4.00
3.25	YES		NO					
L0001343		0	0.59420E-06	466194.4	3729296.6	386.8	3.49	4.00
3.25	YES		NO					
L0001344		0	0.59420E-06	466188.4	3729290.5	387.3	3.49	4.00
3.25	YES		NO					
L0001345		0	0.59420E-06	466182.4	3729284.4	387.8	3.49	4.00
3.25	YES		NO					
L0001346		0	0.59420E-06	466176.4	3729278.2	388.1	3.49	4.00
3.25	YES		NO					
L0001347		0	0.59420E-06	466170.3	3729272.1	388.3	3.49	4.00
3.25	YES		NO					
L0001348		0	0.59420E-06	466164.3	3729266.0	388.5	3.49	4.00
3.25	YES		NO					
L0001349		0	0.59420E-06	466158.3	3729259.9	388.7	3.49	4.00
3.25	YES		NO					
L0001350		0	0.59420E-06	466152.3	3729253.7	388.9	3.49	4.00
3.25	YES		NO					
L0001351		0	0.59420E-06	466146.2	3729247.6	389.0	3.49	4.00
3.25	YES		NO					
L0001352		0	0.59420E-06	466140.2	3729241.5	389.2	3.49	4.00
3.25	YES		NO					
L0001353		0	0.59420E-06	466134.2	3729235.3	389.4	3.49	4.00
3.25	YES		NO					
L0001354		0	0.59420E-06	466128.2	3729229.2	389.6	3.49	4.00
3.25	YES		NO					
L0001355		0	0.59420E-06	466122.3	3729223.0	389.9	3.49	4.00
3.25	YES		NO					
L0001356		0	0.59420E-06	466120.3	3729216.0	390.0	3.49	4.00
3.25	YES		NO					
L0001357		0	0.59420E-06	466123.7	3729208.1	389.9	3.49	4.00
3.25	YES		NO					
L0001358		0	0.59420E-06	466128.1	3729200.8	390.0	3.49	4.00
3.25	YES		NO					
L0001359		0	0.59420E-06	466134.9	3729195.6	390.0	3.49	4.00
3.25	YES		NO					
L0001360		0	0.59420E-06	466142.6	3729192.2	390.0	3.49	4.00
3.25	YES		NO					
L0001361		0	0.59420E-06	466151.1	3729193.4	390.0	3.49	4.00
3.25	YES		NO					
L0001362		0	0.59420E-06	466157.8	3729198.1	389.7	3.49	4.00
3.25	YES		NO					
L0001363		0	0.59420E-06	466163.9	3729204.1	389.2	3.49	4.00
3.25	YES		NO					
L0001364		0	0.59420E-06	466170.0	3729210.2	388.9	3.49	4.00
3.25	YES		NO					
L0001365		0	0.59420E-06	466176.0	3729216.3	388.4	3.49	4.00
3.25	YES		NO					
L0001366		0	0.59420E-06	466182.1	3729222.4	388.1	3.49	4.00

3.25	YES			NO				
L0001367		0	0.59420E-06	466188.2	3729228.4	388.0	3.49	4.00
3.25	YES			NO				
L0001368		0	0.59420E-06	466194.3	3729234.5	387.9	3.49	4.00
3.25	YES			NO				
L0001369		0	0.59420E-06	466200.3	3729240.6	387.7	3.49	4.00
3.25	YES			NO				
L0001370		0	0.59420E-06	466206.4	3729246.7	387.4	3.49	4.00
3.25	YES			NO				
L0001371		0	0.59420E-06	466212.5	3729252.7	387.0	3.49	4.00
3.25	YES			NO				
L0001372		0	0.59420E-06	466218.6	3729258.8	386.6	3.49	4.00
3.25	YES			NO				
L0001373		0	0.59420E-06	466224.6	3729264.9	386.2	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 10

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0001374		0	0.59420E-06	466230.7	3729271.0	385.8	3.49	4.00
3.25	YES			NO				
L0001375		0	0.59420E-06	466236.8	3729277.0	385.4	3.49	4.00
3.25	YES			NO				
L0001376		0	0.59420E-06	466242.9	3729283.1	385.0	3.49	4.00
3.25	YES			NO				
L0001377		0	0.59420E-06	466247.6	3729290.1	384.7	3.49	4.00
3.25	YES			NO				
L0001378		0	0.59420E-06	466250.9	3729298.0	384.6	3.49	4.00
3.25	YES			NO				
L0001379		0	0.59420E-06	466252.5	3729306.4	384.6	3.49	4.00
3.25	YES			NO				
L0001380		0	0.59420E-06	466253.8	3729314.9	384.5	3.49	4.00
3.25	YES			NO				
L0001381		0	0.59420E-06	466253.9	3729323.5	384.5	3.49	4.00

3.25	YES		NO					
L0001382		0	0.59420E-06	466254.1	3729332.1	384.5	3.49	4.00
3.25	YES		NO					
L0001383		0	0.59420E-06	466254.2	3729340.7	384.5	3.49	4.00
3.25	YES		NO					
L0002327		0	0.56700E-06	466172.9	3729191.3	389.5	3.49	4.00
3.25	YES		NO					
L0002328		0	0.56700E-06	466179.2	3729185.5	389.7	3.49	4.00
3.25	YES		NO					
L0002329		0	0.56700E-06	466185.5	3729179.6	390.1	3.49	4.00
3.25	YES		NO					
L0002330		0	0.56700E-06	466191.8	3729173.8	390.5	3.49	4.00
3.25	YES		NO					
L0002331		0	0.56700E-06	466198.1	3729168.0	390.9	3.49	4.00
3.25	YES		NO					
L0002332		0	0.56700E-06	466204.4	3729162.2	391.5	3.49	4.00
3.25	YES		NO					
L0002333		0	0.56700E-06	466210.7	3729156.3	392.3	3.49	4.00
3.25	YES		NO					
L0002334		0	0.56700E-06	466217.0	3729150.5	392.8	3.49	4.00
3.25	YES		NO					
L0002335		0	0.56700E-06	466223.3	3729144.7	393.4	3.49	4.00
3.25	YES		NO					
L0002336		0	0.56700E-06	466229.4	3729138.6	394.0	3.49	4.00
3.25	YES		NO					
L0002337		0	0.56700E-06	466235.5	3729132.5	394.6	3.49	4.00
3.25	YES		NO					
L0002338		0	0.56700E-06	466241.6	3729126.5	395.2	3.49	4.00
3.25	YES		NO					
L0002339		0	0.56700E-06	466247.6	3729120.4	395.7	3.49	4.00
3.25	YES		NO					
L0002340		0	0.56700E-06	466253.7	3729114.3	396.1	3.49	4.00
3.25	YES		NO					
L0002341		0	0.56700E-06	466259.8	3729108.2	396.4	3.49	4.00
3.25	YES		NO					
L0002342		0	0.56700E-06	466266.0	3729102.2	396.9	3.49	4.00
3.25	YES		NO					
L0002343		0	0.56700E-06	466272.2	3729096.3	397.4	3.49	4.00
3.25	YES		NO					
L0002344		0	0.56700E-06	466278.4	3729090.4	397.7	3.49	4.00
3.25	YES		NO					
L0002345		0	0.56700E-06	466284.6	3729084.5	398.1	3.49	4.00
3.25	YES		NO					
L0002346		0	0.56700E-06	466290.8	3729078.6	398.4	3.49	4.00
3.25	YES		NO					
L0002347		0	0.56700E-06	466297.1	3729072.6	398.5	3.49	4.00
3.25	YES		NO					
L0002348		0	0.56700E-06	466303.3	3729066.7	398.4	3.49	4.00
3.25	YES		NO					
L0002349		0	0.56700E-06	466309.5	3729060.8	398.5	3.49	4.00

3.25	YES			NO				
L0002350		0	0.56700E-06	466315.7	3729054.9	398.7	3.49	4.00
3.25	YES			NO				
L0002351		0	0.56700E-06	466322.0	3729049.0	399.0	3.49	4.00
3.25	YES			NO				
L0002352		0	0.56700E-06	466328.2	3729043.1	399.3	3.49	4.00
3.25	YES			NO				
L0002353		0	0.56700E-06	466334.5	3729037.2	399.6	3.49	4.00
3.25	YES			NO				
L0002354		0	0.56700E-06	466340.8	3729031.3	399.9	3.49	4.00
3.25	YES			NO				
L0002355		0	0.56700E-06	466347.1	3729025.5	400.3	3.49	4.00
3.25	YES			NO				
L0002356		0	0.56700E-06	466353.3	3729019.6	400.8	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 11

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002357		0	0.56700E-06	466359.6	3729013.8	401.2	3.49	4.00
3.25	YES			NO				
L0002358		0	0.56700E-06	466365.9	3729007.9	401.6	3.49	4.00
3.25	YES			NO				
L0002359		0	0.56700E-06	466372.1	3729001.9	402.0	3.49	4.00
3.25	YES			NO				
L0002360		0	0.56700E-06	466378.3	3728996.0	402.4	3.49	4.00
3.25	YES			NO				
L0002361		0	0.56700E-06	466384.4	3728990.0	402.8	3.49	4.00
3.25	YES			NO				
L0002362		0	0.56700E-06	466390.6	3728984.0	403.2	3.49	4.00
3.25	YES			NO				
L0002363		0	0.56700E-06	466396.8	3728978.0	403.6	3.49	4.00
3.25	YES			NO				
L0002364		0	0.56700E-06	466402.9	3728972.1	403.9	3.49	4.00

3.25	YES		NO					
L0002365		0	0.56700E-06	466409.1	3728966.1	404.4	3.49	4.00
3.25	YES		NO					
L0002366		0	0.56700E-06	466415.3	3728960.1	404.7	3.49	4.00
3.25	YES		NO					
L0002367		0	0.56700E-06	466421.4	3728954.1	404.7	3.49	4.00
3.25	YES		NO					
L0002368		0	0.56700E-06	466427.6	3728948.1	403.6	3.49	4.00
3.25	YES		NO					
L0002369		0	0.56700E-06	466433.8	3728942.2	402.4	3.49	4.00
3.25	YES		NO					
L0002370		0	0.56700E-06	466439.9	3728936.2	401.2	3.49	4.00
3.25	YES		NO					
L0002371		0	0.56700E-06	466446.1	3728930.2	399.9	3.49	4.00
3.25	YES		NO					
L0002372		0	0.56700E-06	466452.3	3728924.2	398.8	3.49	4.00
3.25	YES		NO					
L0002373		0	0.56700E-06	466458.4	3728918.2	398.3	3.49	4.00
3.25	YES		NO					
L0002374		0	0.56700E-06	466464.6	3728912.3	397.9	3.49	4.00
3.25	YES		NO					
L0002375		0	0.56700E-06	466470.8	3728906.3	397.5	3.49	4.00
3.25	YES		NO					
L0002376		0	0.56700E-06	466476.9	3728900.3	397.1	3.49	4.00
3.25	YES		NO					
L0002377		0	0.56700E-06	466483.1	3728894.3	397.3	3.49	4.00
3.25	YES		NO					
L0002378		0	0.56700E-06	466489.3	3728888.3	398.1	3.49	4.00
3.25	YES		NO					
L0002379		0	0.56700E-06	466495.4	3728882.4	398.9	3.49	4.00
3.25	YES		NO					
L0002380		0	0.56700E-06	466501.6	3728876.4	399.7	3.49	4.00
3.25	YES		NO					
L0002381		0	0.56700E-06	466507.8	3728870.4	400.5	3.49	4.00
3.25	YES		NO					
L0002382		0	0.56700E-06	466513.9	3728864.4	402.1	3.49	4.00
3.25	YES		NO					
L0002383		0	0.56700E-06	466520.1	3728858.4	404.8	3.49	4.00
3.25	YES		NO					
L0002384		0	0.56700E-06	466526.3	3728852.5	407.5	3.49	4.00
3.25	YES		NO					
L0002385		0	0.56700E-06	466532.4	3728846.5	410.4	3.49	4.00
3.25	YES		NO					
L0002386		0	0.56700E-06	466538.6	3728840.5	413.3	3.49	4.00
3.25	YES		NO					
L0002387		0	0.56700E-06	466544.8	3728834.5	415.5	3.49	4.00
3.25	YES		NO					
L0002388		0	0.56700E-06	466550.9	3728828.5	416.4	3.49	4.00
3.25	YES		NO					
L0002389		0	0.56700E-06	466557.1	3728822.6	417.2	3.49	4.00

3.25	YES			NO				
L0002390		0	0.56700E-06	466563.3	3728816.6	418.0	3.49	4.00
3.25	YES			NO				
L0002391		0	0.56700E-06	466569.6	3728810.7	418.7	3.49	4.00
3.25	YES			NO				
L0002392		0	0.56700E-06	466575.8	3728804.9	418.2	3.49	4.00
3.25	YES			NO				
L0002393		0	0.56700E-06	466582.1	3728799.0	416.5	3.49	4.00
3.25	YES			NO				
L0002394		0	0.56700E-06	466588.4	3728793.1	414.7	3.49	4.00
3.25	YES			NO				
L0002395		0	0.56700E-06	466594.6	3728787.2	412.8	3.49	4.00
3.25	YES			NO				
L0002396		0	0.56700E-06	466600.9	3728781.3	410.9	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 12

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						
L0002397		0	0.56700E-06	466607.1	3728775.5	408.9	3.49	4.00
3.25	YES			NO				
L0002398		0	0.56700E-06	466613.4	3728769.6	406.8	3.49	4.00
3.25	YES			NO				
L0002399		0	0.56700E-06	466619.7	3728763.7	404.7	3.49	4.00
3.25	YES			NO				
L0002400		0	0.56700E-06	466625.9	3728757.8	402.8	3.49	4.00
3.25	YES			NO				
L0002401		0	0.56700E-06	466632.2	3728751.9	400.9	3.49	4.00
3.25	YES			NO				
L0002402		0	0.56700E-06	466638.5	3728746.1	399.1	3.49	4.00
3.25	YES			NO				
L0002403		0	0.56700E-06	466644.7	3728740.2	397.8	3.49	4.00
3.25	YES			NO				
L0002404		0	0.56700E-06	466651.0	3728734.3	396.4	3.49	4.00

3.25	YES		NO					
L0002405		0	0.56700E-06	466657.3	3728728.4	394.9	3.49	4.00
3.25	YES		NO					
L0002406		0	0.56700E-06	466663.5	3728722.6	393.4	3.49	4.00
3.25	YES		NO					
L0002407		0	0.56700E-06	466669.6	3728721.5	392.6	3.49	4.00
3.25	YES		NO					
L0002408		0	0.56700E-06	466675.6	3728727.7	392.6	3.49	4.00
3.25	YES		NO					
L0002409		0	0.56700E-06	466681.5	3728733.9	392.3	3.49	4.00
3.25	YES		NO					
L0002410		0	0.56700E-06	466687.4	3728740.2	392.0	3.49	4.00
3.25	YES		NO					
L0002411		0	0.56700E-06	466693.3	3728746.4	391.8	3.49	4.00
3.25	YES		NO					
L0002412		0	0.56700E-06	466699.2	3728752.6	391.8	3.49	4.00
3.25	YES		NO					
L0002413		0	0.56700E-06	466705.1	3728758.9	391.6	3.49	4.00
3.25	YES		NO					
L0002414		0	0.56700E-06	466711.1	3728765.0	391.1	3.49	4.00
3.25	YES		NO					
L0002415		0	0.56700E-06	466717.1	3728771.2	390.4	3.49	4.00
3.25	YES		NO					
L0002416		0	0.56700E-06	466723.1	3728777.3	390.0	3.49	4.00
3.25	YES		NO					
L0002417		0	0.56700E-06	466729.1	3728783.4	390.2	3.49	4.00
3.25	YES		NO					
L0002812		0	0.56710E-06	466322.6	3729306.2	384.8	3.49	4.00
3.25	YES		NO					
L0002813		0	0.56710E-06	466317.3	3729299.5	384.6	3.49	4.00
3.25	YES		NO					
L0002814		0	0.56710E-06	466311.9	3729292.7	384.4	3.49	4.00
3.25	YES		NO					
L0002815		0	0.56710E-06	466306.6	3729286.0	384.2	3.49	4.00
3.25	YES		NO					
L0002816		0	0.56710E-06	466305.2	3729279.6	384.2	3.49	4.00
3.25	YES		NO					
L0002817		0	0.56710E-06	466311.4	3729273.6	384.4	3.49	4.00
3.25	YES		NO					
L0002818		0	0.56710E-06	466317.6	3729267.7	384.6	3.49	4.00
3.25	YES		NO					
L0002819		0	0.56710E-06	466323.8	3729261.7	384.8	3.49	4.00
3.25	YES		NO					
L0002820		0	0.56710E-06	466330.0	3729255.8	385.0	3.49	4.00
3.25	YES		NO					
L0002821		0	0.56710E-06	466336.2	3729249.8	385.2	3.49	4.00
3.25	YES		NO					
L0002822		0	0.56710E-06	466342.4	3729243.9	385.4	3.49	4.00
3.25	YES		NO					
L0002823		0	0.56710E-06	466348.6	3729237.9	385.6	3.49	4.00

3.25	YES			NO				
L0002824		0	0.56710E-06	466354.8	3729232.0	385.8	3.49	4.00
3.25	YES			NO				
L0002825		0	0.56710E-06	466361.0	3729226.0	386.0	3.49	4.00
3.25	YES			NO				
L0002826		0	0.56710E-06	466367.2	3729220.1	386.2	3.49	4.00
3.25	YES			NO				
L0002827		0	0.56710E-06	466373.4	3729214.1	386.4	3.49	4.00
3.25	YES			NO				
L0002828		0	0.56710E-06	466379.6	3729208.2	386.6	3.49	4.00
3.25	YES			NO				
L0002829		0	0.56710E-06	466385.8	3729202.2	386.8	3.49	4.00
3.25	YES			NO				
L0002830		0	0.56710E-06	466392.0	3729196.3	387.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 13

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002831		0	0.56710E-06	466398.2	3729190.3	387.2	3.49	4.00
3.25	YES			NO				
L0002832		0	0.56710E-06	466404.4	3729184.4	387.6	3.49	4.00
3.25	YES			NO				
L0002833		0	0.56710E-06	466410.6	3729178.4	388.0	3.49	4.00
3.25	YES			NO				
L0002834		0	0.56710E-06	466416.8	3729172.5	388.5	3.49	4.00
3.25	YES			NO				
L0002835		0	0.56710E-06	466423.0	3729166.5	389.1	3.49	4.00
3.25	YES			NO				
L0002836		0	0.56710E-06	466429.2	3729160.6	389.4	3.49	4.00
3.25	YES			NO				
L0002837		0	0.56710E-06	466435.4	3729154.6	389.7	3.49	4.00
3.25	YES			NO				
L0002838		0	0.56710E-06	466441.6	3729148.7	389.9	3.49	4.00

3.25	YES		NO					
L0002839		0	0.56710E-06	466447.8	3729142.7	390.0	3.49	4.00
3.25	YES		NO					
L0002840		0	0.56710E-06	466454.0	3729136.8	390.0	3.49	4.00
3.25	YES		NO					
L0002841		0	0.56710E-06	466460.2	3729130.8	389.9	3.49	4.00
3.25	YES		NO					
L0002842		0	0.56710E-06	466466.4	3729124.9	389.8	3.49	4.00
3.25	YES		NO					
L0002843		0	0.56710E-06	466472.5	3729118.9	389.6	3.49	4.00
3.25	YES		NO					
L0002844		0	0.56710E-06	466478.7	3729113.0	389.2	3.49	4.00
3.25	YES		NO					
L0002845		0	0.56710E-06	466484.9	3729107.0	389.0	3.49	4.00
3.25	YES		NO					
L0002846		0	0.56710E-06	466491.1	3729101.1	389.1	3.49	4.00
3.25	YES		NO					
L0002847		0	0.56710E-06	466497.3	3729095.1	389.2	3.49	4.00
3.25	YES		NO					
L0002848		0	0.56710E-06	466503.5	3729089.2	389.1	3.49	4.00
3.25	YES		NO					
L0002849		0	0.56710E-06	466509.7	3729083.2	389.0	3.49	4.00
3.25	YES		NO					
L0002850		0	0.56710E-06	466515.9	3729077.3	389.2	3.49	4.00
3.25	YES		NO					
L0002851		0	0.56710E-06	466522.1	3729071.4	389.5	3.49	4.00
3.25	YES		NO					
L0002852		0	0.56710E-06	466528.3	3729065.4	389.8	3.49	4.00
3.25	YES		NO					
L0002853		0	0.56710E-06	466534.5	3729059.5	389.9	3.49	4.00
3.25	YES		NO					
L0002854		0	0.56710E-06	466540.8	3729053.5	390.0	3.49	4.00
3.25	YES		NO					
L0002855		0	0.56710E-06	466547.0	3729047.6	390.0	3.49	4.00
3.25	YES		NO					
L0002856		0	0.56710E-06	466553.2	3729041.7	390.1	3.49	4.00
3.25	YES		NO					
L0002857		0	0.56710E-06	466559.4	3729035.7	390.2	3.49	4.00
3.25	YES		NO					
L0002858		0	0.56710E-06	466565.6	3729029.8	390.5	3.49	4.00
3.25	YES		NO					
L0002859		0	0.56710E-06	466571.8	3729023.8	390.6	3.49	4.00
3.25	YES		NO					
L0002860		0	0.56710E-06	466578.0	3729017.9	390.4	3.49	4.00
3.25	YES		NO					
L0002861		0	0.56710E-06	466584.2	3729012.0	390.0	3.49	4.00
3.25	YES		NO					
L0002862		0	0.56710E-06	466590.4	3729006.0	389.7	3.49	4.00
3.25	YES		NO					
L0002863		0	0.56710E-06	466596.6	3729000.1	389.6	3.49	4.00

3.25	YES			NO				
L0002864		0	0.56710E-06	466602.8	3728994.1	389.7	3.49	4.00
3.25	YES			NO				
L0002865		0	0.56710E-06	466609.0	3728988.2	389.6	3.49	4.00
3.25	YES			NO				
L0002866		0	0.56710E-06	466615.2	3728982.2	389.5	3.49	4.00
3.25	YES			NO				
L0002867		0	0.56710E-06	466621.4	3728976.3	389.3	3.49	4.00
3.25	YES			NO				
L0002868		0	0.56710E-06	466627.6	3728970.4	389.1	3.49	4.00
3.25	YES			NO				
L0002869		0	0.56710E-06	466633.8	3728964.4	389.0	3.49	4.00
3.25	YES			NO				
L0002870		0	0.56710E-06	466640.0	3728958.5	389.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 14

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						
L0002871		0	0.56710E-06	466646.2	3728952.5	389.1	3.49	4.00
3.25	YES			NO				
L0002872		0	0.56710E-06	466652.4	3728946.6	389.3	3.49	4.00
3.25	YES			NO				
L0002873		0	0.56710E-06	466658.7	3728940.7	389.5	3.49	4.00
3.25	YES			NO				
L0002874		0	0.56710E-06	466664.9	3728934.8	389.7	3.49	4.00
3.25	YES			NO				
L0002875		0	0.56710E-06	466671.2	3728928.9	389.9	3.49	4.00
3.25	YES			NO				
L0002876		0	0.56710E-06	466677.5	3728923.0	390.0	3.49	4.00
3.25	YES			NO				
L0002877		0	0.56710E-06	466683.7	3728917.2	390.1	3.49	4.00
3.25	YES			NO				
L0002878		0	0.56710E-06	466690.0	3728911.3	390.0	3.49	4.00

3.25	YES		NO					
L0002879		0	0.56710E-06	466696.3	3728905.4	390.0	3.49	4.00
3.25	YES		NO					
L0002880		0	0.56710E-06	466702.5	3728899.5	390.0	3.49	4.00
3.25	YES		NO					
L0002881		0	0.56710E-06	466708.8	3728893.7	390.1	3.49	4.00
3.25	YES		NO					
L0002882		0	0.56710E-06	466715.1	3728887.8	390.1	3.49	4.00
3.25	YES		NO					
L0002883		0	0.56710E-06	466721.3	3728881.9	390.0	3.49	4.00
3.25	YES		NO					
L0002884		0	0.56710E-06	466727.6	3728876.0	390.0	3.49	4.00
3.25	YES		NO					
L0002885		0	0.56710E-06	466733.9	3728870.2	390.0	3.49	4.00
3.25	YES		NO					
L0002886		0	0.56710E-06	466740.1	3728864.3	390.0	3.49	4.00
3.25	YES		NO					
L0002887		0	0.56710E-06	466746.5	3728858.5	390.1	3.49	4.00
3.25	YES		NO					
L0002888		0	0.56710E-06	466752.8	3728852.7	389.9	3.49	4.00
3.25	YES		NO					
L0002889		0	0.56710E-06	466759.1	3728846.9	389.9	3.49	4.00
3.25	YES		NO					
L0002890		0	0.56710E-06	466765.5	3728841.1	389.9	3.49	4.00
3.25	YES		NO					
L0002891		0	0.56710E-06	466771.8	3728835.3	390.0	3.49	4.00
3.25	YES		NO					
L0002892		0	0.56710E-06	466778.0	3728833.0	390.0	3.49	4.00
3.25	YES		NO					
L0002893		0	0.56710E-06	466784.0	3728839.2	389.9	3.49	4.00
3.25	YES		NO					
L0002894		0	0.56710E-06	466789.9	3728845.5	389.7	3.49	4.00
3.25	YES		NO					
L0002895		0	0.56710E-06	466795.8	3728851.7	389.5	3.49	4.00
3.25	YES		NO					
L0001468		0	0.21840E-06	466764.9	3728818.3	390.0	3.49	4.00
3.25	YES		NO					
L0001469		0	0.21840E-06	466758.8	3728812.2	390.0	3.49	4.00
3.25	YES		NO					
L0001470		0	0.21840E-06	466752.8	3728806.1	390.0	3.49	4.00
3.25	YES		NO					
L0001471		0	0.21840E-06	466747.6	3728799.4	390.1	3.49	4.00
3.25	YES		NO					
L0001472		0	0.21840E-06	466746.8	3728791.4	390.1	3.49	4.00
3.25	YES		NO					
L0001473		0	0.21840E-06	466751.1	3728784.2	390.0	3.49	4.00
3.25	YES		NO					
L0001474		0	0.21840E-06	466757.0	3728778.0	390.0	3.49	4.00
3.25	YES		NO					
L0001475		0	0.21840E-06	466763.0	3728771.8	390.0	3.49	4.00

3.25	YES			NO				
L0001476		0	0.21840E-06	466768.9	3728765.5	390.0	3.49	4.00
3.25	YES			NO				
L0001477		0	0.21840E-06	466774.6	3728759.1	390.0	3.49	4.00
3.25	YES			NO				
L0001478		0	0.21840E-06	466780.2	3728752.6	390.0	3.49	4.00
3.25	YES			NO				
L0001479		0	0.21840E-06	466785.8	3728746.1	390.0	3.49	4.00
3.25	YES			NO				
L0001480		0	0.21840E-06	466791.5	3728739.6	390.2	3.49	4.00
3.25	YES			NO				
L0001481		0	0.21840E-06	466797.1	3728733.2	390.4	3.49	4.00
3.25	YES			NO				
L0001482		0	0.21840E-06	466802.8	3728726.7	390.6	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 15

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0001483		0	0.21840E-06	466808.5	3728720.3	390.9	3.49	4.00
3.25	YES			NO				
L0001484		0	0.21840E-06	466814.8	3728714.5	390.9	3.49	4.00
3.25	YES			NO				
L0001485		0	0.21840E-06	466821.2	3728708.7	391.1	3.49	4.00
3.25	YES			NO				
L0001486		0	0.21840E-06	466827.5	3728702.9	391.6	3.49	4.00
3.25	YES			NO				
L0001487		0	0.21840E-06	466833.8	3728697.1	392.4	3.49	4.00
3.25	YES			NO				
L0001488		0	0.21840E-06	466840.2	3728691.3	393.3	3.49	4.00
3.25	YES			NO				
L0001489		0	0.21840E-06	466846.5	3728685.5	394.6	3.49	4.00
3.25	YES			NO				
L0001490		0	0.21840E-06	466852.9	3728679.7	396.0	3.49	4.00

3.25	YES		NO					
L0001491		0	0.21840E-06	466859.2	3728673.9	397.6	3.49	4.00
3.25	YES		NO					
L0001492		0	0.21840E-06	466865.5	3728668.1	399.2	3.49	4.00
3.25	YES		NO					
L0001493		0	0.21840E-06	466871.9	3728662.3	400.9	3.49	4.00
3.25	YES		NO					
L0001494		0	0.21840E-06	466869.8	3728655.9	402.0	3.49	4.00
3.25	YES		NO					
L0001495		0	0.21840E-06	466864.3	3728649.3	402.3	3.49	4.00
3.25	YES		NO					
L0001496		0	0.21840E-06	466858.8	3728642.8	402.5	3.49	4.00
3.25	YES		NO					
L0001497		0	0.21840E-06	466853.3	3728636.2	402.7	3.49	4.00
3.25	YES		NO					
L0001498		0	0.21840E-06	466847.8	3728629.6	402.7	3.49	4.00
3.25	YES		NO					
L0001499		0	0.21840E-06	466842.3	3728623.0	402.9	3.49	4.00
3.25	YES		NO					
L0001500		0	0.21840E-06	466836.6	3728620.2	402.9	3.49	4.00
3.25	YES		NO					
L0001501		0	0.21840E-06	466830.3	3728626.1	401.4	3.49	4.00
3.25	YES		NO					
L0001502		0	0.21840E-06	466824.0	3728632.0	400.4	3.49	4.00
3.25	YES		NO					
L0001503		0	0.21840E-06	466817.8	3728637.8	399.4	3.49	4.00
3.25	YES		NO					
L0001504		0	0.21840E-06	466811.5	3728643.7	398.4	3.49	4.00
3.25	YES		NO					
L0001505		0	0.21840E-06	466805.2	3728649.6	397.4	3.49	4.00
3.25	YES		NO					
L0001506		0	0.21840E-06	466798.9	3728655.4	396.4	3.49	4.00
3.25	YES		NO					
L0001507		0	0.21840E-06	466792.6	3728661.3	395.1	3.49	4.00
3.25	YES		NO					
L0001508		0	0.21840E-06	466786.4	3728667.2	393.9	3.49	4.00
3.25	YES		NO					
L0001509		0	0.21840E-06	466780.1	3728673.0	392.8	3.49	4.00
3.25	YES		NO					
L0001510		0	0.21840E-06	466773.8	3728678.9	392.4	3.49	4.00
3.25	YES		NO					
L0001511		0	0.21840E-06	466767.5	3728684.8	392.3	3.49	4.00
3.25	YES		NO					
L0001512		0	0.21840E-06	466761.3	3728690.6	392.7	3.49	4.00
3.25	YES		NO					
L0001513		0	0.21840E-06	466755.0	3728696.5	392.9	3.49	4.00
3.25	YES		NO					
L0001514		0	0.21840E-06	466748.7	3728702.4	392.9	3.49	4.00
3.25	YES		NO					
L0001515		0	0.21840E-06	466742.4	3728708.2	392.3	3.49	4.00

3.25	YES			NO				
L0001516		0	0.21840E-06	466736.2	3728714.1	391.7	3.49	4.00
3.25	YES			NO				
L0001517		0	0.21840E-06	466729.9	3728719.9	391.2	3.49	4.00
3.25	YES			NO				
L0001518		0	0.21840E-06	466723.8	3728720.8	391.0	3.49	4.00
3.25	YES			NO				
L0001519		0	0.21840E-06	466718.1	3728714.4	391.1	3.49	4.00
3.25	YES			NO				
L0001520		0	0.21840E-06	466712.3	3728708.0	391.2	3.49	4.00
3.25	YES			NO				
L0001521		0	0.21840E-06	466706.5	3728701.7	391.3	3.49	4.00
3.25	YES			NO				
L0001522		0	0.21840E-06	466700.8	3728695.3	391.3	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 16

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0001523		0	0.21840E-06	466695.0	3728689.0	391.2	3.49	4.00
3.25	YES			NO				
L0001524		0	0.21840E-06	466692.9	3728682.7	391.5	3.49	4.00
3.25	YES			NO				
L0001525		0	0.21840E-06	466699.0	3728676.6	392.5	3.49	4.00
3.25	YES			NO				
L0001526		0	0.21840E-06	466705.1	3728670.6	393.3	3.49	4.00
3.25	YES			NO				
L0001527		0	0.21840E-06	466711.2	3728664.6	394.1	3.49	4.00
3.25	YES			NO				
L0001528		0	0.21840E-06	466717.3	3728658.5	394.8	3.49	4.00
3.25	YES			NO				
L0001529		0	0.21840E-06	466723.5	3728652.5	395.3	3.49	4.00
3.25	YES			NO				
L0001530		0	0.21840E-06	466729.6	3728646.5	395.9	3.49	4.00

3.25	YES		NO					
L0001531		0	0.21840E-06	466735.7	3728640.4	396.9	3.49	4.00
3.25	YES		NO					
L0001532		0	0.21840E-06	466741.8	3728634.4	398.0	3.49	4.00
3.25	YES		NO					
L0001533		0	0.21840E-06	466747.9	3728628.3	399.4	3.49	4.00
3.25	YES		NO					
L0001534		0	0.21840E-06	466754.0	3728622.3	400.4	3.49	4.00
3.25	YES		NO					
L0001535		0	0.21840E-06	466760.1	3728616.3	401.1	3.49	4.00
3.25	YES		NO					
L0001536		0	0.11490E-06	466286.3	3729268.6	384.0	3.49	4.00
3.25	YES		NO					
L0001537		0	0.11490E-06	466280.2	3729262.5	384.0	3.49	4.00
3.25	YES		NO					
L0001538		0	0.11490E-06	466274.1	3729256.4	384.0	3.49	4.00
3.25	YES		NO					
L0001539		0	0.11490E-06	466268.0	3729250.4	384.8	3.49	4.00
3.25	YES		NO					
L0001540		0	0.11490E-06	466262.0	3729244.3	385.8	3.49	4.00
3.25	YES		NO					
L0001541		0	0.11490E-06	466255.9	3729238.2	386.5	3.49	4.00
3.25	YES		NO					
L0001542		0	0.11490E-06	466249.8	3729232.1	386.9	3.49	4.00
3.25	YES		NO					
L0001543		0	0.11490E-06	466243.7	3729226.1	387.1	3.49	4.00
3.25	YES		NO					
L0001544		0	0.11490E-06	466237.7	3729220.0	387.6	3.49	4.00
3.25	YES		NO					
L0001545		0	0.11490E-06	466231.6	3729213.9	388.3	3.49	4.00
3.25	YES		NO					
L0001546		0	0.11490E-06	466225.5	3729207.8	388.7	3.49	4.00
3.25	YES		NO					
L0001547		0	0.11490E-06	466219.4	3729201.8	389.0	3.49	4.00
3.25	YES		NO					
L0001548		0	0.11490E-06	466213.4	3729195.7	389.2	3.49	4.00
3.25	YES		NO					
L0001549		0	0.11490E-06	466207.3	3729189.6	389.4	3.49	4.00
3.25	YES		NO					
L0001550		0	0.11490E-06	466201.2	3729183.5	389.8	3.49	4.00
3.25	YES		NO					
L0002434		0	0.71400E-06	466804.2	3728866.2	389.0	3.49	4.00
3.25	YES		NO					
L0002435		0	0.71400E-06	466797.8	3728871.9	389.0	3.49	4.00
3.25	YES		NO					
L0002436		0	0.71400E-06	466791.4	3728877.6	389.0	3.49	4.00
3.25	YES		NO					
L0002437		0	0.71400E-06	466785.0	3728883.4	389.0	3.49	4.00
3.25	YES		NO					
L0002438		0	0.71400E-06	466778.6	3728889.1	389.0	3.49	4.00

3.25	YES			NO				
L0002439		0	0.71400E-06	466772.2	3728894.9	389.2	3.49	4.00
3.25	YES			NO				
L0002440		0	0.71400E-06	466765.9	3728900.6	389.4	3.49	4.00
3.25	YES			NO				
L0002441		0	0.71400E-06	466759.7	3728906.6	389.4	3.49	4.00
3.25	YES			NO				
L0002442		0	0.71400E-06	466753.5	3728912.5	389.4	3.49	4.00
3.25	YES			NO				
L0002443		0	0.71400E-06	466747.3	3728918.5	389.3	3.49	4.00
3.25	YES			NO				
L0002444		0	0.71400E-06	466741.1	3728924.5	389.3	3.49	4.00
3.25	YES			NO				
L0002445		0	0.71400E-06	466734.9	3728930.4	389.4	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 17

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002446		0	0.71400E-06	466728.7	3728936.4	389.5	3.49	4.00
3.25	YES			NO				
L0002447		0	0.71400E-06	466722.5	3728942.3	389.4	3.49	4.00
3.25	YES			NO				
L0002448		0	0.71400E-06	466716.3	3728948.3	389.3	3.49	4.00
3.25	YES			NO				
L0002449		0	0.71400E-06	466710.2	3728954.3	389.1	3.49	4.00
3.25	YES			NO				
L0002450		0	0.71400E-06	466704.0	3728960.2	389.0	3.49	4.00
3.25	YES			NO				
L0002451		0	0.71400E-06	466697.8	3728966.2	389.0	3.49	4.00
3.25	YES			NO				
L0002452		0	0.71400E-06	466691.6	3728972.1	389.0	3.49	4.00
3.25	YES			NO				
L0002453		0	0.71400E-06	466685.4	3728978.1	389.0	3.49	4.00

3.25	YES		NO					
L0002454		0	0.71400E-06	466679.3	3728984.1	389.0	3.49	4.00
3.25	YES		NO					
L0002455		0	0.71400E-06	466673.1	3728990.0	388.9	3.49	4.00
3.25	YES		NO					
L0002456		0	0.71400E-06	466666.9	3728996.0	388.8	3.49	4.00
3.25	YES		NO					
L0002457		0	0.71400E-06	466660.7	3729001.9	388.5	3.49	4.00
3.25	YES		NO					
L0002458		0	0.71400E-06	466654.5	3729007.9	388.4	3.49	4.00
3.25	YES		NO					
L0002459		0	0.71400E-06	466648.3	3729013.8	388.4	3.49	4.00
3.25	YES		NO					
L0002460		0	0.71400E-06	466642.1	3729019.8	388.6	3.49	4.00
3.25	YES		NO					
L0002461		0	0.71400E-06	466635.9	3729025.7	388.8	3.49	4.00
3.25	YES		NO					
L0002462		0	0.71400E-06	466629.7	3729031.7	389.0	3.49	4.00
3.25	YES		NO					
L0002463		0	0.71400E-06	466623.5	3729037.6	389.2	3.49	4.00
3.25	YES		NO					
L0002464		0	0.71400E-06	466617.3	3729043.5	389.4	3.49	4.00
3.25	YES		NO					
L0002465		0	0.71400E-06	466611.1	3729049.5	389.5	3.49	4.00
3.25	YES		NO					
L0002466		0	0.71400E-06	466604.9	3729055.4	389.5	3.49	4.00
3.25	YES		NO					
L0002467		0	0.71400E-06	466598.7	3729061.4	389.5	3.49	4.00
3.25	YES		NO					
L0002468		0	0.71400E-06	466592.5	3729067.4	389.3	3.49	4.00
3.25	YES		NO					
L0002469		0	0.71400E-06	466586.3	3729073.3	389.1	3.49	4.00
3.25	YES		NO					
L0002470		0	0.71400E-06	466580.2	3729079.3	389.0	3.49	4.00
3.25	YES		NO					
L0002471		0	0.71400E-06	466574.0	3729085.3	388.9	3.49	4.00
3.25	YES		NO					
L0002472		0	0.71400E-06	466567.8	3729091.3	389.0	3.49	4.00
3.25	YES		NO					
L0002473		0	0.71400E-06	466561.7	3729097.2	389.1	3.49	4.00
3.25	YES		NO					
L0002474		0	0.71400E-06	466555.5	3729103.2	389.0	3.49	4.00
3.25	YES		NO					
L0002475		0	0.71400E-06	466549.3	3729109.2	389.0	3.49	4.00
3.25	YES		NO					
L0002476		0	0.71400E-06	466543.1	3729115.2	389.0	3.49	4.00
3.25	YES		NO					
L0002477		0	0.71400E-06	466536.9	3729121.1	389.0	3.49	4.00
3.25	YES		NO					
L0002478		0	0.71400E-06	466530.7	3729127.0	389.0	3.49	4.00

3.25	YES			NO				
L0002479		0	0.71400E-06	466524.5	3729132.9	389.0	3.49	4.00
3.25	YES			NO				
L0002480		0	0.71400E-06	466518.2	3729138.8	388.9	3.49	4.00
3.25	YES			NO				
L0002481		0	0.71400E-06	466512.0	3729144.8	388.7	3.49	4.00
3.25	YES			NO				
L0002482		0	0.71400E-06	466505.8	3729150.7	388.6	3.49	4.00
3.25	YES			NO				
L0002483		0	0.71400E-06	466499.6	3729156.6	388.4	3.49	4.00
3.25	YES			NO				
L0002484		0	0.71400E-06	466493.3	3729162.5	388.2	3.49	4.00
3.25	YES			NO				
L0002485		0	0.71400E-06	466487.1	3729168.4	387.9	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 18

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002486		0	0.71400E-06	466480.9	3729174.3	387.7	3.49	4.00
3.25	YES			NO				
L0002487		0	0.71400E-06	466474.6	3729180.3	387.7	3.49	4.00
3.25	YES			NO				
L0002488		0	0.71400E-06	466468.4	3729186.2	387.6	3.49	4.00
3.25	YES			NO				
L0002489		0	0.71400E-06	466462.2	3729192.1	387.3	3.49	4.00
3.25	YES			NO				
L0002490		0	0.71400E-06	466456.0	3729198.0	386.9	3.49	4.00
3.25	YES			NO				
L0002491		0	0.71400E-06	466449.8	3729204.0	386.7	3.49	4.00
3.25	YES			NO				
L0002492		0	0.71400E-06	466443.5	3729209.9	386.5	3.49	4.00
3.25	YES			NO				
L0002493		0	0.71400E-06	466437.3	3729215.8	386.3	3.49	4.00

3.25	YES		NO					
L0002494		0	0.71400E-06	466431.1	3729221.7	386.1	3.49	4.00
3.25	YES		NO					
L0002495		0	0.71400E-06	466424.9	3729227.7	385.9	3.49	4.00
3.25	YES		NO					
L0002496		0	0.71400E-06	466418.7	3729233.6	385.8	3.49	4.00
3.25	YES		NO					
L0002497		0	0.71400E-06	466412.5	3729239.5	385.6	3.49	4.00
3.25	YES		NO					
L0002498		0	0.71400E-06	466406.2	3729245.4	385.4	3.49	4.00
3.25	YES		NO					
L0002499		0	0.71400E-06	466400.0	3729251.4	385.2	3.49	4.00
3.25	YES		NO					
L0002500		0	0.71400E-06	466393.8	3729257.3	385.0	3.49	4.00
3.25	YES		NO					
L0002501		0	0.71400E-06	466387.6	3729263.3	385.0	3.49	4.00
3.25	YES		NO					
L0002502		0	0.71400E-06	466381.4	3729269.2	385.0	3.49	4.00
3.25	YES		NO					
L0002503		0	0.71400E-06	466375.2	3729275.2	385.0	3.49	4.00
3.25	YES		NO					
L0002504		0	0.71400E-06	466369.0	3729281.1	385.0	3.49	4.00
3.25	YES		NO					
L0002505		0	0.71400E-06	466362.8	3729287.0	385.0	3.49	4.00
3.25	YES		NO					
L0002506		0	0.71400E-06	466356.6	3729293.0	385.0	3.49	4.00
3.25	YES		NO					
L0002507		0	0.71400E-06	466350.4	3729298.9	385.0	3.49	4.00
3.25	YES		NO					
L0002508		0	0.71400E-06	466344.2	3729304.9	385.0	3.49	4.00
3.25	YES		NO					
L0002509		0	0.71400E-06	466338.0	3729310.8	385.0	3.49	4.00
3.25	YES		NO					
L0002510		0	0.71400E-06	466331.8	3729316.7	385.0	3.49	4.00
3.25	YES		NO					
L0002511		0	0.71400E-06	466325.6	3729322.7	384.7	3.49	4.00
3.25	YES		NO					
L0002512		0	0.71400E-06	466319.4	3729328.6	384.4	3.49	4.00
3.25	YES		NO					
L0002513		0	0.71400E-06	466313.2	3729334.6	384.2	3.49	4.00
3.25	YES		NO					
L0002514		0	0.71400E-06	466307.0	3729340.5	384.1	3.49	4.00
3.25	YES		NO					
L0002515		0	0.71400E-06	466300.8	3729346.4	384.0	3.49	4.00
3.25	YES		NO					
L0002516		0	0.71400E-06	466294.6	3729352.4	384.0	3.49	4.00
3.25	YES		NO					
L0002517		0	0.71400E-06	466288.4	3729358.3	384.0	3.49	4.00
3.25	YES		NO					
L0002518		0	0.71400E-06	466282.1	3729364.2	384.0	3.49	4.00

3.25	YES			NO				
L0002519		0	0.71400E-06	466275.9	3729370.2	384.0	3.49	4.00
3.25	YES			NO				
L0002520		0	0.71400E-06	466269.7	3729376.1	384.0	3.49	4.00
3.25	YES			NO				
L0002521		0	0.71400E-06	466263.5	3729382.0	384.4	3.49	4.00
3.25	YES			NO				
L0002522		0	0.71400E-06	466257.3	3729388.0	384.8	3.49	4.00
3.25	YES			NO				
L0002523		0	0.71400E-06	466251.2	3729394.0	385.2	3.49	4.00
3.25	YES			NO				
L0002524		0	0.71400E-06	466245.5	3729400.4	385.6	3.49	4.00
3.25	YES			NO				
L0002525		0	0.71400E-06	466239.7	3729406.8	386.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 19

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT				
SZ	SOURCE	SCALAR	VARY	X	Y	ELEV.	HEIGHT	SY
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002526		0	0.71400E-06	466234.0	3729413.2	386.0	3.49	4.00
3.25	YES			NO				
L0002527		0	0.71400E-06	466228.3	3729419.6	386.0	3.49	4.00
3.25	YES			NO				
L0002528		0	0.71400E-06	466222.9	3729426.3	386.0	3.49	4.00
3.25	YES			NO				
L0002529		0	0.71400E-06	466218.1	3729433.4	386.0	3.49	4.00
3.25	YES			NO				
L0002530		0	0.71400E-06	466213.2	3729440.5	386.0	3.49	4.00
3.25	YES			NO				
L0002531		0	0.71400E-06	466208.3	3729447.5	386.0	3.49	4.00
3.25	YES			NO				
L0002532		0	0.71400E-06	466204.1	3729455.0	386.2	3.49	4.00
3.25	YES			NO				
L0002533		0	0.71400E-06	466200.5	3729462.8	386.3	3.49	4.00

3.25	YES		NO					
L0002534		0	0.71400E-06	466196.9	3729470.6	386.4	3.49	4.00
3.25	YES		NO					
L0002535		0	0.71400E-06	466193.4	3729478.4	386.5	3.49	4.00
3.25	YES		NO					
L0002536		0	0.71400E-06	466190.8	3729486.6	386.6	3.49	4.00
3.25	YES		NO					
L0002537		0	0.71400E-06	466188.2	3729494.8	386.7	3.49	4.00
3.25	YES		NO					
L0002538		0	0.71400E-06	466185.7	3729503.0	386.6	3.49	4.00
3.25	YES		NO					
L0002539		0	0.71400E-06	466183.1	3729511.2	386.4	3.49	4.00
3.25	YES		NO					
L0002540		0	0.71400E-06	466180.6	3729519.4	386.2	3.49	4.00
3.25	YES		NO					
L0002541		0	0.71400E-06	466178.1	3729527.6	386.1	3.49	4.00
3.25	YES		NO					
L0002542		0	0.71400E-06	466175.5	3729535.8	386.1	3.49	4.00
3.25	YES		NO					
L0002543		0	0.71400E-06	466173.0	3729544.1	386.2	3.49	4.00
3.25	YES		NO					
L0002544		0	0.71400E-06	466170.5	3729552.3	386.3	3.49	4.00
3.25	YES		NO					
L0002545		0	0.71400E-06	466167.9	3729560.5	386.4	3.49	4.00
3.25	YES		NO					
L0002546		0	0.71400E-06	466165.4	3729568.7	386.5	3.49	4.00
3.25	YES		NO					
L0002547		0	0.71400E-06	466162.9	3729576.9	386.6	3.49	4.00
3.25	YES		NO					
L0002548		0	0.71400E-06	466160.3	3729585.1	386.6	3.49	4.00
3.25	YES		NO					
L0002549		0	0.71400E-06	466157.8	3729593.3	387.0	3.49	4.00
3.25	YES		NO					
L0002550		0	0.71380E-06	466174.8	3729597.6	386.6	0.00	4.00
3.25	YES		NO					
L0002551		0	0.71380E-06	466183.1	3729600.0	386.4	0.00	4.00
3.25	YES		NO					
L0002552		0	0.71380E-06	466191.3	3729602.4	386.1	0.00	4.00
3.25	YES		NO					
L0002553		0	0.71380E-06	466199.6	3729604.8	385.8	0.00	4.00
3.25	YES		NO					
L0002554		0	0.71380E-06	466207.8	3729607.2	385.4	0.00	4.00
3.25	YES		NO					
L0002555		0	0.71380E-06	466216.1	3729609.3	384.9	0.00	4.00
3.25	YES		NO					
L0002556		0	0.71380E-06	466224.5	3729611.4	384.5	0.00	4.00
3.25	YES		NO					
L0002557		0	0.71380E-06	466232.8	3729613.5	384.2	0.00	4.00
3.25	YES		NO					
L0002558		0	0.71380E-06	466241.0	3729616.1	383.9	0.00	4.00

3.25	YES			NO				
L0002559		0	0.71380E-06	466248.8	3729619.7	383.3	0.00	4.00
3.25	YES			NO				
L0002560		0	0.71380E-06	466256.6	3729623.3	382.8	0.00	4.00
3.25	YES			NO				
L0002561		0	0.71380E-06	466264.0	3729627.6	382.3	0.00	4.00
3.25	YES			NO				
L0002562		0	0.71380E-06	466271.1	3729632.5	382.0	0.00	4.00
3.25	YES			NO				
L0002563		0	0.71380E-06	466278.2	3729637.3	382.2	0.00	4.00
3.25	YES			NO				
L0002564		0	0.71380E-06	466284.8	3729642.7	382.4	0.00	4.00
3.25	YES			NO				
L0002565		0	0.71380E-06	466291.0	3729648.6	382.7	0.00	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 20

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002566		0	0.71380E-06	466297.3	3729654.5	382.9	0.00	4.00
3.25	YES			NO				
L0002567		0	0.71380E-06	466302.9	3729660.9	383.0	0.00	4.00
3.25	YES			NO				
L0002568		0	0.71380E-06	466307.7	3729668.0	383.0	0.00	4.00
3.25	YES			NO				
L0002569		0	0.71380E-06	466312.5	3729675.2	383.0	0.00	4.00
3.25	YES			NO				
L0002570		0	0.71380E-06	466317.3	3729682.3	383.0	0.00	4.00
3.25	YES			NO				
L0002571		0	0.71380E-06	466322.5	3729689.1	383.2	0.00	4.00
3.25	YES			NO				
L0002572		0	0.71380E-06	466327.8	3729695.9	383.6	0.00	4.00
3.25	YES			NO				
L0002573		0	0.71380E-06	466333.1	3729702.7	384.0	0.00	4.00

3.25	YES		NO				
L0002574		0	0.71380E-06	466338.8	3729709.1	384.2	0.00 4.00
3.25	YES		NO				
L0002575		0	0.71380E-06	466344.9	3729715.1	384.2	0.00 4.00
3.25	YES		NO				
L0002576		0	0.71380E-06	466351.0	3729721.1	384.2	0.00 4.00
3.25	YES		NO				
L0002577		0	0.71380E-06	466357.6	3729726.6	384.2	0.00 4.00
3.25	YES		NO				
L0002578		0	0.71380E-06	466364.8	3729731.2	384.2	0.00 4.00
3.25	YES		NO				
L0002579		0	0.71380E-06	466372.1	3729735.8	384.0	0.00 4.00
3.25	YES		NO				
L0002580		0	0.71380E-06	466379.3	3729740.5	383.7	0.00 4.00
3.25	YES		NO				
L0002581		0	0.71380E-06	466387.2	3729743.9	383.5	0.00 4.00
3.25	YES		NO				
L0002582		0	0.71380E-06	466395.1	3729747.2	383.3	0.00 4.00
3.25	YES		NO				
L0002583		0	0.71380E-06	466403.1	3729750.4	383.0	0.00 4.00
3.25	YES		NO				
L0002584		0	0.71380E-06	466411.3	3729752.8	382.9	0.00 4.00
3.25	YES		NO				
L0002585		0	0.71380E-06	466419.7	3729754.6	382.8	0.00 4.00
3.25	YES		NO				
L0002586		0	0.71380E-06	466428.1	3729756.3	382.6	0.00 4.00
3.25	YES		NO				
L0002587		0	0.71380E-06	466436.6	3729757.6	382.4	0.00 4.00
3.25	YES		NO				
L0002588		0	0.71380E-06	466445.2	3729757.8	382.3	0.00 4.00
3.25	YES		NO				
L0002589		0	0.71380E-06	466453.7	3729758.0	382.3	0.00 4.00
3.25	YES		NO				
L0002590		0	0.71380E-06	466462.3	3729758.1	382.3	0.00 4.00
3.25	YES		NO				
L0002591		0	0.71380E-06	466470.7	3729756.4	382.3	0.00 4.00
3.25	YES		NO				
L0002592		0	0.71380E-06	466479.2	3729754.7	382.4	0.00 4.00
3.25	YES		NO				
L0002593		0	0.71380E-06	466487.6	3729753.0	382.6	0.00 4.00
3.25	YES		NO				
L0002594		0	0.71380E-06	466496.0	3729751.3	382.8	0.00 4.00
3.25	YES		NO				
L0002595		0	0.71380E-06	466504.3	3729749.0	383.0	0.00 4.00
3.25	YES		NO				
L0002596		0	0.71380E-06	466512.6	3729746.7	383.2	0.00 4.00
3.25	YES		NO				
L0002597		0	0.71380E-06	466520.8	3729744.4	383.2	0.00 4.00
3.25	YES		NO				
L0002598		0	0.71380E-06	466529.1	3729742.1	383.1	0.00 4.00

3.25	YES			NO				
L0002599		0	0.71380E-06	466537.4	3729739.8	382.9	0.00	4.00
3.25	YES			NO				
L0002600		0	0.71380E-06	466545.6	3729737.3	384.3	0.00	4.00
3.25	YES			NO				
L0002601		0	0.71380E-06	466553.8	3729734.9	386.3	0.00	4.00
3.25	YES			NO				
L0002602		0	0.71380E-06	466562.1	3729732.4	388.2	0.00	4.00
3.25	YES			NO				
L0002603		0	0.71380E-06	466570.3	3729730.0	389.6	0.00	4.00
3.25	YES			NO				
L0002604		0	0.71380E-06	466578.5	3729727.5	389.6	0.00	4.00
3.25	YES			NO				
L0002605		0	0.71380E-06	466586.8	3729725.1	389.7	0.00	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 21

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002606		0	0.71380E-06	466595.0	3729722.6	389.9	0.00	4.00
3.25	YES			NO				
L0002607		0	0.71380E-06	466603.2	3729720.2	390.1	0.00	4.00
3.25	YES			NO				
L0002608		0	0.71380E-06	466611.5	3729717.7	390.3	0.00	4.00
3.25	YES			NO				
L0002609		0	0.71380E-06	466619.7	3729715.3	390.4	0.00	4.00
3.25	YES			NO				
L0002610		0	0.71380E-06	466627.9	3729712.9	390.4	0.00	4.00
3.25	YES			NO				
L0002611		0	0.71380E-06	466636.2	3729710.4	390.8	0.00	4.00
3.25	YES			NO				
L0002612		0	0.71380E-06	466644.4	3729708.0	391.2	0.00	4.00
3.25	YES			NO				
L0002613		0	0.71380E-06	466652.7	3729705.9	391.5	0.00	4.00

3.25	YES		NO				
L0002614		0	0.71380E-06	466661.2	3729704.6	392.4	0.00 4.00
3.25	YES		NO				
L0002615		0	0.71380E-06	466669.7	3729704.0	394.3	0.00 4.00
3.25	YES		NO				
L0002616		0	0.71380E-06	466678.3	3729705.0	396.3	0.00 4.00
3.25	YES		NO				
L0002617		0	0.71380E-06	466686.8	3729706.0	398.3	0.00 4.00
3.25	YES		NO				
L0002618		0	0.71380E-06	466695.4	3729706.9	399.8	0.00 4.00
3.25	YES		NO				
L0002619		0	0.71380E-06	466703.9	3729707.9	401.0	0.00 4.00
3.25	YES		NO				
L0002620		0	0.71380E-06	466712.4	3729708.8	402.2	0.00 4.00
3.25	YES		NO				
L0002621		0	0.71380E-06	466721.0	3729709.8	403.1	0.00 4.00
3.25	YES		NO				
L0002622		0	0.35950E-06	466741.1	3729716.7	403.1	0.00 4.00
3.25	YES		NO				
L0002623		0	0.35950E-06	466749.5	3729718.4	403.0	0.00 4.00
3.25	YES		NO				
L0002624		0	0.35950E-06	466758.0	3729720.0	402.4	0.00 4.00
3.25	YES		NO				
L0002625		0	0.35950E-06	466766.4	3729721.6	401.9	0.00 4.00
3.25	YES		NO				
L0002626		0	0.35950E-06	466774.8	3729723.3	401.3	0.00 4.00
3.25	YES		NO				
L0002627		0	0.35950E-06	466783.1	3729725.5	400.8	0.00 4.00
3.25	YES		NO				
L0002628		0	0.35950E-06	466791.4	3729727.9	400.5	0.00 4.00
3.25	YES		NO				
L0002629		0	0.35950E-06	466799.7	3729730.2	400.2	0.00 4.00
3.25	YES		NO				
L0002630		0	0.35950E-06	466807.9	3729732.5	399.9	0.00 4.00
3.25	YES		NO				
L0002631		0	0.35950E-06	466816.2	3729734.8	399.1	0.00 4.00
3.25	YES		NO				
L0002632		0	0.35950E-06	466824.5	3729737.2	398.0	0.00 4.00
3.25	YES		NO				
L0002633		0	0.35950E-06	466832.7	3729739.5	397.0	0.00 4.00
3.25	YES		NO				
L0002634		0	0.35950E-06	466841.0	3729741.8	396.2	0.00 4.00
3.25	YES		NO				
L0002635		0	0.35950E-06	466849.3	3729744.1	396.3	0.00 4.00
3.25	YES		NO				
L0002636		0	0.35950E-06	466857.5	3729746.5	396.4	0.00 4.00
3.25	YES		NO				
L0002637		0	0.35950E-06	466865.8	3729748.8	396.4	0.00 4.00
3.25	YES		NO				
L0002638		0	0.35950E-06	466874.1	3729751.1	396.9	0.00 4.00

3.25	YES			NO				
L0002639		0	0.35950E-06	466882.4	3729753.5	397.9	0.00	4.00
3.25	YES			NO				
L0002640		0	0.35950E-06	466890.6	3729755.8	399.0	0.00	4.00
3.25	YES			NO				
L0002641		0	0.35950E-06	466899.0	3729757.5	400.1	0.00	4.00
3.25	YES			NO				
L0002642		0	0.35950E-06	466907.5	3729759.2	400.6	0.00	4.00
3.25	YES			NO				
L0002643		0	0.35950E-06	466915.9	3729760.9	401.0	0.00	4.00
3.25	YES			NO				
L0002644		0	0.35950E-06	466924.3	3729762.6	401.5	0.00	4.00
3.25	YES			NO				
L0002645		0	0.35950E-06	466932.7	3729764.3	401.9	0.00	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 02/05/25

 12:08:06

PAGE 22

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						
L0002646		0	0.17950E-06	466643.5	3730039.0	388.2	3.49	4.00
3.25	YES			NO				
L0002647		0	0.17950E-06	466645.9	3730030.8	388.0	3.49	4.00
3.25	YES			NO				
L0002648		0	0.17950E-06	466648.2	3730022.5	388.0	3.49	4.00
3.25	YES			NO				
L0002649		0	0.17950E-06	466650.6	3730014.2	388.0	3.49	4.00
3.25	YES			NO				
L0002650		0	0.17950E-06	466652.9	3730006.0	388.0	3.49	4.00
3.25	YES			NO				
L0002651		0	0.17950E-06	466655.3	3729997.7	388.0	3.49	4.00
3.25	YES			NO				
L0002652		0	0.17950E-06	466657.6	3729989.5	388.0	3.49	4.00
3.25	YES			NO				
L0002653		0	0.17950E-06	466660.0	3729981.2	388.0	3.49	4.00

3.25	YES		NO					
L0002654		0	0.17950E-06	466662.3	3729972.9	388.0	3.49	4.00
3.25	YES		NO					
L0002655		0	0.17950E-06	466664.7	3729964.7	387.8	3.49	4.00
3.25	YES		NO					
L0002656		0	0.17950E-06	466667.0	3729956.4	387.6	3.49	4.00
3.25	YES		NO					
L0002657		0	0.17950E-06	466669.4	3729948.2	387.4	3.49	4.00
3.25	YES		NO					
L0002658		0	0.17950E-06	466671.7	3729939.9	387.4	3.49	4.00
3.25	YES		NO					
L0002659		0	0.17950E-06	466674.1	3729931.6	387.5	3.49	4.00
3.25	YES		NO					
L0002660		0	0.17950E-06	466676.4	3729923.4	387.6	3.49	4.00
3.25	YES		NO					
L0002661		0	0.17950E-06	466678.8	3729915.1	387.7	3.49	4.00
3.25	YES		NO					
L0002662		0	0.17950E-06	466681.1	3729906.8	387.8	3.49	4.00
3.25	YES		NO					
L0002663		0	0.17950E-06	466683.5	3729898.6	387.9	3.49	4.00
3.25	YES		NO					
L0002664		0	0.17950E-06	466685.9	3729890.3	388.0	3.49	4.00
3.25	YES		NO					
L0002665		0	0.17950E-06	466688.2	3729882.1	388.0	3.49	4.00
3.25	YES		NO					
L0002666		0	0.17950E-06	466690.6	3729873.8	388.0	3.49	4.00
3.25	YES		NO					
L0002667		0	0.17950E-06	466692.9	3729865.5	388.2	3.49	4.00
3.25	YES		NO					
L0002668		0	0.17950E-06	466695.3	3729857.3	388.4	3.49	4.00
3.25	YES		NO					
L0002669		0	0.17950E-06	466697.6	3729849.0	389.5	3.49	4.00
3.25	YES		NO					
L0002670		0	0.17950E-06	466700.0	3729840.8	390.7	3.49	4.00
3.25	YES		NO					
L0002671		0	0.17950E-06	466702.3	3729832.5	392.0	3.49	4.00
3.25	YES		NO					
L0002672		0	0.17950E-06	466704.7	3729824.2	393.3	3.49	4.00
3.25	YES		NO					
L0002673		0	0.17950E-06	466707.0	3729816.0	394.8	3.49	4.00
3.25	YES		NO					
L0002674		0	0.17950E-06	466709.4	3729807.7	396.2	3.49	4.00
3.25	YES		NO					
L0002675		0	0.17950E-06	466711.7	3729799.4	397.5	3.49	4.00
3.25	YES		NO					
L0002676		0	0.17950E-06	466714.1	3729791.2	398.7	3.49	4.00
3.25	YES		NO					
L0002677		0	0.17950E-06	466716.4	3729782.9	399.8	3.49	4.00
3.25	YES		NO					
L0002678		0	0.17950E-06	466718.8	3729774.7	400.9	3.49	4.00

3.25	YES			NO				
L0002679		0	0.17950E-06	466721.1	3729766.4	401.9	3.49	4.00
3.25	YES			NO				
L0002680		0	0.17950E-06	466723.5	3729758.1	402.4	3.49	4.00
3.25	YES			NO				
L0002681		0	0.17950E-06	466725.8	3729749.9	402.9	3.49	4.00
3.25	YES			NO				
L0002682		0	0.17950E-06	466728.2	3729741.6	403.3	3.49	4.00
3.25	YES			NO				
L0002683		0	0.17950E-06	466730.5	3729733.4	403.6	3.49	4.00
3.25	YES			NO				
L0002684		0	0.17920E-06	466750.4	3729701.7	402.9	3.49	4.00
3.25	YES			NO				
L0002685		0	0.17920E-06	466756.0	3729695.2	402.5	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 23

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY					
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002686		0	0.17920E-06	466761.6	3729688.7	402.0	3.49	4.00
3.25	YES			NO				
L0002687		0	0.17920E-06	466767.5	3729682.5	401.3	3.49	4.00
3.25	YES			NO				
L0002688		0	0.17920E-06	466774.0	3729676.8	400.6	3.49	4.00
3.25	YES			NO				
L0002689		0	0.17920E-06	466780.4	3729671.2	399.0	3.49	4.00
3.25	YES			NO				
L0002690		0	0.17920E-06	466786.9	3729665.5	396.7	3.49	4.00
3.25	YES			NO				
L0002691		0	0.17920E-06	466793.3	3729659.8	394.6	3.49	4.00
3.25	YES			NO				
L0002692		0	0.17920E-06	466799.8	3729654.2	392.6	3.49	4.00
3.25	YES			NO				
L0002693		0	0.17920E-06	466806.3	3729648.5	390.8	3.49	4.00

3.25	YES		NO					
L0002694		0	0.17920E-06	466812.7	3729642.9	390.0	3.49	4.00
3.25	YES		NO					
L0002695		0	0.17920E-06	466819.2	3729637.2	389.9	3.49	4.00
3.25	YES		NO					
L0002696		0	0.17920E-06	466825.7	3729631.5	389.7	3.49	4.00
3.25	YES		NO					
L0002697		0	0.17920E-06	466832.1	3729625.9	389.5	3.49	4.00
3.25	YES		NO					
L0002698		0	0.17920E-06	466838.6	3729620.2	389.2	3.49	4.00
3.25	YES		NO					
L0002699		0	0.17920E-06	466845.0	3729614.6	388.9	3.49	4.00
3.25	YES		NO					
L0002700		0	0.17920E-06	466851.5	3729608.9	388.4	3.49	4.00
3.25	YES		NO					
L0002701		0	0.17920E-06	466858.0	3729603.2	387.9	3.49	4.00
3.25	YES		NO					
L0002702		0	0.17920E-06	466864.4	3729597.6	387.3	3.49	4.00
3.25	YES		NO					
L0002703		0	0.17920E-06	466870.9	3729591.9	386.7	3.49	4.00
3.25	YES		NO					
L0002704		0	0.17920E-06	466877.4	3729586.3	386.5	3.49	4.00
3.25	YES		NO					
L0002705		0	0.17920E-06	466883.8	3729580.6	386.8	3.49	4.00
3.25	YES		NO					
L0002706		0	0.17920E-06	466890.3	3729575.0	387.0	3.49	4.00
3.25	YES		NO					
L0002707		0	0.17920E-06	466896.9	3729569.5	387.3	3.49	4.00
3.25	YES		NO					
L0002708		0	0.17920E-06	466903.5	3729563.9	387.4	3.49	4.00
3.25	YES		NO					
L0002709		0	0.17920E-06	466910.0	3729558.4	387.4	3.49	4.00
3.25	YES		NO					
L0002710		0	0.17920E-06	466916.6	3729552.8	387.5	3.49	4.00
3.25	YES		NO					
L0002711		0	0.17920E-06	466923.1	3729547.3	387.5	3.49	4.00
3.25	YES		NO					
L0002712		0	0.17920E-06	466929.7	3729541.7	387.5	3.49	4.00
3.25	YES		NO					
L0002713		0	0.17920E-06	466936.3	3729536.2	387.6	3.49	4.00
3.25	YES		NO					
L0002714		0	0.17920E-06	466942.8	3729530.7	387.6	3.49	4.00
3.25	YES		NO					
L0002715		0	0.17920E-06	466949.4	3729525.1	387.6	3.49	4.00
3.25	YES		NO					
L0002716		0	0.17920E-06	466955.9	3729519.6	387.7	3.49	4.00
3.25	YES		NO					
L0002717		0	0.17920E-06	466962.5	3729514.0	387.7	3.49	4.00
3.25	YES		NO					
L0002718		0	0.17920E-06	466969.1	3729508.5	387.7	3.49	4.00

3.25	YES			NO				
L0002719		0	0.17920E-06	466975.6	3729502.9	387.8	3.49	4.00
3.25	YES			NO				
L0002720		0	0.17920E-06	466982.2	3729497.4	387.8	3.49	4.00
3.25	YES			NO				
L0002721		0	0.17920E-06	466988.8	3729491.8	387.8	3.49	4.00
3.25	YES			NO				
L0002722		0	0.17920E-06	466995.3	3729486.3	387.9	3.49	4.00
3.25	YES			NO				
L0002723		0	0.17920E-06	467001.9	3729480.8	387.9	3.49	4.00
3.25	YES			NO				
L0002724		0	0.17920E-06	467008.4	3729475.2	387.9	3.49	4.00
3.25	YES			NO				
L0002725		0	0.17920E-06	467015.0	3729469.7	388.0	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 24

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002726		0	0.17920E-06	467021.6	3729464.1	388.0	3.49	4.00
3.25	YES			NO				
L0002727		0	0.17920E-06	467028.1	3729458.6	388.2	3.49	4.00
3.25	YES			NO				
L0002728		0	0.17920E-06	467034.7	3729453.0	388.5	3.49	4.00
3.25	YES			NO				
L0002729		0	0.17920E-06	467041.2	3729447.5	389.0	3.49	4.00
3.25	YES			NO				
L0002730		0	0.17920E-06	467047.8	3729442.0	389.6	3.49	4.00
3.25	YES			NO				
L0002731		0	0.17920E-06	467054.4	3729436.4	390.2	3.49	4.00
3.25	YES			NO				
L0002732		0	0.17860E-06	466943.2	3729750.2	400.9	3.49	4.00
3.25	YES			NO				
L0002733		0	0.17860E-06	466947.2	3729742.6	400.2	3.49	4.00

3.25	YES		NO					
L0002734		0	0.17860E-06	466951.2	3729735.0	399.6	3.49	4.00
3.25	YES		NO					
L0002735		0	0.17860E-06	466955.2	3729727.4	399.0	3.49	4.00
3.25	YES		NO					
L0002736		0	0.17860E-06	466959.2	3729719.8	398.4	3.49	4.00
3.25	YES		NO					
L0002737		0	0.17860E-06	466963.2	3729712.2	397.6	3.49	4.00
3.25	YES		NO					
L0002738		0	0.17860E-06	466967.1	3729704.6	396.8	3.49	4.00
3.25	YES		NO					
L0002739		0	0.17860E-06	466971.1	3729697.0	395.9	3.49	4.00
3.25	YES		NO					
L0002740		0	0.17860E-06	466975.1	3729689.4	395.1	3.49	4.00
3.25	YES		NO					
L0002741		0	0.17860E-06	466979.1	3729681.8	394.3	3.49	4.00
3.25	YES		NO					
L0002742		0	0.17860E-06	466983.1	3729674.2	393.6	3.49	4.00
3.25	YES		NO					
L0002743		0	0.17860E-06	466987.1	3729666.5	392.7	3.49	4.00
3.25	YES		NO					
L0002744		0	0.17860E-06	466991.1	3729658.9	391.8	3.49	4.00
3.25	YES		NO					
L0002745		0	0.17860E-06	466995.1	3729651.3	390.9	3.49	4.00
3.25	YES		NO					
L0002746		0	0.17860E-06	466999.1	3729643.7	390.3	3.49	4.00
3.25	YES		NO					
L0002747		0	0.17860E-06	467003.1	3729636.1	390.3	3.49	4.00
3.25	YES		NO					
L0002748		0	0.17860E-06	467007.1	3729628.5	390.3	3.49	4.00
3.25	YES		NO					
L0002749		0	0.17860E-06	467011.1	3729620.9	390.5	3.49	4.00
3.25	YES		NO					
L0002750		0	0.17860E-06	467015.1	3729613.3	390.8	3.49	4.00
3.25	YES		NO					
L0002751		0	0.17860E-06	467019.0	3729605.7	391.3	3.49	4.00
3.25	YES		NO					
L0002752		0	0.17860E-06	467023.0	3729598.1	391.8	3.49	4.00
3.25	YES		NO					
L0002753		0	0.17860E-06	467027.0	3729590.5	392.0	3.49	4.00
3.25	YES		NO					
L0002754		0	0.17860E-06	467031.0	3729582.9	391.9	3.49	4.00
3.25	YES		NO					
L0002755		0	0.17860E-06	467035.0	3729575.3	391.6	3.49	4.00
3.25	YES		NO					
L0002756		0	0.17860E-06	467039.0	3729567.7	391.4	3.49	4.00
3.25	YES		NO					
L0002757		0	0.17860E-06	467043.0	3729560.1	391.1	3.49	4.00
3.25	YES		NO					
L0002758		0	0.17860E-06	467047.0	3729552.5	390.9	3.49	4.00

3.25	YES			NO				
L0002759		0	0.17860E-06	467051.0	3729544.9	390.7	3.49	4.00
3.25	YES			NO				
L0002760		0	0.17860E-06	467055.0	3729537.2	390.6	3.49	4.00
3.25	YES			NO				
L0002761		0	0.17860E-06	467060.3	3729530.5	390.6	3.49	4.00
3.25	YES			NO				
L0002762		0	0.17860E-06	467065.7	3729523.8	390.5	3.49	4.00
3.25	YES			NO				
L0002763		0	0.17860E-06	467071.0	3729517.1	390.7	3.49	4.00
3.25	YES			NO				
L0002764		0	0.17860E-06	467076.4	3729510.4	390.9	3.49	4.00
3.25	YES			NO				
L0002765		0	0.17860E-06	467081.7	3729503.7	391.1	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 25

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY	X	Y	(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						

L0002766		0	0.17860E-06	467087.1	3729497.0	391.5	3.49	4.00
3.25	YES			NO				
L0002767		0	0.17860E-06	467092.5	3729490.2	391.7	3.49	4.00
3.25	YES			NO				
L0002768		0	0.17860E-06	467097.8	3729483.5	391.8	3.49	4.00
3.25	YES			NO				
L0002769		0	0.17930E-06	466920.6	3729780.5	402.0	3.49	4.00
3.25	YES			NO				
L0002770		0	0.17930E-06	466915.0	3729787.0	402.2	3.49	4.00
3.25	YES			NO				
L0002771		0	0.17930E-06	466909.4	3729793.5	402.6	3.49	4.00
3.25	YES			NO				
L0002772		0	0.17930E-06	466903.8	3729800.0	402.7	3.49	4.00
3.25	YES			NO				
L0002773		0	0.17930E-06	466898.2	3729806.5	402.4	3.49	4.00

3.25	YES		NO					
L0002774		0	0.17930E-06	466892.5	3729813.0	401.2	3.49	4.00
3.25	YES		NO					
L0002775		0	0.17930E-06	466886.9	3729819.5	399.9	3.49	4.00
3.25	YES		NO					
L0002776		0	0.17930E-06	466881.3	3729826.0	398.3	3.49	4.00
3.25	YES		NO					
L0002777		0	0.17930E-06	466875.7	3729832.5	395.8	3.49	4.00
3.25	YES		NO					
L0002778		0	0.17930E-06	466870.1	3729839.0	393.5	3.49	4.00
3.25	YES		NO					
L0002779		0	0.17930E-06	466864.3	3729845.3	391.7	3.49	4.00
3.25	YES		NO					
L0002780		0	0.17930E-06	466858.4	3729851.6	390.2	3.49	4.00
3.25	YES		NO					
L0002781		0	0.17930E-06	466852.5	3729857.8	389.4	3.49	4.00
3.25	YES		NO					
L0002782		0	0.17930E-06	466846.6	3729864.1	389.2	3.49	4.00
3.25	YES		NO					
L0002783		0	0.17930E-06	466840.8	3729870.4	389.0	3.49	4.00
3.25	YES		NO					
L0002784		0	0.17930E-06	466834.9	3729876.6	389.0	3.49	4.00
3.25	YES		NO					
L0002785		0	0.17930E-06	466829.0	3729882.9	389.0	3.49	4.00
3.25	YES		NO					
L0002786		0	0.17930E-06	466823.1	3729889.2	389.1	3.49	4.00
3.25	YES		NO					
L0002787		0	0.17930E-06	466817.2	3729895.4	389.3	3.49	4.00
3.25	YES		NO					
L0002788		0	0.17930E-06	466811.4	3729901.7	389.5	3.49	4.00
3.25	YES		NO					
L0002789		0	0.17930E-06	466805.6	3729908.1	389.7	3.49	4.00
3.25	YES		NO					
L0002790		0	0.17930E-06	466799.9	3729914.5	389.9	3.49	4.00
3.25	YES		NO					
L0002791		0	0.17930E-06	466794.2	3729921.0	390.2	3.49	4.00
3.25	YES		NO					
L0002792		0	0.17930E-06	466788.6	3729927.4	390.4	3.49	4.00
3.25	YES		NO					
L0002793		0	0.17930E-06	466783.4	3729934.2	390.6	3.49	4.00
3.25	YES		NO					
L0002794		0	0.17930E-06	466778.3	3729941.2	390.8	3.49	4.00
3.25	YES		NO					
L0002795		0	0.17930E-06	466773.2	3729948.1	390.8	3.49	4.00
3.25	YES		NO					
L0002796		0	0.17930E-06	466768.1	3729955.0	390.6	3.49	4.00
3.25	YES		NO					
L0002797		0	0.17930E-06	466763.0	3729961.9	390.4	3.49	4.00
3.25	YES		NO					
L0002798		0	0.17930E-06	466757.8	3729968.8	390.3	3.49	4.00

3.25	YES			NO				
L0002799		0	0.17930E-06	466752.7	3729975.7	390.1	3.49	4.00
3.25	YES			NO				
L0002800		0	0.17930E-06	466747.6	3729982.6	390.2	3.49	4.00
3.25	YES			NO				
L0002801		0	0.17930E-06	466743.4	3729990.1	390.3	3.49	4.00
3.25	YES			NO				
L0002802		0	0.17930E-06	466739.4	3729997.7	390.4	3.49	4.00
3.25	YES			NO				
L0002803		0	0.17930E-06	466735.4	3730005.2	390.5	3.49	4.00
3.25	YES			NO				
L0002804		0	0.17930E-06	466731.4	3730012.8	390.6	3.49	4.00
3.25	YES			NO				
L0002805		0	0.17930E-06	466727.3	3730020.4	390.5	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

PAGE 26

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

INIT.	URBAN	NUMBER	EMISSION	RATE		BASE	RELEASE	INIT.
SOURCE		EMISSION	RATE	AIRCRAFT		ELEV.	HEIGHT	SY
SZ	SOURCE	SCALAR	VARY			(METERS)	(METERS)	(METERS)
ID		CATS.		(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
(METERS)		BY						
L0002806		0	0.17930E-06	466723.3	3730028.0	390.3	3.49	4.00
3.25	YES			NO				
L0002807		0	0.17930E-06	466719.3	3730035.6	390.0	3.49	4.00
3.25	YES			NO				
L0002808		0	0.17930E-06	466715.3	3730043.2	390.1	3.49	4.00
3.25	YES			NO				
L0002809		0	0.17930E-06	466711.3	3730050.8	390.1	3.49	4.00
3.25	YES			NO				
L0002810		0	0.17930E-06	466707.2	3730058.4	390.0	3.49	4.00
3.25	YES			NO				
L0002811		0	0.17930E-06	466703.2	3730066.0	389.9	3.49	4.00
3.25	YES			NO				

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker ***
 *** AERMET - VERSION 16216 ***

*** 12:08:06

PAGE 27

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
ALL	L0001094 , L0001095 , L0001096 , L0001097 , L0001098 ,
L0001099	, L0001100 , L0001101 ,
	L0001102 , L0001103 , L0001104 , L0001105 , L0001106 ,
L0001107	, L0002047 , L0002048 ,
	L0002049 , L0002050 , L0002051 , L0002052 , L0002053 ,
L0002054	, L0002055 , L0002056 ,
	L0002057 , L0002058 , L0002059 , L0002060 , L0001122 ,
L0001123	, L0001124 , L0001125 ,
	L0001126 , L0001127 , L0001128 , L0001129 , L0001130 ,
L0001131	, L0001132 , L0001133 ,
	L0001134 , L0001135 , L0001136 , L0001137 , L0001138 ,
L0001139	, L0001140 , L0001141 ,
	L0001142 , L0001143 , L0001144 , L0001145 , L0001146 ,
L0001147	, L0001148 , L0001149 ,
	L0001150 , L0001151 , L0001152 , L0001153 , L0001154 ,
L0001155	, L0001156 , L0001157 ,
	L0001158 , L0001159 , L0001160 , L0001161 , L0001162 ,
L0001163	, L0001164 , L0001165 ,
	L0001166 , L0001167 , L0001168 , L0001169 , L0001170 ,
L0001171	, L0001172 , L0001173 ,
	L0001174 , L0001175 , L0001176 , L0001177 , L0001178 ,
L0001179	, L0001180 , L0002061 ,
	L0002062 , L0002063 , L0002064 , L0002065 , L0002066 ,
L0002067	, L0002068 , L0002069 ,
	L0002070 , L0002071 , L0002072 , L0002073 , L0002074 ,

```

L0002075      , L0002076      , L0002077      ,
                L0002078      , L0002079      , L0002080      , L0002081      , L0002082      ,
L0002083      , L0002084      , L0002085      ,
                L0002086      , L0002087      , L0002088      , L0002089      , L0002090      ,
L0002091      , L0002092      , L0002093      ,
                L0002094      , L0002095      , L0002096      , L0002097      , L0002098      ,
L0002099      , L0002100      , L0002101      ,
                L0002102      , L0002103      , L0002104      , L0002105      , L0002106      ,
L0002107      , L0002108      , L0002109      ,
                L0002110      , L0002111      , L0002112      , L0002113      , L0002114      ,
L0002115      , L0002116      , L0002117      ,
                L0002118      , L0002119      , L0002120      , L0002121      , L0002122      ,
L0002123      , L0002124      , L0002125      ,
                L0002126      , L0002127      , L0002128      , L0002129      , L0002130      ,
L0002131      , L0002132      , L0002133      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***                                     12:08:06

```

PAGE 28

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
L0002139	L0002134 , L0002135 , L0002136 , L0002137 , L0002138 , , L0002140 , L0002141 ,
L0002147	L0002142 , L0002143 , L0002144 , L0002145 , L0002146 , , L0002148 , L0002149 ,
L0002155	L0002150 , L0002151 , L0002152 , L0002153 , L0002154 , , L0002156 , L0002157 ,
L0002163	L0002158 , L0002159 , L0002160 , L0002161 , L0002162 , , L0002164 , L0002165 ,

L0002171	L0002166 , L0002172	, L0002167 , L0002173	, L0002168 ,	, L0002169	, L0002170	,
L0002179	L0002174 , L0002180	, L0002175 , L0002181	, L0002176 ,	, L0002177	, L0002178	,
L0002187	L0002182 , L0002188	, L0002183 , L0002189	, L0002184 ,	, L0002185	, L0002186	,
L0002195	L0002190 , L0002196	, L0002191 , L0002197	, L0002192 ,	, L0002193	, L0002194	,
L0002203	L0002198 , L0002204	, L0002199 , L0002205	, L0002200 ,	, L0002201	, L0002202	,
L0002211	L0002206 , L0001332	, L0002207 , L0001333	, L0002208 ,	, L0002209	, L0002210	,
L0001339	L0001334 , L0001340	, L0001335 , L0001341	, L0001336 ,	, L0001337	, L0001338	,
L0001347	L0001342 , L0001348	, L0001343 , L0001349	, L0001344 ,	, L0001345	, L0001346	,
L0001355	L0001350 , L0001356	, L0001351 , L0001357	, L0001352 ,	, L0001353	, L0001354	,
L0001363	L0001358 , L0001364	, L0001359 , L0001365	, L0001360 ,	, L0001361	, L0001362	,
L0001371	L0001366 , L0001372	, L0001367 , L0001373	, L0001368 ,	, L0001369	, L0001370	,
L0001379	L0001374 , L0001380	, L0001375 , L0001381	, L0001376 ,	, L0001377	, L0001378	,
L0002330	L0001382 , L0002331	, L0001383 , L0002332	, L0002327 ,	, L0002328	, L0002329	,
L0002338	L0002333 , L0002339	, L0002334 , L0002340	, L0002335 ,	, L0002336	, L0002337	,
L0002346	L0002341 , L0002347	, L0002342 , L0002348	, L0002343 ,	, L0002344	, L0002345	,
L0002354	L0002349 , L0002355	, L0002350 , L0002356	, L0002351 ,	, L0002352	, L0002353	,

*** AERMOD - VERSION 23132 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 ***

*** 12:08:06

PAGE 29

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
L0002362	L0002357 , L0002358 , L0002359 , L0002360 , L0002361 , L0002363 , L0002364 ,
L0002370	L0002365 , L0002366 , L0002367 , L0002368 , L0002369 , L0002371 , L0002372 ,
L0002378	L0002373 , L0002374 , L0002375 , L0002376 , L0002377 , L0002379 , L0002380 ,
L0002386	L0002381 , L0002382 , L0002383 , L0002384 , L0002385 , L0002387 , L0002388 ,
L0002394	L0002389 , L0002390 , L0002391 , L0002392 , L0002393 , L0002395 , L0002396 ,
L0002402	L0002397 , L0002398 , L0002399 , L0002400 , L0002401 , L0002403 , L0002404 ,
L0002410	L0002405 , L0002406 , L0002407 , L0002408 , L0002409 , L0002411 , L0002412 ,
L0002812	L0002413 , L0002414 , L0002415 , L0002416 , L0002417 , L0002813 , L0002814 ,
L0002820	L0002815 , L0002816 , L0002817 , L0002818 , L0002819 , L0002821 , L0002822 ,
L0002828	L0002823 , L0002824 , L0002825 , L0002826 , L0002827 , L0002829 , L0002830 ,
L0002836	L0002831 , L0002832 , L0002833 , L0002834 , L0002835 , L0002837 , L0002838 ,
L0002844	L0002839 , L0002840 , L0002841 , L0002842 , L0002843 , L0002845 , L0002846 ,
	L0002847 , L0002848 , L0002849 , L0002850 , L0002851 ,

```

L0002852      , L0002853      , L0002854      ,
                L0002855      , L0002856      , L0002857      , L0002858      , L0002859      ,
L0002860      , L0002861      , L0002862      ,
                L0002863      , L0002864      , L0002865      , L0002866      , L0002867      ,
L0002868      , L0002869      , L0002870      ,
                L0002871      , L0002872      , L0002873      , L0002874      , L0002875      ,
L0002876      , L0002877      , L0002878      ,
                L0002879      , L0002880      , L0002881      , L0002882      , L0002883      ,
L0002884      , L0002885      , L0002886      ,
                L0002887      , L0002888      , L0002889      , L0002890      , L0002891      ,
L0002892      , L0002893      , L0002894      ,
                L0002895      , L0001468      , L0001469      , L0001470      , L0001471      ,
L0001472      , L0001473      , L0001474      ,
                L0001475      , L0001476      , L0001477      , L0001478      , L0001479      ,
L0001480      , L0001481      , L0001482      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***                                     12:08:06

```

PAGE 30

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
L0001488	L0001483 , L0001484 , L0001485 , L0001486 , L0001487 , L0001489 , L0001490 ,
L0001496	L0001491 , L0001492 , L0001493 , L0001494 , L0001495 , L0001497 , L0001498 ,
L0001504	L0001499 , L0001500 , L0001501 , L0001502 , L0001503 , L0001505 , L0001506 ,
L0001512	L0001507 , L0001508 , L0001509 , L0001510 , L0001511 , L0001513 , L0001514 ,

L0001520	L0001515 , L0001521	, L0001516 , L0001522	, L0001517 ,	, L0001518	, L0001519	,
L0001528	L0001523 , L0001529	, L0001524 , L0001530	, L0001525 ,	, L0001526	, L0001527	,
L0001536	L0001531 , L0001537	, L0001532 , L0001538	, L0001533 ,	, L0001534	, L0001535	,
L0001544	L0001539 , L0001545	, L0001540 , L0001546	, L0001541 ,	, L0001542	, L0001543	,
L0002435	L0001547 , L0002436	, L0001548 , L0002437	, L0001549 ,	, L0001550	, L0002434	,
L0002443	L0002438 , L0002444	, L0002439 , L0002445	, L0002440 ,	, L0002441	, L0002442	,
L0002451	L0002446 , L0002452	, L0002447 , L0002453	, L0002448 ,	, L0002449	, L0002450	,
L0002459	L0002454 , L0002460	, L0002455 , L0002461	, L0002456 ,	, L0002457	, L0002458	,
L0002467	L0002462 , L0002468	, L0002463 , L0002469	, L0002464 ,	, L0002465	, L0002466	,
L0002475	L0002470 , L0002476	, L0002471 , L0002477	, L0002472 ,	, L0002473	, L0002474	,
L0002483	L0002478 , L0002484	, L0002479 , L0002485	, L0002480 ,	, L0002481	, L0002482	,
L0002491	L0002486 , L0002492	, L0002487 , L0002493	, L0002488 ,	, L0002489	, L0002490	,
L0002499	L0002494 , L0002500	, L0002495 , L0002501	, L0002496 ,	, L0002497	, L0002498	,
L0002507	L0002502 , L0002508	, L0002503 , L0002509	, L0002504 ,	, L0002505	, L0002506	,
L0002515	L0002510 , L0002516	, L0002511 , L0002517	, L0002512 ,	, L0002513	, L0002514	,
L0002523	L0002518 , L0002524	, L0002519 , L0002525	, L0002520 ,	, L0002521	, L0002522	,

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

C:\Users\adadabhoy\Desktop\AERMOD\15852
 02/05/25

*** 12:08:06

PAGE 31

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
L0002531	L0002526 , L0002527 , L0002528 , L0002529 , L0002530 , L0002532 , L0002533 ,
L0002539	L0002534 , L0002535 , L0002536 , L0002537 , L0002538 , L0002540 , L0002541 ,
L0002547	L0002542 , L0002543 , L0002544 , L0002545 , L0002546 , L0002548 , L0002549 ,
L0002555	L0002550 , L0002551 , L0002552 , L0002553 , L0002554 , L0002556 , L0002557 ,
L0002563	L0002558 , L0002559 , L0002560 , L0002561 , L0002562 , L0002564 , L0002565 ,
L0002571	L0002566 , L0002567 , L0002568 , L0002569 , L0002570 , L0002572 , L0002573 ,
L0002579	L0002574 , L0002575 , L0002576 , L0002577 , L0002578 , L0002580 , L0002581 ,
L0002587	L0002582 , L0002583 , L0002584 , L0002585 , L0002586 , L0002588 , L0002589 ,
L0002595	L0002590 , L0002591 , L0002592 , L0002593 , L0002594 , L0002596 , L0002597 ,
L0002603	L0002598 , L0002599 , L0002600 , L0002601 , L0002602 , L0002604 , L0002605 ,
L0002611	L0002606 , L0002607 , L0002608 , L0002609 , L0002610 , L0002612 , L0002613 ,
L0002619	L0002614 , L0002615 , L0002616 , L0002617 , L0002618 , L0002620 , L0002621 ,
	L0002622 , L0002623 , L0002624 , L0002625 , L0002626 ,


```

L0002627      , L0002628      , L0002629      ,
                L0002630      , L0002631      , L0002632      , L0002633      , L0002634      ,
L0002635      , L0002636      , L0002637      ,
                L0002638      , L0002639      , L0002640      , L0002641      , L0002642      ,
L0002643      , L0002644      , L0002645      ,
                L0002646      , L0002647      , L0002648      , L0002649      , L0002650      ,
L0002651      , L0002652      , L0002653      ,
                L0002654      , L0002655      , L0002656      , L0002657      , L0002658      ,
L0002659      , L0002660      , L0002661      ,
                L0002662      , L0002663      , L0002664      , L0002665      , L0002666      ,
L0002667      , L0002668      , L0002669      ,
                L0002670      , L0002671      , L0002672      , L0002673      , L0002674      ,
L0002675      , L0002676      , L0002677      ,
                L0002678      , L0002679      , L0002680      , L0002681      , L0002682      ,
L0002683      , L0002684      , L0002685      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***                                     12:08:06

```

PAGE 32

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS

SRCGROUP ID	SOURCE IDs
-----	-----
L0002691	L0002686 , L0002687 , L0002688 , L0002689 , L0002690 , L0002692 , L0002693 ,
L0002699	L0002694 , L0002695 , L0002696 , L0002697 , L0002698 , L0002700 , L0002701 ,
L0002707	L0002702 , L0002703 , L0002704 , L0002705 , L0002706 , L0002708 , L0002709 ,
L0002715	L0002710 , L0002711 , L0002712 , L0002713 , L0002714 , L0002716 , L0002717 ,

L0002723	L0002718 , L0002724	, L0002719 , L0002725	, L0002720 ,	, L0002721	, L0002722	,
L0002731	L0002726 , L0002732	, L0002727 , L0002733	, L0002728 ,	, L0002729	, L0002730	,
L0002739	L0002734 , L0002740	, L0002735 , L0002741	, L0002736 ,	, L0002737	, L0002738	,
L0002747	L0002742 , L0002748	, L0002743 , L0002749	, L0002744 ,	, L0002745	, L0002746	,
L0002755	L0002750 , L0002756	, L0002751 , L0002757	, L0002752 ,	, L0002753	, L0002754	,
L0002763	L0002758 , L0002764	, L0002759 , L0002765	, L0002760 ,	, L0002761	, L0002762	,
L0002771	L0002766 , L0002772	, L0002767 , L0002773	, L0002768 ,	, L0002769	, L0002770	,
L0002779	L0002774 , L0002780	, L0002775 , L0002781	, L0002776 ,	, L0002777	, L0002778	,
L0002787	L0002782 , L0002788	, L0002783 , L0002789	, L0002784 ,	, L0002785	, L0002786	,
L0002795	L0002790 , L0002796	, L0002791 , L0002797	, L0002792 ,	, L0002793	, L0002794	,
L0002803	L0002798 , L0002804	, L0002799 , L0002805	, L0002800 ,	, L0002801	, L0002802	,
L0002811	L0002806 , STCK1	, L0002807 , STCK2	, L0002808 ,	, L0002809	, L0002810	,

STCK3 ,

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 33

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID URBAN POP

SOURCE IDs

-----	-----	-----			
L0001098 L0001101	2189641. , L0001099 ,	L0001094 , L0001100	, L0001095 ,	, L0001096 ,	, L0001097 ,
L0001107	L0001102 , L0002047	, L0001103 , L0002048	, L0001104 ,	, L0001105 ,	, L0001106 ,
L0002054	L0002049 , L0002055	, L0002050 , L0002056	, L0002051 ,	, L0002052 ,	, L0002053 ,
L0001123	L0002057 , L0001124	, L0002058 , L0001125	, L0002059 ,	, L0002060 ,	, L0001122 ,
L0001131	L0001126 , L0001132	, L0001127 , L0001133	, L0001128 ,	, L0001129 ,	, L0001130 ,
L0001139	L0001134 , L0001140	, L0001135 , L0001141	, L0001136 ,	, L0001137 ,	, L0001138 ,
L0001147	L0001142 , L0001148	, L0001143 , L0001149	, L0001144 ,	, L0001145 ,	, L0001146 ,
L0001155	L0001150 , L0001156	, L0001151 , L0001157	, L0001152 ,	, L0001153 ,	, L0001154 ,
L0001163	L0001158 , L0001164	, L0001159 , L0001165	, L0001160 ,	, L0001161 ,	, L0001162 ,
L0001171	L0001166 , L0001172	, L0001167 , L0001173	, L0001168 ,	, L0001169 ,	, L0001170 ,
L0001179	L0001174 , L0001180	, L0001175 , L0002061	, L0001176 ,	, L0001177 ,	, L0001178 ,
L0002067	L0002062 , L0002068	, L0002063 , L0002069	, L0002064 ,	, L0002065 ,	, L0002066 ,
L0002075	L0002070 , L0002076	, L0002071 , L0002077	, L0002072 ,	, L0002073 ,	, L0002074 ,
L0002083	L0002078 , L0002084	, L0002079 , L0002085	, L0002080 ,	, L0002081 ,	, L0002082 ,
L0002091	L0002086 , L0002092	, L0002087 , L0002093	, L0002088 ,	, L0002089 ,	, L0002090 ,
	L0002094	, L0002095	, L0002096	, L0002097	, L0002098 ,

```

L0002099      , L0002100      , L0002101      ,
               L0002102      , L0002103      , L0002104      , L0002105      , L0002106      ,
L0002107      , L0002108      , L0002109      ,
               L0002110      , L0002111      , L0002112      , L0002113      , L0002114      ,
L0002115      , L0002116      , L0002117      ,
               L0002118      , L0002119      , L0002120      , L0002121      , L0002122      ,
L0002123      , L0002124      , L0002125      ,
               L0002126      , L0002127      , L0002128      , L0002129      , L0002130      ,
L0002131      , L0002132      , L0002133      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***                               12:08:06

```

PAGE 34

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----
L0002139	L0002134 , L0002140	L0002135 , L0002141 , L0002136 , L0002137 , L0002138 ,
L0002147	L0002142 , L0002148	L0002143 , L0002149 , L0002144 , L0002145 , L0002146 ,
L0002155	L0002150 , L0002156	L0002151 , L0002157 , L0002152 , L0002153 , L0002154 ,
L0002163	L0002158 , L0002164	L0002159 , L0002165 , L0002160 , L0002161 , L0002162 ,
L0002171	L0002166 , L0002172	L0002167 , L0002173 , L0002168 , L0002169 , L0002170 ,
L0002179	L0002174 , L0002180	L0002175 , L0002181 , L0002176 , L0002177 , L0002178 ,
L0002187	L0002182 , L0002188	L0002183 , L0002189 , L0002184 , L0002185 , L0002186 ,

L0002195	L0002190 , L0002196	, L0002191 , L0002197	, L0002192 ,	, L0002193	, L0002194	,
L0002203	L0002198 , L0002204	, L0002199 , L0002205	, L0002200 ,	, L0002201	, L0002202	,
L0002211	L0002206 , L0001332	, L0002207 , L0001333	, L0002208 ,	, L0002209	, L0002210	,
L0001339	L0001334 , L0001340	, L0001335 , L0001341	, L0001336 ,	, L0001337	, L0001338	,
L0001347	L0001342 , L0001348	, L0001343 , L0001349	, L0001344 ,	, L0001345	, L0001346	,
L0001355	L0001350 , L0001356	, L0001351 , L0001357	, L0001352 ,	, L0001353	, L0001354	,
L0001363	L0001358 , L0001364	, L0001359 , L0001365	, L0001360 ,	, L0001361	, L0001362	,
L0001371	L0001366 , L0001372	, L0001367 , L0001373	, L0001368 ,	, L0001369	, L0001370	,
L0001379	L0001374 , L0001380	, L0001375 , L0001381	, L0001376 ,	, L0001377	, L0001378	,
L0002330	L0001382 , L0002331	, L0001383 , L0002332	, L0002327 ,	, L0002328	, L0002329	,
L0002338	L0002333 , L0002339	, L0002334 , L0002340	, L0002335 ,	, L0002336	, L0002337	,
L0002346	L0002341 , L0002347	, L0002342 , L0002348	, L0002343 ,	, L0002344	, L0002345	,
L0002354	L0002349 , L0002355	, L0002350 , L0002356	, L0002351 ,	, L0002352	, L0002353	,

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 02/05/25
 12:08:06

PAGE 35

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID -----	URBAN POP -----	SOURCE IDs -----					
L0002362	L0002357 , L0002363	, L0002358 , L0002364	, L0002359 ,	, L0002360	, L0002361	,	
L0002370	L0002365 , L0002371	, L0002366 , L0002372	, L0002367 ,	, L0002368	, L0002369	,	
L0002378	L0002373 , L0002379	, L0002374 , L0002380	, L0002375 ,	, L0002376	, L0002377	,	
L0002386	L0002381 , L0002387	, L0002382 , L0002388	, L0002383 ,	, L0002384	, L0002385	,	
L0002394	L0002389 , L0002395	, L0002390 , L0002396	, L0002391 ,	, L0002392	, L0002393	,	
L0002402	L0002397 , L0002403	, L0002398 , L0002404	, L0002399 ,	, L0002400	, L0002401	,	
L0002410	L0002405 , L0002411	, L0002406 , L0002412	, L0002407 ,	, L0002408	, L0002409	,	
L0002812	L0002413 , L0002813	, L0002414 , L0002814	, L0002415 ,	, L0002416	, L0002417	,	
L0002820	L0002815 , L0002821	, L0002816 , L0002822	, L0002817 ,	, L0002818	, L0002819	,	
L0002828	L0002823 , L0002829	, L0002824 , L0002830	, L0002825 ,	, L0002826	, L0002827	,	
L0002836	L0002831 , L0002837	, L0002832 , L0002838	, L0002833 ,	, L0002834	, L0002835	,	
L0002844	L0002839 , L0002845	, L0002840 , L0002846	, L0002841 ,	, L0002842	, L0002843	,	
L0002852	L0002847 , L0002853	, L0002848 , L0002854	, L0002849 ,	, L0002850	, L0002851	,	
L0002860	L0002855 , L0002861	, L0002856 , L0002862	, L0002857 ,	, L0002858	, L0002859	,	
L0002868	L0002863 , L0002869	, L0002864 , L0002870	, L0002865 ,	, L0002866	, L0002867	,	
	L0002871	, L0002872	, L0002873	, L0002874	, L0002875	,	

```

L0002876      , L0002877      , L0002878      ,
                L0002879      , L0002880      , L0002881      , L0002882      , L0002883      ,
L0002884      , L0002885      , L0002886      ,
                L0002887      , L0002888      , L0002889      , L0002890      , L0002891      ,
L0002892      , L0002893      , L0002894      ,
                L0002895      , L0001468      , L0001469      , L0001470      , L0001471      ,
L0001472      , L0001473      , L0001474      ,
                L0001475      , L0001476      , L0001477      , L0001478      , L0001479      ,
L0001480      , L0001481      , L0001482      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
*** 12:08:06

```

PAGE 36

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----
L0001488	L0001483 , L0001484 , L0001485 , L0001486 , L0001487 , L0001489 , L0001490 ,	
L0001496	L0001491 , L0001492 , L0001493 , L0001494 , L0001495 , L0001497 , L0001498 ,	
L0001504	L0001499 , L0001500 , L0001501 , L0001502 , L0001503 , L0001505 , L0001506 ,	
L0001512	L0001507 , L0001508 , L0001509 , L0001510 , L0001511 , L0001513 , L0001514 ,	
L0001520	L0001515 , L0001516 , L0001517 , L0001518 , L0001519 , L0001521 , L0001522 ,	
L0001528	L0001523 , L0001524 , L0001525 , L0001526 , L0001527 , L0001529 , L0001530 ,	
L0001536	L0001531 , L0001532 , L0001533 , L0001534 , L0001535 , L0001537 , L0001538 ,	

L0001544	L0001539 , L0001545	, L0001540 , L0001546	, L0001541 ,	, L0001542	, L0001543	,
L0002435	L0001547 , L0002436	, L0001548 , L0002437	, L0001549 ,	, L0001550	, L0002434	,
L0002443	L0002438 , L0002444	, L0002439 , L0002445	, L0002440 ,	, L0002441	, L0002442	,
L0002451	L0002446 , L0002452	, L0002447 , L0002453	, L0002448 ,	, L0002449	, L0002450	,
L0002459	L0002454 , L0002460	, L0002455 , L0002461	, L0002456 ,	, L0002457	, L0002458	,
L0002467	L0002462 , L0002468	, L0002463 , L0002469	, L0002464 ,	, L0002465	, L0002466	,
L0002475	L0002470 , L0002476	, L0002471 , L0002477	, L0002472 ,	, L0002473	, L0002474	,
L0002483	L0002478 , L0002484	, L0002479 , L0002485	, L0002480 ,	, L0002481	, L0002482	,
L0002491	L0002486 , L0002492	, L0002487 , L0002493	, L0002488 ,	, L0002489	, L0002490	,
L0002499	L0002494 , L0002500	, L0002495 , L0002501	, L0002496 ,	, L0002497	, L0002498	,
L0002507	L0002502 , L0002508	, L0002503 , L0002509	, L0002504 ,	, L0002505	, L0002506	,
L0002515	L0002510 , L0002516	, L0002511 , L0002517	, L0002512 ,	, L0002513	, L0002514	,
L0002523	L0002518 , L0002524	, L0002519 , L0002525	, L0002520 ,	, L0002521	, L0002522	,

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

 C:\Users\adadabhoy\Desktop\AERMOD\15852
 02/05/25
 12:08:06

PAGE 37

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID -----	URBAN POP -----	SOURCE IDs -----					
L0002531	L0002526 , L0002532	, L0002527 , L0002533	, L0002528 ,	, L0002529	, L0002530	,	
L0002539	L0002534 , L0002540	, L0002535 , L0002541	, L0002536 ,	, L0002537	, L0002538	,	
L0002547	L0002542 , L0002548	, L0002543 , L0002549	, L0002544 ,	, L0002545	, L0002546	,	
L0002555	L0002550 , L0002556	, L0002551 , L0002557	, L0002552 ,	, L0002553	, L0002554	,	
L0002563	L0002558 , L0002564	, L0002559 , L0002565	, L0002560 ,	, L0002561	, L0002562	,	
L0002571	L0002566 , L0002572	, L0002567 , L0002573	, L0002568 ,	, L0002569	, L0002570	,	
L0002579	L0002574 , L0002580	, L0002575 , L0002581	, L0002576 ,	, L0002577	, L0002578	,	
L0002587	L0002582 , L0002588	, L0002583 , L0002589	, L0002584 ,	, L0002585	, L0002586	,	
L0002595	L0002590 , L0002596	, L0002591 , L0002597	, L0002592 ,	, L0002593	, L0002594	,	
L0002603	L0002598 , L0002604	, L0002599 , L0002605	, L0002600 ,	, L0002601	, L0002602	,	
L0002611	L0002606 , L0002612	, L0002607 , L0002613	, L0002608 ,	, L0002609	, L0002610	,	
L0002619	L0002614 , L0002620	, L0002615 , L0002621	, L0002616 ,	, L0002617	, L0002618	,	
L0002627	L0002622 , L0002628	, L0002623 , L0002629	, L0002624 ,	, L0002625	, L0002626	,	
L0002635	L0002630 , L0002636	, L0002631 , L0002637	, L0002632 ,	, L0002633	, L0002634	,	
L0002643	L0002638 , L0002644	, L0002639 , L0002645	, L0002640 ,	, L0002641	, L0002642	,	
	L0002646	, L0002647	, L0002648	, L0002649	, L0002650	,	

```

L0002651      , L0002652      , L0002653      ,
                L0002654      , L0002655      , L0002656      , L0002657      , L0002658      ,
L0002659      , L0002660      , L0002661      ,
                L0002662      , L0002663      , L0002664      , L0002665      , L0002666      ,
L0002667      , L0002668      , L0002669      ,
                L0002670      , L0002671      , L0002672      , L0002673      , L0002674      ,
L0002675      , L0002676      , L0002677      ,
                L0002678      , L0002679      , L0002680      , L0002681      , L0002682      ,
L0002683      , L0002684      , L0002685      ,
^ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***                                     12:08:06

```

PAGE 38

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES

URBAN ID	URBAN POP	SOURCE IDs
-----	-----	-----
L0002691	L0002686 , L0002687 , L0002688 , L0002692 , L0002693 ,	L0002689 , L0002690 ,
L0002699	L0002694 , L0002695 , L0002696 , L0002697 , L0002698 , L0002700 , L0002701 ,	
L0002707	L0002702 , L0002703 , L0002704 , L0002705 , L0002706 , L0002708 , L0002709 ,	
L0002715	L0002710 , L0002711 , L0002712 , L0002713 , L0002714 , L0002716 , L0002717 ,	
L0002723	L0002718 , L0002719 , L0002720 , L0002721 , L0002722 , L0002724 , L0002725 ,	
L0002731	L0002726 , L0002727 , L0002728 , L0002729 , L0002730 , L0002732 , L0002733 ,	
L0002739	L0002734 , L0002735 , L0002736 , L0002737 , L0002738 , L0002740 , L0002741 ,	

L0002747	L0002742 , L0002748	, L0002743 , L0002749	, L0002744 ,	, L0002745	, L0002746	,
L0002755	L0002750 , L0002756	, L0002751 , L0002757	, L0002752 ,	, L0002753	, L0002754	,
L0002763	L0002758 , L0002764	, L0002759 , L0002765	, L0002760 ,	, L0002761	, L0002762	,
L0002771	L0002766 , L0002772	, L0002767 , L0002773	, L0002768 ,	, L0002769	, L0002770	,
L0002779	L0002774 , L0002780	, L0002775 , L0002781	, L0002776 ,	, L0002777	, L0002778	,
L0002787	L0002782 , L0002788	, L0002783 , L0002789	, L0002784 ,	, L0002785	, L0002786	,
L0002795	L0002790 , L0002796	, L0002791 , L0002797	, L0002792 ,	, L0002793	, L0002794	,
L0002803	L0002798 , L0002804	, L0002799 , L0002805	, L0002800 ,	, L0002801	, L0002802	,
L0002811	L0002806 , STCK1	, L0002807 , STCK2	, L0002808 ,	, L0002809	, L0002810	,

STCK3 ,

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 39

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** DIRECTION SPECIFIC BUILDING

DIMENSIONS ***

SOURCE ID: STCK1

IFV	BH	BW	BL	XADJ	YADJ	IFV	BH	BW	BL	XADJ
YADJ										
1	15.2,	197.0,	218.5,	-150.0,	97.7,	2	15.2,	178.3,	217.4,	
-165.9,	89.3,									
3	15.2,	154.2,	209.8,	-176.7,	78.2,	4	15.2,	127.8,	195.8,	
-182.2,	64.8,									
5	15.2,	130.3,	197.0,	-192.4,	48.8,	6	15.2,	158.8,	209.0,	
-204.9,	31.7,									
7	15.2,	182.6,	215.8,	-212.4,	13.6,	8	15.2,	200.7,	216.1,	

17	15.2,	458.9,	552.8,	-2.9,	111.8,	18	15.2,	520.9,	503.3,
-1.8,	157.6,								
19	15.2,	567.0,	438.6,	-0.7,	198.5,	20	15.2,	595.9,	360.6,
0.4,	233.4,								
21	15.2,	606.7,	271.6,	1.5,	261.2,	22	15.2,	599.0,	175.2,
1.6,	281.1,								
23	15.2,	597.9,	199.2,	-60.0,	292.5,	24	15.2,	600.2,	295.5,
-159.5,	295.5,								
25	15.2,	585.4,	383.1,	-254.2,	288.9,	26	15.2,	552.8,	458.9,
-341.3,	273.5,								
27	15.2,	503.3,	520.9,	-418.0,	249.8,	28	15.2,	438.6,	567.0,
-482.0,	218.6,								
29	15.2,	360.6,	595.9,	-531.3,	180.7,	30	15.2,	271.6,	606.7,
-564.5,	137.2,								
31	15.2,	175.2,	599.0,	-580.6,	89.2,	32	15.2,	199.2,	597.9,
-591.5,	39.6,								
33	15.2,	295.5,	600.2,	-595.6,	-11.7,	34	15.2,	383.1,	585.4,
-581.6,	-62.7,								
35	15.2,	458.9,	552.8,	-549.9,	-111.8,	36	15.2,	520.9,	503.3,
-501.5,	-157.6,								

*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 40

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW7) *

SOURCE ID = STCK1				; SOURCE TYPE = POINT					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = MONDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.1000E+01	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = TUESDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

```

22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = WEDNESDY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = THURSDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = FRIDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SATURDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
                                DAY OF WEEK = SUNDAY
    1 .0000E+00  2 .0000E+00  3 .0000E+00  4 .0000E+00  5 .0000E+00
6 .0000E+00  7 .0000E+00  8 .0000E+00
    9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
    17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
*** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
***
12:08:06

```

PAGE 41

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW7) *

```

SOURCE ID = STCK2          ; SOURCE TYPE = POINT          :
  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR
HOUR  SCALAR  HOUR  SCALAR  HOUR  SCALAR

```


22 .0000E+00 23 .0000E+00 24 .0000E+00
 *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25
 *** AERMET - VERSION 16216 *** ***
 *** 12:08:06

PAGE 42

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
 OF WEEK (HRDOW7) *

SOURCE ID = STCK3 ; SOURCE TYPE = POINT :					
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = MONDAY					
1	.0000E+00	2	.0000E+00	3	.0000E+00
4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00
10	.1000E+01	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = TUESDAY					
1	.0000E+00	2	.0000E+00	3	.0000E+00
4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00
10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = WEDNESDY					
1	.0000E+00	2	.0000E+00	3	.0000E+00
4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00
10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = THURSDAY					
1	.0000E+00	2	.0000E+00	3	.0000E+00
4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00
10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00
16	.0000E+00	17	.0000E+00	18	.0000E+00
19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = FRIDAY					
1	.0000E+00	2	.0000E+00	3	.0000E+00
4	.0000E+00	5	.0000E+00	6	.0000E+00
7	.0000E+00	8	.0000E+00	9	.0000E+00
10	.0000E+00	11	.0000E+00	12	.0000E+00
13	.0000E+00	14	.0000E+00	15	.0000E+00

17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
*** 12:08:06

PAGE 43

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(465958.2, 3729269.9, 392.7, 1408.0, 0.0); (466852.8,
3728807.3, 394.7, 635.0, 0.0);
(465755.9, 3729010.3, 400.1, 1408.0, 0.0); (466029.8,
3728618.5, 465.5, 465.5, 0.0);
(466326.2, 3728404.4, 404.1, 1313.0, 0.0); (466651.8,
3728102.8, 416.5, 416.5, 0.0);
(466620.5, 3728094.4, 415.9, 415.9, 0.0); (466715.7,
3728045.5, 401.1, 453.0, 0.0);
(466849.2, 3728002.4, 392.5, 442.0, 0.0); (466886.3,
3728009.6, 393.1, 442.0, 0.0);
(466784.6, 3728067.0, 400.6, 439.0, 0.0); (467154.5,
3728238.1, 410.6, 442.0, 0.0);
(467151.8, 3728336.1, 412.7, 442.0, 0.0); (467095.6,
3729260.4, 388.1, 635.0, 0.0);
(467193.6, 3729161.4, 382.0, 635.0, 0.0); (466701.0,
3729639.0, 394.0, 674.0, 0.0);
(466711.3, 3729684.2, 400.6, 674.0, 0.0); (465908.6,
3729208.5, 392.9, 1408.0, 0.0);
(467033.5, 3729844.0, 395.7, 674.0, 0.0); (466935.5,
3729846.8, 397.7, 674.0, 0.0);
(466031.9, 3728472.8, 477.3, 478.0, 0.0); (467387.6,
3729299.4, 401.0, 635.0, 0.0);

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

CATEGORIES ***
*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
(METERS/SEC)

10.80,
1.54, 3.09, 5.14, 8.23,
10.80,
▲ *** AERMOD - VERSION 23132 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 ***
*** 12:08:06

PAGE 45
*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL
DATA ***

Surface file: ELSI_V9_ADJU\ELSI_v9.SFC
Met Version: 16216
Profile file: ELSI_V9_ADJU\ELSI_v9.PFL

Surface format: FREE

Profile format: FREE

Surface station no.: 3171
Name: UNKNOWN

Upper air station no.: 3190
Name: UNKNOWN

Year: 2012

Year: 2012

First 24 hours of scalar data
YR MO DY JDY HR H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN
ALBEDO REF WS WD HT REF TA HT
- - - - -
12 01 01 1 01 -1.3 0.065 -9.000 -9.000 -999. 40. 18.2 0.23 2.69
1.00 0.40 78. 9.1 284.2 5.5
12 01 01 1 02 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 69. 9.1 283.8 5.5
12 01 01 1 03 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 286. 9.1 282.5 5.5
12 01 01 1 04 -4.2 0.092 -9.000 -9.000 -999. 67. 16.0 0.23 2.69
1.00 0.90 348. 9.1 282.5 5.5

12	01	01	1	05	-1.3	0.066	-9.000	-9.000	-999.	40.	18.2	0.23	2.69
1.00		0.40		17.	9.1	282.0	5.5						
12	01	01	1	06	-4.2	0.092	-9.000	-9.000	-999.	67.	16.0	0.23	2.69
1.00		0.90		161.	9.1	282.0	5.5						
12	01	01	1	07	-1.3	0.066	-9.000	-9.000	-999.	40.	18.2	0.23	2.69
1.00		0.40		273.	9.1	282.0	5.5						
12	01	01	1	08	-3.6	0.091	-9.000	-9.000	-999.	66.	18.3	0.23	2.69
0.54		0.90		113.	9.1	283.8	5.5						
12	01	01	1	09	39.6	0.087	0.358	0.016	40.	61.	-1.4	0.23	2.69
0.33		0.40		336.	9.1	285.9	5.5						
12	01	01	1	10	110.7	0.206	0.740	0.007	127.	225.	-6.9	0.23	2.69
0.25		1.30		158.	9.1	291.4	5.5						
12	01	01	1	11	161.7	0.105	1.203	0.005	374.	87.	-1.0	0.23	2.69
0.23		0.40		33.	9.1	297.0	5.5						
12	01	01	1	12	185.5	0.271	1.535	0.005	676.	339.	-9.3	0.23	2.69
0.22		1.80		313.	9.1	298.8	5.5						
12	01	01	1	13	183.9	0.219	1.828	0.005	1154.	247.	-4.9	0.23	2.69
0.22		1.30		250.	9.1	300.4	5.5						
12	01	01	1	14	156.6	0.266	1.869	0.005	1446.	330.	-10.4	0.23	2.69
0.23		1.80		217.	9.1	301.4	5.5						
12	01	01	1	15	104.7	0.256	1.677	0.005	1562.	311.	-13.8	0.23	2.69
0.27		1.80		248.	9.1	302.0	5.5						
12	01	01	1	16	32.7	0.319	1.147	0.005	1596.	433.	-85.9	0.23	2.69
0.36		2.70		235.	9.1	302.0	5.5						
12	01	01	1	17	-15.5	0.190	-9.000	-9.000	-999.	208.	39.6	0.23	2.69
0.63		1.80		46.	9.1	299.2	5.5						
12	01	01	1	18	-4.1	0.092	-9.000	-9.000	-999.	73.	16.2	0.23	2.69
1.00		0.90		107.	9.1	294.9	5.5						
12	01	01	1	19	-999.0	-9.000	-9.000	-9.000	-999.	-999.	-99999.0	0.23	2.69
1.00	999.00	999.		-9.0	292.5	5.5							
12	01	01	1	20	-4.2	0.092	-9.000	-9.000	-999.	67.	16.1	0.23	2.69
1.00		0.90		323.	9.1	290.4	5.5						
12	01	01	1	21	-8.8	0.133	-9.000	-9.000	-999.	116.	23.2	0.23	2.69
1.00		1.30		34.	9.1	287.5	5.5						
12	01	01	1	22	-1.3	0.065	-9.000	-9.000	-999.	41.	18.1	0.23	2.69
1.00		0.40		359.	9.1	286.4	5.5						
12	01	01	1	23	-1.3	0.065	-9.000	-9.000	-999.	40.	18.1	0.23	2.69
1.00		0.40		351.	9.1	285.4	5.5						
12	01	01	1	24	-4.2	0.092	-9.000	-9.000	-999.	67.	16.0	0.23	2.69
1.00		0.90		11.	9.1	284.9	5.5						

First hour of profile data

YR	MO	DY	HR	HEIGHT	F	WDIR	WSPD	AMB_TMP	sigmaA	sigmaW	sigmaV
12	01	01	01	5.5	0	-999.	-99.00	284.3	99.0	-99.00	-99.00
12	01	01	01	9.1	1	78.	0.40	-999.0	99.0	-99.00	-99.00

F indicates top of profile (=1) or below (=0)

▲ *** AERMOD - VERSION 23132 *** C:\Users\adadabhoy\Desktop\AERMOD\15852
 Baker Industrial\15852 Baker *** 02/05/25

*** AERMET - VERSION 16216 ***
 *** 12:08:06

PAGE 46
 *** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** THE PERIOD (43848 HRS) AVERAGE CONCENTRATION

 VALUES FOR SOURCE GROUP: ALL
 INCLUDING SOURCE(S): L0001094 , L0001095
 , L0001096 , L0001097 , L0001098 ,
 , L0001099 , L0001100 , L0001101 , L0001102 , L0001103
 , L0001104 , L0001105 , L0001106 ,
 , L0001107 , L0002047 , L0002048 , L0002049 , L0002050
 , L0002051 , L0002052 , L0002053 ,
 , L0002054 , L0002055 , L0002056 , L0002057 , L0002058
 , L0002059 , L0002060 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS

** CONC OF DPM IN MICROGRAMS/M**3
 **

X-COORD (M)	Y-COORD (M)	CONC	X-COORD (M)
Y-COORD (M)	CONC		
465958.17	3729269.92	0.01053	466852.83
3728807.35	0.00956		
465755.92	3729010.35	0.00271	466029.84
3728618.52	0.00130		
466326.18	3728404.41	0.00248	466651.83
3728102.77	0.00177		
466620.50	3728094.43	0.00173	466715.74
3728045.55	0.00155		
466849.18	3728002.38	0.00122	466886.31
3728009.62	0.00122		
466784.58	3728066.96	0.00159	467154.51
3728238.13	0.00185		
467151.79	3728336.11	0.00205	467095.65
3729260.36	0.00283		
467193.61	3729161.45	0.00236	466700.99
3729639.01	0.00599		
466711.35	3729684.22	0.00912	465908.60
3729208.50	0.00730		
467033.50	3729843.96	0.00240	466935.45
3729846.80	0.00338		
466031.91	3728472.80	0.00103	467387.60
3729299.39	0.00152		
467617.42	3729280.17	0.00105	467474.88

3729206.50	0.00137		
467637.44	3729083.98	0.00110	464714.77
3730025.47	0.00042		
464677.74	3729887.77	0.00036	465869.93
3727325.36	0.00052		
465435.67	3727563.88	0.00050	467713.10
3728549.23	0.00090		
467727.24	3728531.67	0.00087	467767.25
3728485.80	0.00082		
467883.86	3728459.94	0.00072	467937.53
3728394.57	0.00067		
467632.38	3728834.83	0.00109	467512.74
3728910.54	0.00132		
467323.00	3729060.09	0.00186	467881.30
3728691.21	0.00078		
467806.52	3728944.51	0.00087	467789.70
3728984.70	0.00089		
467873.82	3729225.85	0.00075	467875.69
3729123.04	0.00076		
468020.59	3728487.01	0.00064	468021.34
3728204.18	0.00058		
466451.35	3728209.31	0.00190	466461.97
3728188.71	0.00185		

*** AERMOD - VERSION 23132 ***
 Baker Industrial\15852 Baker
 *** AERMET - VERSION 16216 ***

*** C:\Users\adadabhoy\Desktop\AERMOD\15852
 02/05/25

 12:08:06

PAGE 47

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** THE SUMMARY OF MAXIMUM PERIOD (43848
 HRS) RESULTS ***

** CONC OF DPM IN MICROGRAMS/M**3

**

GROUP ID		NETWORK	AVERAGE CONC	RECEPTOR (XR, YR,
ZELEV, ZHILL, ZFLAG)	OF TYPE	GRID-ID		

ALL	1ST HIGHEST VALUE IS	0.01053 AT (	465958.17,	3729269.92,
392.67,	1408.00, 0.00) DC			
	2ND HIGHEST VALUE IS	0.00956 AT (	466852.83,	3728807.35,
394.66,	635.00, 0.00) DC			
	3RD HIGHEST VALUE IS	0.00912 AT (	466711.35,	3729684.22,

400.57,	674.00,	0.00)	DC			
	4TH HIGHEST VALUE IS			0.00730	AT (	465908.60, 3729208.50,
392.88,	1408.00,	0.00)	DC			
	5TH HIGHEST VALUE IS			0.00599	AT (	466700.99, 3729639.01,
393.98,	674.00,	0.00)	DC			
	6TH HIGHEST VALUE IS			0.00338	AT (	466935.45, 3729846.80,
397.66,	674.00,	0.00)	DC			
	7TH HIGHEST VALUE IS			0.00283	AT (	467095.65, 3729260.36,
388.08,	635.00,	0.00)	DC			
	8TH HIGHEST VALUE IS			0.00271	AT (	465755.92, 3729010.35,
400.12,	1408.00,	0.00)	DC			
	9TH HIGHEST VALUE IS			0.00248	AT (	466326.18, 3728404.41,
404.11,	1313.00,	0.00)	DC			
	10TH HIGHEST VALUE IS			0.00240	AT (	467033.50, 3729843.96,
395.68,	674.00,	0.00)	DC			

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

▲ *** AERMOD - VERSION 23132 *** *** C:\Users\adadabhoy\Desktop\AERMOD\15852
Baker Industrial\15852 Baker *** 02/05/25
*** AERMET - VERSION 16216 *** ***
*** 12:08:06

PAGE 48

*** MODELOPTs: NonDEFAULT CONC FLAT and ELEV URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

----- Summary of Total Messages -----

A Total of	0 Fatal Error Message(s)
A Total of	5 Warning Message(s)
A Total of	1763 Informational Message(s)
A Total of	43848 Hours Were Processed
A Total of	884 Calm Hours Identified
A Total of	879 Missing Hours Identified (2.00 Percent)

***** FATAL ERROR MESSAGES *****
*** NONE ***

***** WARNING MESSAGES *****
SO W320 2339 PPARM: Input Parameter May Be Out-of-Range for Parameter

```
VS
SO W320 2340 PPARM: Input Parameter May Be Out-of-Range for Parameter
VS
SO W320 2341 PPARM: Input Parameter May Be Out-of-Range for Parameter
VS
ME W186 2505 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
0.50
ME W187 2505 MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET
```

```
*****
*** AERMOD Finishes Successfully ***
*****
```


This page intentionally left blank

APPENDIX 2.4:

RISK CALCULATIONS

Construction Risk																							
Receptor No.	Age Bin	DPM Conc. (µg/m³)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk									
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES	
1	0 to 2	0.00468	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	3.5E-06	1.01	5.0E+00	1.4E-03	9.4E-04							
	Total												1.01			9.4E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
2	0 to 2	0.00091	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	6.8E-07	0.20	5.0E+00	1.4E-03	1.8E-04							
	Total												0.20			1.8E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
3	0 to 2	0.00028	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.1E-07	0.06	5.0E+00	1.4E-03	5.6E-05							
	Total												0.06			5.6E-05	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
4	0 to 2	0.00033	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.5E-07	0.07	5.0E+00	1.4E-03	6.6E-05							
	Total												0.07			6.6E-05	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
5	0 to 2	0.00025	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.9E-07	0.05	5.0E+00	1.4E-03	5.0E-05							
	Total												0.05			5.0E-05	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
6 (MEIR)	0 to 2	0.00629	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	4.7E-06	1.35	5.0E+00	1.4E-03	1.3E-03							
	Total												1.35			1.3E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
7 (MEIW)	16 to 41	0.00883	250	1.92	230	1	70	1.00	1	3.0E-04	1.1E+00	1.4E-06	0.04	5.0E+00	1.4E-03	1.8E-03							
	Total												0.04			1.8E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	
8 (MEISC)	4 to 13	0.00051	180	1.92	572	1	70	1.00	3	3.0E-04	1.1E+00	1.4E-07	0.01	5.0E+00	1.4E-03	1.0E-04							
	Total												0.01			1.0E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	

Operational Risk																						
Receptor No.	Age Bin	DPM Conc. (µg/m³)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk								
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES
1 (MEIR)	-0.25 to 0	0.01053	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	3.6E-06	0.12	5.0E+00	1.4E-03	2.1E-03						
	0 to 2	0.01053	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.1E-05	2.81	5.0E+00	1.4E-03	2.1E-03						
	2 to 16	0.01053	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	5.8E-06	2.62	5.0E+00	1.4E-03	2.1E-03						
	16 to 30	0.01053	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	2.6E-06	0.40	5.0E+00	1.4E-03	2.1E-03						
	Total												5.95			0.01	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
2	-0.25 to 0	0.00271	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	9.4E-07	0.03	5.0E+00	1.4E-03	5.4E-04						
	0 to 2	0.00271	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	2.8E-06	0.72	5.0E+00	1.4E-03	5.4E-04						
	2 to 16	0.00271	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	1.5E-06	0.67	5.0E+00	1.4E-03	5.4E-04						
	16 to 30	0.00271	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	6.8E-07	0.10	5.0E+00	1.4E-03	5.4E-04						
	Total												1.53			2.2E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
3	-0.25 to 0	0.00130	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	4.5E-07	0.01	5.0E+00	1.4E-03	2.6E-04						
	0 to 2	0.00130	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.4E-06	0.35	5.0E+00	1.4E-03	2.6E-04						
	2 to 16	0.00130	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	7.1E-07	0.32	5.0E+00	1.4E-03	2.6E-04						
	16 to 30	0.00130	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	3.3E-07	0.05	5.0E+00	1.4E-03	2.6E-04						
	Total												0.73			1.0E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4	-0.25 to 0	0.00248	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	8.6E-07	0.03	5.0E+00	1.4E-03	5.0E-04						
	0 to 2	0.00248	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	2.6E-06	0.66	5.0E+00	1.4E-03	5.0E-04						
	2 to 16	0.00248	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	1.4E-06	0.62	5.0E+00	1.4E-03	5.0E-04						
	16 to 30	0.00248	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	6.2E-07	0.10	5.0E+00	1.4E-03	5.0E-04						
	Total												1.40			2.0E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
5	-0.25 to 0	0.00177	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	6.1E-07	0.02	5.0E+00	1.4E-03	3.5E-04						
	0 to 2	0.00177	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.9E-06	0.47	5.0E+00	1.4E-03	3.5E-04						
	2 to 16	0.00177	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	9.7E-07	0.44	5.0E+00	1.4E-03	3.5E-04						
	16 to 30	0.00177	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	4.4E-07	0.07	5.0E+00	1.4E-03	3.5E-04						
	Total												1.00			1.4E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
6	-0.25 to 0	0.00956	350	0.25	361	1	70	0.85	10	3.0E-04	1.1E+00	3.3E-06	0.11	5.0E+00	1.4E-03	1.9E-03						
	0 to 2	0.00956	350	2	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.0E-05	2.55	5.0E+00	1.4E-03	1.9E-03						
	2 to 16	0.00956	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	5.2E-06	2.38	5.0E+00	1.4E-03	1.9E-03						
	16 to 30	0.00956	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	2.4E-06	0.37	5.0E+00	1.4E-03	1.9E-03						
	Total												5.40			7.6E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
7 (MEIW)	16 to 41	0.00912	250	25	230	1	70	1.00	1	3.0E-04	1.1E+00	1.4E-06	0.54	5.0E+00	1.4E-03	1.8E-03						
8 (MEISC)	Total												0.54			1.8E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
	4 to 13	0.00152	180	9.00	572	1	70	1.00	3	3.0E-04	1.1E+00	4.3E-07	0.17	5.0E+00	1.4E-03	3.0E-04						
	Total												0.17			3.0E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00

Combined Construction and Operational Risk																						
Receptor No.	Age Bin	DPM Conc. (µg/m³)	Exposure Frequency (days)	Exposure Duration (years)	Inhalation Rate (L/kg-day)	Inhalation Absorption Factor	Averaging Time (years)	FAH	ASF	Cancer Risk				Non-Cancer Risk								
										URF	CPF	Dose	Risk (per million)	REL	RfD	RESP	CNS/PNS	CV/BL	IMMUN	KIDN	REPRO	EYES
1	0 to 2	0.00468	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	3.5E-06	1.01	5.0E+00	1.4E-03	9.4E-04						
	0 to 2	0.01053	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.1E-05	0.12	5.0E+00	1.4E-03	2.1E-03						
	2 to 16	0.01053	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	5.8E-06	2.62	5.0E+00	1.4E-03	2.1E-03						
	16 to 30	0.01053	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	2.6E-06	0.40	5.0E+00	1.4E-03	2.1E-03						
	Total												4.14			0.01	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
2	0 to 2	0.00091	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	6.8E-07	0.20	5.0E+00	1.4E-03	1.8E-04						
	0 to 2	0.00271	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	2.8E-06	0.03	5.0E+00	1.4E-03	5.4E-04						
	2 to 16	0.00271	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	1.5E-06	0.67	5.0E+00	1.4E-03	5.4E-04						
	16 to 30	0.00271	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	6.8E-07	0.10	5.0E+00	1.4E-03	5.4E-04						
	Total												1.00			1.8E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
3	0 to 2	0.00028	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.1E-07	0.06	5.0E+00	1.4E-03	5.6E-05						
	0 to 2	0.00130	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.4E-06	0.01	5.0E+00	1.4E-03	2.6E-04						
	2 to 16	0.00130	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	7.1E-07	0.32	5.0E+00	1.4E-03	2.6E-04						
	16 to 30	0.00130	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	3.3E-07	0.05	5.0E+00	1.4E-03	2.6E-04						
	Total												0.45			8.4E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
4	0 to 2	0.00033	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	2.5E-07	0.07	5.0E+00	1.4E-03	6.6E-05						
	0 to 2	0.00248	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	2.6E-06	0.03	5.0E+00	1.4E-03	5.0E-04						
	2 to 16	0.00248	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	1.4E-06	0.62	5.0E+00	1.4E-03	5.0E-04						
	16 to 30	0.00248	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	6.2E-07	0.10	5.0E+00	1.4E-03	5.0E-04						
	Total												0.81			1.6E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
5	0 to 2	0.00025	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	1.9E-07	0.05	5.0E+00	1.4E-03	5.0E-05						
	0 to 2	0.00177	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.9E-06	0.02	5.0E+00	1.4E-03	3.5E-04						
	2 to 16	0.00177	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	9.7E-07	0.44	5.0E+00	1.4E-03	3.5E-04						
	16 to 30	0.00177	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	4.4E-07	0.07	5.0E+00	1.4E-03	3.5E-04						
	Total												0.58			1.1E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
6 (MEIR)	0 to 2	0.00629	250	1.92	1090	1	70	1.00	10	3.0E-04	1.1E+00	4.7E-06	1.35	5.0E+00	1.4E-03	1.3E-03						
	0 to 2	0.00956	350	0.08	1090	1	70	0.85	10	3.0E-04	1.1E+00	1.0E-05	0.10	5.0E+00	1.4E-03	1.9E-03						
	2 to 16	0.00956	350	14	572	1	70	0.72	3	3.0E-04	1.1E+00	5.2E-06	2.38	5.0E+00	1.4E-03	1.9E-03						
	16 to 30	0.00956	350	14	261	1	70	0.73	1	3.0E-04	1.1E+00	2.4E-06	0.37	5.0E+00	1.4E-03	1.9E-03						
	Total												4.20			0.01	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
7 (MEIW)	16 to 41	0.00883	250	1.92	230	1	70	1.00	1	3.0E-04	1.1E+00	1.4E-06	0.04	5.0E+00	1.4E-03	1.8E-03						
	16 to 41	0.00912	250	23.08	230	1	70	1.00	1	3.0E-04	1.1E+00	1.4E-06	0.50	5.0E+00	1.4E-03	1.8E-03						
	Total												0.54			3.6E-03	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00
8 (MEISC)	4 to 13	0.00051	180	1.92	572	1	70	1.00	3	3.0E-04	1.1E+00	1.4E-07	0.01	5.0E+00	1.4E-03	1.0E-04						
	4 to 13	0.00152	180	7.08	572	1	70	1.00	3	3.0E-04	1.1E+00	4.3E-07	0.14	5.0E+00	1.4E-03	3.0E-04						
	Total												0.15			4.1E-04	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00	0.0E+00

This page intentionally left blank

APPENDIX 2.5:

MODELED RECEPTORS



This page intentionally left blank